

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	8	8	50	40	33
Section Two: Calculator-assumed	12	12	100	80	67
		Total		120	100

Additional working space

Question number: _____

Instructions to candidates

1. The rules for the conduct of Western Australian external examinations are detailed in the *Year 12 Information Handbook 2011*. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question(s) that you are continuing to answer at the top of the page.
3. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
4. It is recommended that you **do not use pencil**, except in diagrams.

(1 mark)

- (c) What is the probability that a randomly chosen rod with a recorded length of 135 mm has a real length of at least 136 mm?

(1 mark)

(i) $P(E > -1.5 | E \leq 2)$

(1 mark)

- (i) $P(E = 1)$
(b) Determine

(2 marks)

- (a) State the probability density function for E .

In a production facility, the lengths of metal rods are recorded to the nearest 5 mm. The rounding error, E mm, is the difference of the actual rod length minus the rounded length and is uniformly distributed between -2.5 mm and 2.5 mm.

Question 9

Question 10**(6 marks)**

From an analysis of the median house price (M) in a city on July 1 each year from 1980 until 2010, it was observed that $\frac{dM}{dt} = 0.0772M$, where t is the time in years since July 1 1980.

- (a) According to this model, how long did it take for house prices to double? (2 mark)

It was also observed that the median house price was \$440 000 in 2008.

- (b) What was the instantaneous rate of change of the median house price at this time?
(1 mark)

- (c) What was the median house price in 1988, to the nearest thousand dollars? (2 marks)

- (d) What was the average rate of change of the median house price between 1988 and 2008?
(1 mark)

Additional working space

Question number: _____

A teacher introduced the following probability experiment to her class. Five cards with the letters A, B, C, D and E are thoroughly shuffled and then the top card noted. This trial is repeated a total of 20 times to complete the experiment.

Oil is poured onto the surface of a large tank of water at a rate of $0.7 \text{ cm}^3 \text{ per second}$. It spreads out on the surface to form a circular slick of uniform thickness 1.5 mm which can be modelled by a thin cylindrical shape.

(a) At what rate is the radius of the slick increasing one minute after pouring begins?

A teacher introduced the following probability experiment to her class. Five cards with the letters A, B, C, D and E are thoroughly shuffled and then the top card noted. This trial is repeated a total of 20 times to complete the experiment.

A teacher introduced the following experiment to her class. Five cards with the letters

(a) What would be the effect on the value of the economy if one firm in the industry begins to experiment? (4 marks)

(a) Explain why X is a discrete random variable, and state the parameters of the binomial distribution which X follows.

(a) Explain why χ is a discrete random variable, and state the parameters of the binomial distribution which X follows. (2 marks)


(1 mark) Find $P(0 < \chi \leq 4)$.

(c) A large number of students each carry out the experiment above k times and then they share with their class the mean of their k experiments. X. If approximately 90% of the means of the students lie within the central limit theorem to estimate k , estimate k .

Question 12

A drink company make a fresh fruit drink every day using a combination of apples and pears. The recipe requires that the weight of apples must be no more than twice that of pears and at the same time the weight of the pears together with twice the weight of apples must be at least 160kg. Daily supplies are limited to 100kg of apples and 90kg of pears.

With x representing the weight of apples used and y the weight of pears, the feasible region for this information is shown on the graph below.



From a practical point of view, the company have another constraint such that twice the weight of the apples added to three times the weight of pears must be at least 280kg.

- (a) Add this fifth constraint to the graph above and clearly label the vertices of the new feasible region. (3 marks)


- (b) If the price of apples is \$1.80 per kg and pears \$2.20 per kg, find the minimum daily cost of fruit whilst satisfying all the above constraints. (2 marks)

Question 19


A function $f(x)$ has derivative given by $f'(x) = 3x^2 - 16x + 5$.

Another function $g(x) = 20 - 8x$ is a tangent to $f(x)$ in the first quadrant.

Sketch the curves $f(x)$ and $g(x)$, showing the exact coordinates of all axis-intercepts, turning points and points of inflection.



If $OA = 3$ cm, $OB = 15$ cm, $AC = 8$ cm and $BD = 24$ cm, prove that AD is parallel to BC .


Question 18

- (c) Consider the situation where the price of apples fell to \$1.70 per kg but the price of pears fell considerably more. Given that the vertex in part (b) still yielded the minimum cost, what would be the minimum price of pears on this day? (2 marks)

The diagonals AC and BD of a quadrilateral $ABCD$ intersect at O .

(5 marks)

Question 13

Two functions are defined by $f(x) = e^x$ and $g(x) = e^{1-2x}$.

- (a) Describe, in order, the transformations which must be applied to the graph of $f(x)$ to obtain the graph of $g(x)$. (2 marks)

- (b) Determine the domain and range of $g(f(x))$. (3 marks)

(5 marks)

- (d) What is the probability that a pallet contains at least one bottle with less than the stated contents? (2 marks)

- (e) The bottling company randomly choose a pallet from the stockyard. The mean content of all the bottles from this pallet is 389.9 mL.

- (i) Construct a 90% confidence interval for the mean content of all bottles. (3 marks)

- (ii) Should the interval be of concern to the bottling company? (1 mark)

Question 17

(5 marks)

(a) What is the mean number of sixes?

(a) What is the probability that a bottle contains more than 375 mL of water? (1 mark)

Number of sixes	Frequency
0	67
1	1
2	93
3	33
7	3

(1 mark)

(b) What is the probability of obtaining a six when this dice is thrown?

(b) What are the stated contents on the bottle label? (2 marks)

(3 marks)

(c) Use a suitable binomial distribution to calculate the theoretical frequency distribution for the number of sixes in 200 such experiments and comment on how well your distribution models the experimental results above.

(c) What is the probability that a carton does not contain any bottles with less than the stated contents? (2 marks)

Question 15

- (a) A team of 3 students is chosen at random from a group of 4 girls and 5 boys for a TV game show. What is the probability that the team chosen consists of more boys than girls?
(2 marks)

- (b) In one of the games, the team choose one of four closed doors. The doors then open to reveal a prize placed at random behind just one of them. The team keep the prize if they are correct. How many rounds of this game must the team play so that the probability of them obtaining at least one prize is greater than 0.95?
(3 marks)

- (c) At the close of the show, the team can select one of two boxes to keep as another prize. Inside each of the boxes are five sealed envelopes, each containing a voucher. In one of the boxes, four of the vouchers are worth \$10 000 and the fifth \$100, whilst in the other box two of the vouchers are worth \$10 000 and the other three, \$100 each.

The team is allowed to choose an envelope from one of the boxes and open it. They must then decide whether to keep that box or choose the other one. The team plan to keep the box that the envelope they opened came from if it contains a \$10 000 voucher. Otherwise they will take the other box.

What is the probability that the team wins more than \$30 000?
(3 marks)

(8 marks)

Question 16

(7 marks)

The velocity $v(t)$ ms⁻¹ of a body moving along a straight track after t seconds, is given by

$$v(t) = \frac{t^2 + 2t + 3}{(t + 1)^2}, t \geq 0.$$

- (a) Find the acceleration of the body after 4 seconds.
(1 mark)

- (b) Explain why the body is never stationary over the given domain.
(1 mark)

- (c) If $x(t)$ m is the displacement of the body from a fixed point on the track and $x(1) = 5$ determine $x(4)$.
(2 marks)

- (d) The average speed of the body over the first T seconds is 1.2 ms⁻¹. Determine the value of T .
(3 marks)