MATHEMATICS METHODS UNIT 1

CALCULATOR FREE



Semester One Examination, 2020

Question/Answer booklet

1 TINU MATHEMATICS METHODS

Calculator-free Section One:

sətunim əvif fifty minutes	Fime allowed for this section Reading time before commencing work: Working time:
Теасһег's Иате	
Your Name	

Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer booklet

Formula sheet

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, To be provided by the candidate

correction fluid/tape, eraser, ruler, highlighters

Special items:

Important note to candidates

you do not have any unauthorised material. If you have any unauthorised material with you, No other items may be taken into the examination room. It is your responsibility to ensure that

hand it to the supervisor before reading any further.

			9	9
			L	₇
9		8	9	3
9		L	8	7
9		9	8	τ
Max	Marks			Question

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	50	33
Section Two: Calculator- assumed	13	13	100	100	67
				Total	100

Instructions to candidates

- The rules for the conduct of the Western Australian Certificate of Education ATAR
 course examinations are detailed in the Year 12 Information Handbook 2020. Sitting this
 examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer booklet.
- 3. You must be careful to confine your answers to the specific questions asked and to follow any instructions that are specific to a particular question.
- 4. Additional pages for the use of planning your answer to a question or continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you **do not use pencil**, except in diagrams.
- 7. The Formula sheet is **not** to be handed in with your Question/Answer booklet.

CALCULATOR FREE 3 MATHEMATICS METHODS UNIT 1

Section One: Calculator-free

This sociion has aicht (9) questions Argunda Mikito vour angewers in the spaces

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.

Planning: If you use the space pages for planning, indicate this clearly at the top of the page.

Continuing an answer: If you need to use the space to continue an answer, indicate in the
original answer space where the answer is continued, i.e. give the page number. Fill in the
number of the question that you are continuing to answer at the top of the page.

Working time: 50 minutes.

Question 1 {1.1.6, 1.1.9}

Solve the following equations.

(2)
$$3|4x+8|=5(3-2x)$$

(2)
$$x = \frac{1 + x}{8} - \frac{1 - x}{4} = x$$

(d)
$$x^2 - 6x + 6 = 0$$
 by completing the square

Question 2 {1.1.2, 1.1.11}

(8 marks)

(a) Point A is the intersection of lines 2x+y-4=0 and 2y=-5x+11. Point M (10,18) is the mid-point of Point A and Point B (a, b). Determine the values of a and b.

(3 marks)

(b) A parabola has x-axis intercepts $(3,0\.icde{i})$ and (-5,0) and it passes through the point (4,18). Find the turning point of this parabola.

(2 marks)

(c) A quadratic function has equation $y=3x^2+27x-108$. Find the coordinates of the x-intercepts.

(2 marks)

(d) Three quadratic functions $f(x)=9x^2-6x+1$, $g(x)=-x^2-5x-6$ and $h(x)=x^2+\frac{1}{2}x+1$. Underneath each function in the table below, write the number of real solution(s).

(1 mark)

Function	f(x)	g(x)	h(x)
Number of			
Solution(s)			

Additional working space

CALCULATOR FREE

Question number:

1 TINU SOUTH METHEMETICS METHODS UNIT 1 CALCULATOR FREE MATHEMATICS METHODS UNIT 1 CALCULATOR FREE

Question 3 {1.1.22}

Question number:


Additional working space

The graph of the relation $(y-1)^2=2$ x passes through the points (p,3) and (8,q).

(3 warks) p bns q to salues of p and q.

(e warks)


(3 warks) coordinates or equation. (b) On the axes below, sketch the graph of the relation, labelling all key features with their



Question 4 {1.1.21, 1.1.28}

(7 marks)

Consider the given graph below.



(a) Determine the equations of all the curves forming the shapes in the graph.

(5 marks)

(b) List all the functions in the graph. Justify your answers.

(2 marks)

END OF SECTION ONE

1 TINU SULLA METHODS UNIT 1

CALCULATOR FREE


MATHEMATICS METHODS UNIT 1

CALCULATOR FREE

Question 5 {1.1.16, 1.1.17}

(a) Given that $-6\,x^3-13\,x^2+14\,x-3=(x+3)(bx^2+cx-1)$ for all values of x, for suitable values of b and c. Find b and c by equating coefficients. (2 marks)

(b) Consider the graph of polynomial P(x) below. Determine the equation in the form $P[x] = a_n x^n + a_{n-1} x^{n-1} + \cdots + a_1 x + a_0.$ (3 marks)



Question 8 {1.1.19} (5 marks)

Let $P(x) = x^3 + k x^2 - (k+3)x - 2k - 2$

(a) Show that P(x) is divisible by x+1.

(b) Factorise P(x) fully.

CALCULATOR FREE

8 MATHEMATICS METHODS UNIT 1


Question 6 {1.1.24, 1.1.25}

(6 marks)

(a) State the natural/implied domain and range for each of the relations/functions below. (3 marks)

Relation/Function	Natural Domain	Natural Range
$y = \sqrt{x - 3} + 5$		
$y = \frac{4}{2x+3} - 5$		
$(x+1)^2+(y-2)^2=9$		

(b) Sketch the graph of the function, $f:[-6,2] \to R$, $f(x)=\frac{1}{2}x^2+2x+3$, and state its range. (3 marks)



CALCULATOR FREE 9 MATHEMATICS METHODS UNIT 1

Question 7 {1.4.14}

A and B are independent events. $P(A \cup B) = 0.64$ and P(A|B) = 0.4. Determine P(B).

(5 marks)