Test 1 2017

Year 12 Mathematics Methods

# I test 1

Differentiaton, applications and Optimisation.

Basic antidifferentiation

Composite Applications

Semester One 2017 Year 12 Mathematics Methods Calculator Free



### PERTH MODERN SCHOOL

Exceptional schooling. Exceptional students.

Teacher:

Mr. Sanfe

Mrs. Carter

Mr. Gamon

The test.

Mr. Roohi

Mr. McChelland

Mr. McChelland

Mr. McChelland

Mr. McChelland

Mr. McChelland

Name: Date Monday 20<sup>th</sup> Pebruary 7.45am

You may have a formula sheet for this section of the test.


MilM 02 91\\_\_\_\_\_\_IstoT

Question 1 (4 marks)

 $^{2}(1 - ^{2}x^{2})x^{2}I = \frac{\sqrt{b}}{xh}$  that this of x so some x = 1 and y = 0. In the x = 1 and y = 1 and y = 1 and y = 1.

8 10 1 age 4 Office 1 2002 1 2:00:21 2:00:21 2:00:21 2:00:00 mon Course Hero.com on Original World and Penter Modernto World 1010:000 1 0:00:00 1 0:0

Year 12 Mathematics Methods Test 1 2017 (b) (i) Given the graph of the function  $y = 9^{(\chi)}$  sketch a possible graph of the function y = g(x). (3)



(ii) Find the equation of y = g(x) given that g(1) = -8.

### Question 2 (6 marks)

Clearly showing your use of the product, quotient or chain rule differentiate the following. (YOU MAY LEAVE YOUR ANSWERS IN AN UNSIMPLIFIED FORM) .

a) 
$$y = (\sqrt{x+1})(x^2-1)$$
 (2)

$$b) y = \frac{1-t}{1-2t^2} (2)$$


c) 
$$y = (3x^2 + 5)^3$$
 (2)


## Question 3 (4 marks)


Given that  $y=x^{\frac{1}{3}}$ , use x=1000 and the increments formula  $\delta y \approx \frac{dy}{dx} \delta x$  to determine an approximate value for  $\sqrt[3]{1006}$ .

#### Year 12 Mathematics Methods









Question 4 (5 marks)

For the function  $y = x^4 - 4x^3 + 1$  determine

a) The coordinates of the y- intercept

b) The behaviour of the function as  $x \to \pm \infty$ 

c) The location and nature of any turning points

Hence sketch the curve on the axes provided. (Ensure you label all parts) d) Any points of inflection and what type of inflection they are.

> (7) (b) Express the volume V, in terms of x

(٤) (c) Find the maximum Volume using Calculus techniques.

(a) Given the sketch of the function y = f(x) on the set of axes below, use it to sketch Question 3 (10 marks)

the functions y = f(x) and y = f(x).


This study Bords Modernic Adolernic School 100000846012161 from CourseHero.com on 07-10-2022 12:06:54 GMT-05:00

Page 3 of 8

 $(\xi)$ 

Page **6** of **8** 

This study **Reards Modernio School** 100000846012161 from CourseHero.com on 07-10-2022 12:06:54 GMT -05:00





This

## Test 1

Differentiaton, applications and Optimisation.
Basic antidifferentiation
Semester One 2017
Year 12 Mathematics Methods
Calculator Assumed

	Name:		Teacher:	
ı	Date Monday 20th February 7.45am	I	Mr Staffe	
	You may have  • a formula sheet  • one page of A4 notes, one side		Mr GannonMr RoohiMs Cheng	
	rth Modern School 100000846012161 from CourseHero.com on 07-10-2022 12:06:54 GM	06:54 GMT -05:00		age <b>4</b> of <b>8</b>

https://www.coursehero.com/file/60006514/2017-MET-34-Test-1-Differentiation-and-Applications docx/-2017-MET-34-Test-1-Differentiation-and-Applications docx/-2017-MET-34-Test-1-Differentiation-and-Application-applicatio

Year 12 Mathematics Methods

Test 1 2017

- · a scientific calculator
- a classpad

A small object is moving in a straight line with acceleration  $a = 6t + k \text{ ms}^2$ , where t is the time in seconds and k is a constant. When t = 1 the object was stationary and had a displacement of 4 metres relative to a fixed point O on the line. When t = 2 the object had a velocity of  $1 \text{ ms}^3$ .

(a) Determine the value of k and hence an equation for the velocity of the object at time t.

(4 marks)

Determine the displacement of the object when t = 2. (3 marks)

#### Question 2 (7 marks)

An open cuboid container for holding fishing equipment, is made with a base length twice as long as its width. It is to be made from a sheet of metal with an area of  $36 \text{ m}^2$ .

(a) Show that its height is given by the expression  $h = \frac{6}{x} - \frac{x}{3}$ , where x is the width of the base. (2)

Page **5** of **8** 

This study **Pertite Modernio Schloo** [100000846012161 from Course Hero.com on 07-10-2022 12:06:54 GMT -05:00