



**MATHEMATICS METHODS**  
**YEAR 12, UNIT 3**  
**TASK 4: TEST 2**

**MELVILLE**  
SENIOR HIGH SCHOOL

**Area under a curve, The fundamental theorem  
of calculus, The exponential function, Calculus  
of trigonometric equations.**

**Weighting: 8%**

**SECTION A: Calculator Free Section**

**TIME: 35 min**

**MARKS: 38**

**Student Name:** \_\_\_\_\_

**TO BE PROVIDED BY THE STUDENT**

Standard Items: Pens, pencils, eraser, ruler.

**INSTRUCTIONS TO STUDENTS:**

You are required to attempt ALL questions,  
Write answers in the spaces provided beneath each question.  
Marks are shown with the questions.

**Show all working** clearly, in sufficient detail to allow your answers to be checked readily and for marks to be answered for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks.

It is recommended that students **do not use a pencil**, except in diagrams.

**Question 1 [1, 3, 2, 3, 3 marks]**

Determine each of the following:

a)  $\int_{\square}^{\square} 2e^{-0.2x} dx$  [1]

b)  $\int_{\square}^{\square} 4xe^{x^2+1} + e^3 dx$  [3]

c)  $\int_{\square}^{\square} \cos(2x)\sin(2x) dx$  [2]

d)  $\int_0^{\pi} \sin\left(\frac{x}{2}\right) dx$  [3]

e)  $\int_{2x}^0 \frac{d}{du} \sqrt{\square}$

[3]

**Question 2 [2, 3, 3, 3, 3 marks]**

Differentiate the following with respect to  $x$ . Do not simplify your answers.

a)  $y = \frac{1}{5}e^{5x} + x^2$

[2]

b)  $f(x) = (1 + x)e^{2x}$

[3]

c)  $y = \sin^2(2x^2 - 3)$

[3]

d)  $y = \frac{e^{3x^2}}{\cos(4x)}$

[3]

e)  $\int_5^{3x^2} t \, dt$

[3]

### Question 3 [4 marks]

It is given that  $f(x) = x \cos x$  and  $f'(x) = \cos x - x \sin x$ .

Use the above facts to find  $\int_0^{\pi} x \sin x \, dx$ .

### Question 4 [4 marks]

The area of the region bounded by the curve with equation  $y = k\sqrt{x}$ , where  $k$  is a positive constant, the  $x$ -axis and the line with equation  $x = 9$  is 27 units<sup>2</sup>. Find the value of the constant  $k$ .

**Question 5 [4 marks]**

Determine the equation of the tangent to  $y = 3e^{x^2-1} + 2$  at the point (1, 5).