

No other items may be used in this section of the examination. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

Important note to candidates

Council for this course.

and up to three calculators satisfying the conditions set by the Curriculum Council for this course.

Special items:

highlighters

Standard items: pens, pencils, pencil sharpener, eraser, correction/tape fluid, ruler,

To be provided by the candidate

Formula sheet (tailored from Section One)

This Question/Answer booklet

To be provided by the supervisor

Material required/recommended for this section

Working time for paper: one hundred minutes

Reading time before commencing work: ten minutes

Time allowed for this section

Your teacher: S Edber T Hosking S Rowden

Your name:

Calculator-assumed
Section Two:

MATHEMATICS
3C/3D (Year 12)

Question/Answer Booklet

Semester 2 Examination, 2012



Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available
Section One: Calculator-free	7	7	50	50
Section Two: Calculator-assumed	13	13	100	100
				150

Instructions to candidates

1. The rules for the conduct of Western Australian external examinations are detailed in the *Year 12 Information Handbook 2012*. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question(s) that you are continuing to answer at the top of the page.
3. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
4. It is recommended that you **do not use pencil** except in diagrams.



1234567-8

See next page

Question 9

(6 marks)

A body is moving in a straight line with velocity, v m/s, given by $v = 2t^2 - 19t + 30$, where t is the time, in seconds, since the body first passed through a fixed point P.

- (a) At what other time(s), if any, does the body again pass through the fixed point P?

[3]

- (b) Show that the body is stationary twice and find the distance travelled by the body between these two instants.

[3]

DO NOT WRITE IN THIS AREA

Additional working space

Question number(s): _____

DO NOT WRITE IN THIS AREA



1234567-8



See next page

1234567-8

[2]

- (a) Show the value of \bar{x} , the mean weight of the sample is 517.5 g.
On the basis of the results obtained from a random sample of 81 bags produced by a mill, the 95% confidence interval for the mean weight of flour in a bag is found to be (514.56g, 520.44g).

[2]

- (b) Find the value of σ , the standard deviation of the normal population from which the sample is drawn.

[2]

- (c) Calculate the 99% confidence interval for the mean weight of flour in a bag.

[1]

- (d) Using the sample mean from (a) as the best estimate for the population mean, what is the probability that the sample mean of a larger sample of 225 bags is less than 516 g?

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Atmospheric pressure, P (kPa), decreases approximately exponentially with increasing height h (m), above sea level according to the relationship $\frac{dP}{dh} = kP$, where k is a constant. Atmospheric pressure at sea level is 101.3 kPa, and halves with every 5 800 m increase in height.

- (a) Find the value of k , rounded to four significant figures.

[2]

- (b) Calculate the atmospheric pressure at the top of a mountain of height 3 785 m.

[2]

- (c) Use the increments formula to find the approximate change in pressure as a climber descends 250 m from the top of a mountain of height 3 785 m.

[3]

DO NOT WRITE IN THIS AREA

A function is such that $f'(x) = x^2 - 2x - 3$.

- (a) State the x -coordinate of the minimum of $f(x)$.

[2]

- (b) Justify that $f(x)$ has a point of inflection when $x = 1$.

[2]

- (c) Find $f(-1) - f(2)$.

[2]

DO NOT WRITE IN THIS AREA



SEMESTER TWO 2012 SECTION TWO (5 marks)

INSTITUTE TWO 2012
MATHEMATICS 3C/3S
CALCULATOR-ASSISTED
(9 marks)

SEMESTER TWO 2012 SECTION TWO (5 marks)

SEMESTER TWO 2012 **SECTION TWO**
(5 marks) **the midpoint of PR.**

(iii) What fraction of the numbers in (i) start with a 9?

DO NOT WRITE IN THIS AREA

[2] The journey time for a driver between two depots is normally distributed with mean of 55 minutes and standard deviation of 4.5 minutes.

[2] If the driver makes four journeys every day, for five days a week, and for 48 weeks each year, how many of these journeys take less than an hour?

[2] What is the probability that a journey takes at least an hour, given that it takes less than 65 minutes?

[2]	What is the probability that a journey takes at least an hour, given that it takes less than 65 minutes?
	See next page
	1234567-8
	

(b) If PN bisects $\angle QPR$, show that the ratio of the areas

See next page

The diagram shows a triangle OPM with vertices O , P , and M . Vertex O is at the top left, vertex P is at the bottom left, and vertex M is at the bottom right. A horizontal line segment OM extends from O to M . A vertical line segment OP extends from O to P . A line segment PM connects P and M . A point N is located on the segment OM . A line segment PN is drawn from P to N . Right-angle symbols are shown at vertex O and vertex M . The angle at vertex N is also a right angle.

(a) Prove that APNM is congruent with ARNM

(b) If PN bisects $\angle QPR$, show that the ratio of the areas of $\triangle PQN : \triangle PQR$ is $1:3$.

Question 13

(12 marks)

- (a) A pottery produces souvenir coffee mugs, of which it is known that 5% are defective.

- (i) In a box of 24 mugs, what is the probability that there are at least 4 defectives?

[2]

- (ii) In a box of 12 mugs, what is the probability that there are no defectives?

[1]

- (iii) What is the probability that in 10 boxes, each containing 12 mugs, that either two or three of the boxes contain no defectives?

[2]

- (iv) The pottery decides to pack n mugs per box for wholesale clients, so that the chance of there being at least one defective mug in a box is no more than 50%. Find the largest value of n .

[2]

DO NOT WRITE IN THIS AREA

Question 18 (continued)

- (d) Prove the conjecture in part (c).

[4]

DO NOT WRITE IN THIS AREA



1234567-8

Question 13 (continued)

A worker at the pottery took 150 of the debris mugs, filled them with soil and then planted four seeds in each mug. After 15 days, a number of seeds which germinated in each of the mugs was noted, with these results:

(i) What is the mean number of seeds germinating per mug?

Number of germinating seeds	1	9	16	57	67
Number of mugs	0	1	2	3	4

[T] Show the probability of one seed germinating is 0.8. (iii)

(iii) Use an associated binomial distribution to calculate the theoretical frequency distribution for the number of seeds germinating in the 150 mugs and comment on how well your distribution models the observed results above.

DO NOT WRITE IN THIS AREA

(a) Evaluate A and B when $x = -3$ and $y = 2$

Let $A = 3xy - x - 3$ and $B = x + y$, where x and y are integers.

۹۱

SEMESTER TWO / SECTION 7

Question 18

(c) Examine the parity of A and B for various values of n .
conjecture about the parity of B when A is

		even
	odd	even
odd		odd
even	odd	-
-	odd	odd
even	-	even
-	even	odd
odd	-	odd
odd	odd	x

(b) The parity of an object states whether it is even or odd. Complete these tables for the parity of the product and difference of odd and even numbers.

卷之三

Question 14

(10 marks)

- (a) A spherical snowball is melting at a rate of $18\ 000 \text{ cm}^3$ per hour. At the instant the volume of the snowball is $4\ 000 \text{ cm}^3$, calculate the rate of change of radius of the snowball, in cm per minute.

[4]

Question 17 (continued)

$$Q = ax + 30y$$

- (d) The objective function is changed to

What is the minimum possible value of the constant a , given that the minimum value of Q still occurs at the same corner point?

[3]

DO NOT WRITE IN THIS AREA

- (e) An additional constraint $x + y \geq 45$ is imposed. How does this additional constraint affect the minimum value of Q in the feasible region?


[2]

DO NOT WRITE IN THIS AREA



1234567-8

Hence, or otherwise, prove that the volume of the solid formed when rotating about the x -axis the area enclosed by the parabola with equation $y = x^2$, the x -axis and the lines $x = 0$ and $x = a$, where a is a positive constant, will be one fifth the volume of the circumscribed cylinder.



[ε]

(i) The area enclosed by the parabola with equation $y = x^2$, the x -axis and the lines $x = 0$ and $x = 2$ rotates about the x -axis. Show that the volume of this solid is one fifth the volume of the circumscribed cylinder.

Question 14 (continued)

Question 17

(9 marks)

The feasible region of a linear programming problem is shown below.

The objective function is $Q = 15x + 30y$

The objective function is $Q = 15x + 30y$

(a) Determine the inequality satisfied by x and y that corresponds to the edge AB of the feasible region.

(b) Determine the maximum value of Q in the feasible region.

(c) Determine the minimum value of Q in the feasible region.

[T]

DO NOT WRITE IN THIS AREA

[T]

DO NOT WRITE IN THIS AREA

Question 15

(9 marks)

At the end of a technology course, all students sat a practical and a theory examination, with 20% achieving a distinction in the practical examination, 3% of students achieving distinctions in both examinations and 76% achieving no distinction in either examination.

- (a) What is the probability that a student chosen at random from the course achieved a distinction in the theory examination?

[4]

- (b) Are the events 'achieving a distinction in the practical examination' and 'achieving a distinction in the theory examination' independent? Explain your answer.

[2]

- (c) In a group of 14 students who took the course, three achieved a distinction in the practical examination. If five students are selected at random from this group, what is the probability that at least two of them achieved a distinction in the practical examination?

[3]

DO NOT WRITE IN THIS AREA

Question 16

(5 marks)

A continuous random variable X has the probability distribution function $f(x) = 0.04$, $14 \leq x \leq 39$.

- (a) Calculate

(i) $P(21 < X < 22.5)$.

[1]

(ii) $P(X < 29 | X > 25)$.

[2]

- (b) If $P(20 < X < k | X < k) = 0.75$, find the value of k .

[2]

DO NOT WRITE IN THIS AREA

