

SOLUTIONS

Question/Answer Booklet

Year 11 Examination, 2015

Rossmyne Senior High School

utes
underd minutes

our name

n words

--	--	--	--	--	--

MATHEMATICS METHODS UNITS 1 AND 2 SECTION TWO: CALCULATOR-ASSUMED SOLUTIONS

Student Number: _____

In figures _____

In words _____

Your name _____

Important note to candidates
No other items may be taken into the examination room. It is *your* responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

This examination paper may be freely copied, or communicated orally or in writing to other educational institutions that have purchased the copyright owner. Teachers from WA Examinations Board provided that non-commercial purposes within educational institutions that have purchased the copyright owner. Teachers from Rossmany Senior High School may change the paper provided that WA Examinations Board's moral rights are not infringed.

Copying or communication for any other purpose can only be done within the terms of the Copyright Act or with prior written permission of WA Examination Papers.

Published by WA Examination Papers
PO Box 445 Claremont WA 6910

Published by WA Examination Papers
PO Box 445 Claremont WA 6910

Published by WA Examination Papers

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	7	7	50	52	35
Section Two: Calculator-assumed	12	12	100	98	65
		Total		150	100

Additional working space

Question number: _____

Instructions to candidates

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer Booklet.
3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you **do not use pencil**, except in diagrams.
7. The Formula Sheet is **not** to be handed in with your Question/Answer Booklet.

$$A = 186.8 \text{ cm}^2$$

$$A = \frac{1}{2}(20)^2 \left(\frac{5}{3\pi} - \sin \frac{3\pi}{5} \right)$$

(2 marks)

(c)

Determine the shaded area bounded by the chord AB and the minor arc AB.

$$\begin{aligned} l &= 32.36 \text{ cm} \\ l^2 &= 20^2 + 20^2 - 2 \times 20 \times 20 \times \cos \frac{3\pi}{5} \end{aligned}$$


(2 marks)

(b) Determine the length of the chord AB.

$$\begin{aligned} l &= 20 \times \frac{3\pi}{5} \\ &= 12\pi \text{ cm} \end{aligned}$$

(2 marks)

(a) Determine the exact length of the minor arc AB.



The chord AB subtends an angle of $\frac{3\pi}{5}$ at O, the centre of the circle.

A and B lie on the circumference of a circle of radius 20 cm.

(6 marks)

Question 8

Working time for this section is 100 minutes.

This section has twelve (12) questions. Answer all questions. Write your answers in the spaces provided.

Section Two: Calculator-assumed
(98 Marks)

Question number: _____

Additional working space

(5 marks)

Question 9

A small body moves in a straight line such that its displacement from the origin after t seconds is given by $x = 16t - 2t^2 + 5$, where x is the displacement in meters and $t \geq 0$.

- (a) At what time does the body pass through the origin?

(1 mark)

$$16t - 2t^2 + 5 = 0 \Rightarrow t = 8.3 \text{ seconds}$$

- (b) Determine the velocity, v , of the body when $t = 2.5$ seconds.

(2 marks)

$$v = \frac{dx}{dt} = 16 - 4t$$

$$v(2.5) = 16 - 4(2.5) = 6 \text{ m/s}$$

- (c) Calculate the displacement of the body at the instant that it is stationary.

(2 marks)

$$16 - 4t = 0 \Rightarrow t = 4$$

$$x(4) = 37 \text{ m}$$

Question 19

(9 marks)

The first three terms of a sequence are, in order, $x - 2$, 3 and $2x - 1$.

- (a) Determine the value of x and the sixth term of the sequence if the sequence is an arithmetic progression.

(4 marks)

$$3 - (x - 2) = 2x - 1 - 3$$

$$x = 3$$

$$a = 1, d = 2$$

$$T_6 = 1 + 5 \times 2 = 11$$

- (b) Determine the value of x and the sum of the first ten terms of the sequence if the sequence is a geometric progression with a positive common ratio.

(5 marks)

$$\frac{3}{x - 2} = \frac{2x - 1}{3}$$

$$x = -1, 3.5$$

$x = -1 \Rightarrow$ - ve common ratio, so $x = 3.5$

$$a = 1.5, r = 2$$

$$S_{10} = \frac{10(2^{10} - 1)}{2 - 1} = 1534.5$$

(8 marks)


Question 11

The value V , in thousands of dollars, of an office computer system t months after installation, can be modelled by the equation $V = 28.5(0.97)^t$.

- (a) Calculate the value of the system at the time of installation. (1 mark)

$$\begin{aligned} V &= 28.5(0.97)^0 \times 1000 \\ &= \$28\ 500 \end{aligned}$$

- (b) Draw the graph of the value of the system for $0 \leq t \leq 60$ on the axes below. (3 marks)



- (c) Determine the value of system, to the nearest hundred dollars, after two years. (2 marks)

$$\begin{aligned} V &= 28.5(0.97)^{24} \times 1000 \\ &= 13720 \\ &\approx \$13\ 700 \text{ to nearest } \$100 \end{aligned}$$

- (d) Company policy is for the system to be replaced after 5 years or when its value has decreased by 80%, whichever occurs first. When will the system be replaced? (2 marks)

$$\begin{aligned} 0.2 \times 28.5 &= 5.7 \\ 5.7 &= 28.5(0.97)^t \Rightarrow t = 52.84 \\ &\text{Replaced after 53 months.} \end{aligned}$$

Question 17

(9 marks)

The owners of a market stall know that they can sell 100 greeting cards per day if they charge \$5 per card, giving a daily revenue of \$500. The owners estimate that for every 50 cent increase in price, they will sell five fewer cards per day.

- (a) Complete the table below. (3 marks)

Number of 50 cent increases, x .	Price (\$)	Number of cards sold
0	5.00	100
1	5.50	95
2	6.00	90
3	6.50	85
x	$5 + 0.5x$	$100 - 5x$

- (b) Show that the daily revenue from selling cards, after x 50 cent price increases, is given by $R = 500 + 25x - 2.5x^2$. (1 marks)


$$\begin{aligned} R &= (5 + 0.5x)(100 - 5x) \\ &= 500 + 25x - 2.5x^2 \end{aligned}$$

- (c) Using calculus techniques, determine the amount that should be charged per card to maximise daily revenue. State how many cards will be sold at this price and the maximum revenue. (5 marks)

$$\begin{aligned} \frac{dR}{dx} &= 25 - 5x \\ 25 - 5x &= 0 \Rightarrow x = 5 \\ P &= 5 + 5(0.5) = \$7.50 \\ N &= 100 - 5(5) = 75 \text{ cards} \\ R &= 75 \times 7.50 = \$562.50 \end{aligned}$$

QUESTION 12

- (a) An analysis of new cars sold recently showed that 80% had automatic transmission (event A) and that 68% of cars had both automatic transmission and a small to medium sized engine. (9 marks)



- (a) Use the above information to complete the all the probabilities in this tree diagram. (5 marks)

A toy train is moving around a circular track of radius 1.5 m and during the first minute completes 9.5 laps of the track. In each subsequent minute, as the batteries run down, the train travels 90% of the distance travelled in the previous minute.

Determine the distance travelled by the train during the fifth minute. (3 marks)

$$T_5 = 2\pi(1.5)(9.5)(0.9)^5 = 89.53539(0.9)^5 = 58.74 \text{ m}$$

- (a) Determine the distance travelled by the train during the fifth minute. (3 marks)

A toy train is moving around a circular track of radius 1.5 m and during the first minute completes 9.5 laps of the track. In each subsequent minute, as the batteries run down, the train travels 90% of the distance travelled in the previous minute.

- Determine the distance travelled by the train during the fifth minute. (3 marks)

QUESTION 16

- (iii) have automatic transmission given that it has a small to medium sized engine. (2 marks)

$$\begin{aligned} & 0.56 = 14 \\ & 0.68 = 17 \\ & \approx 0.8235 \end{aligned}$$

- (ii) have a small to medium sized engine or have automatic transmission. (1 mark)

$$0.56 + 0.24 + 0.12 = 0.92$$

- (i) have a small to medium sized engine given that it does not have automatic transmission. (1 mark)

$$0.6$$

- (b) Determine the probability that a randomly selected car will

- least 500 metres, to the nearest minute, that the train takes to travel a distance of at

- (d) Show that the train will never complete more than 95 laps of the circuit. (2 marks)

$$S_\infty = \frac{9.5}{1 - 0.9} = 95$$

Train cannot exceed sum to infinity for this sequence, which is 95 laps.

$$S_\infty = \frac{9.5}{1 - 0.9} = 95$$

Train takes 8 minutes.

$$500 = \frac{2\pi(1.5)(9.5)(1 - 0.9^n)}{1 - 0.9} \Rightarrow n = 7.758$$

$$S_n = \frac{2\pi(1.5)(9.5)(1 - 0.9^n)}{1 - 0.9}$$

- (c) Determine the time, to the nearest minute, that the train takes to travel a distance of at least 500 metres.

- (d) Show that the train will never complete more than 95 laps of the circuit. (2 marks)

During the 23rd minute.

$$T_{23} = (9.5)(0.9)^{22} \Rightarrow n = 22.37$$

- (b) During which minute does the train first travel less than one complete lap of the circuit? (2 marks)

During the 23rd minute.


$$T_{23} = (9.5)(0.9)^{22} \Rightarrow n = 22.37$$

QUESTION 16

(9 marks)

Question 13

- (a) The depth of water at a mooring in a tidal inlet during a particular day can be modelled by the function $d(t) = 4.5 + 3.5 \sin\left(\frac{4\pi t}{25}\right)$, where d is the depth of water in meters and t is the time in hours after midnight, as shown below.



- (i) Use your calculator to determine the time, to the nearest minute, at which the depth of water is first a minimum. (2 marks)

$$t = 9.375$$

$$0.375 \times 60 = 22.5$$

At 9:23 am

- (ii) For what percentage of the first 12 hours is the depth less than 2 metres? Give your answer rounded to one decimal place. (3 marks)

$$t_1 = 7.8328$$

$$t_2 = 10.9172$$

$$\Delta t = 3.0844$$

$$\frac{3.0844}{12} \times 100 = 25.7\%$$

- (c) The function g is given by $g(x) = f(2x)$.

- (i) Describe how to transform the graph of $y = f(x)$ to the graph of $y = g(x)$. (1 mark)

Dilate graph parallel to x -axis by scale factor $\frac{1}{2}$.

- (ii) Draw the graph of $y = g(x)$ on the previous axes. (3 marks)

Question 15


- (b) If A and B are acute angles with $\sin A = \frac{3}{5}$ and $\tan B = \frac{12}{5}$ show that $\cos(A+B) = -\frac{16}{65}$.

$$\begin{aligned} \tan B &= \frac{12}{5} \Rightarrow \cos B = \frac{5}{13}, \sin B = \frac{12}{13} \\ \sin A &= \frac{3}{5} \Rightarrow \cos A = \frac{4}{5} \\ \cos(A+B) &= \cos A \cos B - \sin A \sin B \\ &= \frac{4}{5} \times \frac{5}{13} - \frac{3}{5} \times \frac{12}{13} \\ &= -\frac{16}{65} \end{aligned}$$

(4 marks)

The graph of the function $f(x) = \frac{x-b}{a}$ is shown below, where a and b are integer constants.

(8 marks)



(2 marks)

(a) Determine the values of a and b .

From vertical asymptote, $b = 3$.

Using point such as $(2, 2)$, $2 = \frac{2-3}{a} \Rightarrow a = -2$

- (b) State the domain and range of $f(x)$.

Domain: $x \neq 3$


Range: $y \neq 0$

(2 marks)

(10 marks)

Question 14

Part of the graph of $y = x^3 - 3x^2 - 24x + 36$ is shown below.



- (a) Using calculus techniques, determine the coordinates of both stationary points of the graph. (4 marks)

$$\begin{aligned} \frac{dy}{dx} &= 3x^2 - 6x - 24 \\ 3x^2 - 6x - 24 &= 0 \\ x &= -2, 4 \\ x = -2, y &= 64 \Rightarrow (-2, 64) \\ x = 4, y &= -44 \Rightarrow (4, -44) \end{aligned}$$

- (b) Neatly complete the graph of $y = x^3 - 3x^2 - 24x + 36$. (3 marks)

- (c) Show that the equation of the tangent to the graph at $x = 3$ is $y = -15x + 9$. (3 marks)

$$\begin{aligned} x &= 3, y = -36 \\ x = 3, \frac{dy}{dx} &= -15 \\ y - (-36) &= -15(x - 3) \\ y &= -15x + 9 \end{aligned}$$