

Semester 1 Examination, 2016

Question/Answer Booklet



E TINU **WETHODS SOITAMENTAM**

Calculator-free Section One:

In figures	Strident Mumber:	
	ລລາເ-ເດາຫຼາຕ	าวเช

sətunim sətunim	
	Your name
	sp.iom ul

Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer Booklet

Formula Sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items:

Important note to candidates

examination room. If you have any unauthorised material with you, hand it to the supervisor you do not have any unauthorised notes or other items of a non-personal nature in the No other items may be taken into the examination room. It is your responsibility to ensure that

before reading any further.

CALCULATOR-FREE 75 **METHODS UNIT 3**

STUDENT NAME:

MARKING GRID Section One

	8t /	Section 1 Total
	9	8
	9	L
	9	9
	9	9
	L	7
	9	3
	6	2
	9	Ţ
ACHIEVED	AVAILABLE	QUESTION
MARKS	MARKS	

METHODS UNIT 3 2 CALCULATOR-FREE

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	8	8	50	48	35
Section Two: Calculator-assumed	13	13	100	101	65
			Total	149	100

Instructions to candidates

- The rules for the conduct of Western Australian external examinations are detailed in the Year 12 Information Handbook 2016. Sitting this examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer Booklet.
- 3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in
 the original answer space where the answer is continued, i.e. give the page number.
 Fill in the number of the question that you are continuing to answer at the top of the
 page.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you **do not use pencil**, except in diagrams.
- The Formula Sheet is **not** to be handed in with your Question/Answer Booklet.

See next page

CALCULATOR-FREE 11 METHODS UNIT 3

Additional working space

CALCULATOR-FREE 3 METHODS UNIT 3


Section One: Calculator-free 35% (48 Marks)

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time for this section is 50 minutes.

Question 1 (5 marks)

Part of the graph of $\, \mathbb{Y} = \mathbb{X}^2 + \mathbb{I} \,$ is shown in the diagrams below.



An approximation for the area beneath the curve between $\,^{x}=0\,$ and $\,^{x}=4\,$ is made using approximate area exceeds the exact area.

METHODS UNIT 3 10 CALCULATOR-FREE

(2 warks)

The area bounded by the curve $y=e^{2-x}$ and the lines y=0, x=1 and x=k is exactly e^{-1} square units. Determine the value of the constant k, given that k>1.

8 noitesuQ

End of questions See next page

Question 2 (9 marks)

Differentiate the following with respect to x, simplifying your answers.

(i)
$$y = \int_{1}^{1} (t - t^{3}) dt$$
 (2 marks)

(ii)
$$y = \sin^3(2x+1)$$
. (3 marks)

Determine the values of the constants a, b and c, given that $\int_{-c}^{c} f(x) = e^{3x} \left(ax^2 + bx + c \right)$ when $f(x) = x^2 e^{3x}$. (4 marks)

9 Question 7 (6 marks)

The discrete random variable X has the probability distribution shown in the table below.

X	0	1	2	3
P(X = x)	$\frac{2a^2}{3}$	$\frac{1-3a}{3}$	$\frac{1+2a}{3}$	$\frac{4a^2}{3}$

Determine the value of the constant a.

CALCULATOR-FREE

(6 marks)		S noitsauQ	(5 marks) Question 3		9 noiteau Q	
WETHODS UNIT 3	9	CALCULATOR-FREE	САССИГАТОВ-ЕВЕЕ	8	METHODS UNIT 3	

A function P(x) is such that $\frac{dp}{dx} = ax^2 - 12x$, where a is a constant and the graph of y = P(x). has a stationary point at (4, 8). Determine P(10).

Differentiate $y = \frac{e^x}{e^x}$, simplifying your answer. (3 marks)

(b) Evaluate $\sqrt[3]{\left(\frac{1-2\chi}{e^x}\right)d\chi}$ (2 marks)

See next page

Determine the coordinates of the stationary point of f(x). (3 marks)

Use the second derivative test to determine the nature of the stationary point found in (a). (3 marks)

State the global minimum of f(x). (1 mark) **CALCULATOR-FREE**

Question 5 (5 marks)

$$A = \frac{r^2}{2} (\theta - \sin \theta)$$

METHODS UNIT 3

The area of a segment with central angle θ in a circle of radius r is given by $\frac{1}{2}$. Use the increments formula to approximate the increase in area of a segment in a circle of radius

$$\frac{\pi}{2}$$
 $\frac{11\pi}{2}$

10 cm as the central angle increases from $\frac{3}{3}$ to $\frac{30}{3}$.