Christ Church Grammar School

Important note to candidates

TEST 4 5019

Section One: Calculator-free MATHEMATICS METHODS Year 12

Special items: nil	
To be provided by the candidate Standard (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters	
Materials required/recommended for this section To be provided by the supervisor This Question/Answer Booklet Formula Sheet	
Time and marks available for this section Reading time before commencing work: 2 minutes Working time for this section: 15 marks 15 marks	
Teacher's name	
Your name	
סמוכחומוטו - וו בב	

nature in the examination room. If you have any unauthorised material with you, hand it to supervisor **before** reading any further. ensure that you do not have any unauthorised notes or other items of a non-personal No other items may be taken into the examination room. It is your responsibility to

> MATHEMATICS METHODS Year 12 CALCULATOR-ASSUMED

Additional working space

Question number:

MATHEMATICS METHODS Year 12

CALCULATOR-FREE

0

O

Instructions to candidates

- The rules of conduct of the CCGS assessments are detailed in the Reporting and Assessment Policy. Sitting this assessment implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer Booklet.
- 3. Answer all questions.
- You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 5. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 6. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 7. It is recommended that **you do not use pencil**, except in diagrams.

See next page

CALCULATOR-ASSUMED

MATHEMATICS METHODS Year 12

Question 11

(5 marks)

The random variable X has a probability density function $f(x) = \frac{\sqrt{x}}{18}$ for $0 \le x \le 9$.

(a) Find the mean μ and the standard deviation σ for X.

(2 marks)

$$\mu = \int_0^9 z \times \frac{\sqrt{x}}{18} dx = 5.4 \sqrt{\text{(mean)}}$$

$$\sigma^{2} = \int_{0}^{9} (x-5.4)^{2} \times \frac{\sqrt{2}}{18} dx = 5.554 \left(\frac{971}{175}\right)$$

$$\therefore \sigma = 2.3568 \left(\frac{18471}{35}\right) \checkmark (\sigma)$$

(b) Find the mean μ for T if T = 2X + 5.

(1 mark)

$$\mu_{T} = 2(5.4) + 5$$

$$\mu_{T} = 15.8 \left(\frac{79}{5}\right)$$

(c) Find the standard deviation σ for P if $P = \frac{x - \mu}{\sigma}$. (2 marks)

$$\begin{array}{cccc}
\mathcal{O}_{p} &=& \frac{\times}{\sigma} & \frac{\mathcal{U}}{\sigma} \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
(uses change of scale only) & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & & & \\
\mathcal{O}_{p} &=& \frac{1}{\sigma} \times & \frac{18\sqrt{27}}{35} \times \frac{35}{8\sqrt{21}} \\
& & & &$$

End of questions



(2 marks)	$\Delta - (a)n \delta = Mn \delta$	(q)
(2 marks)	$\lambda_{QOIS} + d_{QOI} = \lambda_{QOI}$	(8)
	sthe following equations without logarithms:	Write
(4 marks)	Question 1	
MATHEMATICS METHODS Year 12	CULATOR-FREE 3	CALC
		,

See next page

CALCULATOR-ASSUMED 7 MATHEMATICS METHODS Year 12


Question 9
Question 9 (2 marks)
In the case below, state whether or not the sampling method is fair, and if it isn't, state one kind of bias involved.

A reality TV show eliminates one contestant each week by having people SMS their choice of who gets eliminated to a particular number each week. They have the system set up so that only one vote is accepted for each mobile number.

(3 marks)

Ot noiteau 10

The function f has a domain $(1,\infty)$ and its graph is as shown below. Given that $y=\log_\alpha(x+b),$ find the equation of this function.



MATHEMATICS METHODS Year 12

CALCULATOR-FREE

Question 2

(7 marks)

(a) Calculate each of the following definite integrals, simplifying your answers.

(i) $\int_0^1 x^2 e^{x^3} dx$

(2 marks)

(ii) $\int_{1}^{2} \frac{2x^{3}+1}{x^{4}+2x} dx$

(3 marks)

0

0

(b) Simplify 2019 w , where $w = \frac{1}{\ln 2019}$

(2 marks)

See next page

CALCULATOR-ASSUMED

MATHEMATICS METHODS Year 12

Question 7

(3 marks)

The equation and graph of a probability density functions is given. Find the value of k, clearly showing your method.

$$f(x) = \begin{cases} k - \frac{k}{x^2}, & 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} \text{limits} \end{cases}$$

$$\begin{cases} cquates \text{ to 1} \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} cquates \text{ to 1} \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

$$\begin{cases} 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$

Question 8

(2 marks)

A-Max finance has 49 office staff, 28 store workers and 21 delivery drivers. How many of each should be selected to make a stratified random sample of 10?

49+28+21 = 98 staff in total
$$\sqrt{\text{(total 98)}}$$

... Office Slaff: $\frac{49}{98} \times 10$ = 5

Store workers: $\frac{28}{98} \times 10$ = 3

Delivery Drivers: $\frac{21}{98} \times 10$ = 2

10

METHODS Year 12	MATHEMATICS
-----------------	-------------

CALCULATOR-FREE

(4 marks)

Question 3

The gradient function of a curve is given by $\frac{dy}{dx}=e^x+\frac{x}{1+x^2}-1$. Find the equation of the curve given that it passes through the point (0,-2).

MATHEMATICS METHODS Year 12

CALCULATOR-ASSUMED

(e warks)

(1 mark)

Question 6

The number of customers entering Aldi's per day is modelled by a normal random variable with a mean of 350 and a standard deviation of 18.

(a) Determine the probability that tomorrow there will be:

less than 340 customers.

(OHE > X) d

(ii) less than 370 given that there are more than 340 customers. (2 marks)

 $\frac{(ors \times x > ors) 9}{(ovs < x) 9} = (ovs < x | ors > x) 9$ $\frac{(ovs < x) 9}{(ovs < x) 0} = (ovs < x | ors > x) 9$

(b) Determine the probability that over the next 5 days there will be between 340 and 370 customers on exactly 3 of those days. Show all distributions and relevant parameters that you use.

Binomial Dist : Bin (a, p) where (a, p) and (a, p) where (a, p) is (a, p) in (

End of questions

MATHEM	ATICS	METHO	DC Vaar	12

6

CALCULATOR-FREE

Additional working space

Question number:

0

0

CALCULATOR-ASSUMED

MATHEMATICS METHODS Year 12

Question 5 (4 marks)

It is known that 42% of students studying medicine at UWA have a parent who is a doctor of medicine. A sample of 50 students studying medicine at UWA was taken. Describe the distribution of the sample proportion and estimate the probability that the sample proportion of students with parents who are doctors of medicine is no more than 0.5.

By CLT (sample > 20) (states Normal)

Distribution
$$\sim$$
 Normal with


Mean 0.42 * $\sigma = \sqrt{\frac{0.41(1-0.42)}{50}}$
 $\sigma = \sqrt{\frac{0.06980}{50}}$

Mean $\sigma = \sqrt{\frac{0.87413}{50}}$
 $\sigma = \sqrt{\frac{0.87413}{50}}$

(Rob)

oage

2019 TEST 4



to the supervisor before reading any further.

Section Two:

Calculator-assumed

Important note to candidates No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal ensure that you do not have any unauthorised notes or other items of a non-personal	
Special items: drawing instruments, templates, and up to three calculators approved for use in the WACE examinations	
To be provided by the candidate Standard including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters	
Materials required/recommended for this section To be provided by the supervisor This Question/Answer Booklet Formula Sheet (retained from Section One)	
Time and marks available for this section Reading time before commencing work: 3 minutes Working time for this section: 30 minutes Marks available: 30 marks	
Teacher's name	
Your name	

See next page

nature in the examination room. If you have any unauthorised material with you, hand it

CALCULATOR-ASSUMED 3 MATHEMATICS METHODS Year 12

Question 4 (5 marks)

Suppose that a random variable X has the probability density function with rule:

$$f(x) = \begin{cases} cx, & \text{if } 0 \le x \le 2\\ 0, & \text{if } x > 2 \text{ or } x < 0 \end{cases}$$

(a) Find the value of c that makes f a probability density function. (2 marks)

Since
$$f$$
 is a palf $\int_{-\infty}^{\infty} f(x) dx = 1$.

(b) Find Pr(
$$X > 1.5$$
). (2 marks)

(c) Find Pr(1
$$\leq$$
 X \leq 1.5). (1 mark)
$$\sqrt{\frac{2}{8}} \sqrt{\frac{2 \cdot 1 \cdot 5}{8}} \sqrt{\frac{5 \cdot 1 \cdot 5}{8}}$$

9

MATHEMATICS METHODS Year 12

0

O

Instructions to candidates

- The rules of conduct of the CCGS assessments are detailed in the Reporting and Assessment Policy. Sitting this assessment implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer Booklet.
- Answer all questions.
- You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 5. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 6. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 7. It is recommended that you do not use pencil, except in diagrams.

See next page

CALCULATOR-ASSUMED

MATHEMATICS METHODS Year 12


Instructions to candidates

- 1. Write your answers in this Question/Answer Booklet.
- Answer all questions.
- You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- It is recommended that you do not use pencil, except in diagrams.

METHODS Year 12	MATHEMATICS IN	ε	COLATOR-ASSUMED	CAL	
(2 wsrke			4 noits	Gne	
with rule:	oility density function	as the probab	ose that a random variable X h		
			$=\begin{cases} 2 \ge x \ge 0 & \text{if } x > 2 \\ 0, & \text{if } x > 2 & \text{or } x < 0 \end{cases}$	$(x) \int$	
(S marks)	ity density function.	s ∫ s brobabil	Find the value of ϵ that makes	(a)	
(S marks)			Find $\Pr(X > 1.5)$.	(q)	
(४ шबप्र)			Find Pr($1 \le X \le 1.5$).	(c)	

See next page

2019 VINT TEST 4



MATHEMATICS METHODS Year 12

Student name

Section Two: Calculator-assumed

sətunim 6 30 minutes	Reading time before commencing work:
section	Time and marks available for this
 	Teacher nar

30 marks

Materials required/recommended for this section To be provided by the supervisor This Question/Answer Booklet Formula Sheet (retained from Section One)

To be provided by the candidate Standard (including coloured), sharpener, standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates, and up to three calculators approved for use in the WACE examinations

Important note to candidates

Marks available:

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

MATHEMATICS METHODS Year 12

Question 5

(4 marks)

0

0

It is known that 42% of students studying medicine at UWA have a parent who is a doctor of medicine. A sample of 50 students studying medicine at UWA was taken. Describe the distribution of the sample proportion and estimate the probability that the sample proportion of students with parents who are doctors of medicine is no more than 0.5.

See next page

CALCULATOR-FREE

MATHEMATICS METHODS Year 12

Question 3

(4 marks)

The gradient function of a curve is given by $\frac{dy}{dx} = e^x + \frac{x}{1+x^2} - 1$. Find the equation of the curve given that it passes through the point (0, -2).

5

4

End of questions

and 370 customers on exactly 3 of those days. Show all distributions and Determine the probability that over the next 5 days there will be between 340 less than 370 given that there are more than 340 customers. (S warks) (1 mark) less than 340 customers. (a) Determine the probability that tomorrow there will be: variable with a mean of 350 and a standard deviation of 18. The number of customers entering Aldi's per day is modelled by a normal random (e marks) Question 6 MATHEMATICS METHODS Year 12 CALCULATOR-ASSUMED

See next page

(3 marks)

relevant parameters that you use.

CALCULATOR-FREE MATHEMATICS METHODS Year 12

Question 2 (7 marks)

Calculate each of the following definite integrals, simplifying your answers.

(25 m 20 - 20 m) \ [5 m 20 - 20 m] } = \f [m/x"nx] = \f (Integrates) $xp \frac{x7t_h x}{2t_{\xi} x H} \sqrt{\frac{7}{2}}$ (3 marks) 3 (Integrates) $xp_{\varepsilon x} \partial_{z} x_{0}^{\tau}$ (i) (2 marks)

 $\frac{1}{6105 \text{ ns}}$ Q102 Villqmi2 (d) (2 marks)


MATHEMATICS METHODS Year 12

Question 7

(3 marks)

The equation and graph of a probability density function is shown below. Find the value of k, clearly showing your method.

$$f(x) = \begin{cases} k - \frac{k}{x^2}, & 1 \le x \le 2\\ 0, & elsewhere \end{cases}$$



Question 8

(2 marks)

0

0

A-Max Finance has 49 office staff, 28 store workers and 21 delivery drivers. How many of each should be selected to make a stratified random sample of 10?

See next page

CALCULATOR-FREE

3 MATHEMATICS METHODS Year 12

Question 1

(4 marks)

Write the following equations without logarithms:

(a) $\log A = \log b + 2\log c$

(2 marks)

$$log A = log b + log c^{2}$$

$$log A = log bc^{2}$$

$$A = bc^{2}$$
Simplifies

(b) lnM = 3lna - 2

(2 marks)

$$\ln M = \ln a^3 - \ln e^2$$

$$\ln M = \ln \frac{a^3}{e^2}$$

$$-\left(M = \frac{a^3}{e^2}\right)$$
Simplifies

4

MATHEMATICS METHODS Year 12

CALCULATOR-ASSUMED

(z marks)


Question 9

In the case below, state whether or not the sampling method is fair, and if it isn't, state one kind of bias involved.

A reality TV show eliminates one confestant each week by having people SMS their choice of who gets eliminated to a particular number each week. They have the system set up so that only one vote is accepted for each mobile number.

Question 10 (3 marks)

The function f has a domain $(1,\infty)$ and its graph is as shown below. Given that $y=\log_a(x+b),$ find the equation of this function.



See next page

MATHEMATICS METHODS Year 12 2 CALCULATOR-FREE

Instructions to candidates

- . Write your answers in this Question/Answer Booklet.
- Answer all questions.
- You must be careful to confine your response to the specific question asked and
 to follow any instructions that are specified to a particular question.
- Supplementary pages for the use of planning/continuing your answer to a
 question have been provided at the end of this Question/Answer booklet. If you
 use these pages to continue an answer, indicate at the original answer where
- duestion riske been provided at the end of mis duestion where use these pages to continued, i.e. give the page number.

 5. Show all your working clearly. Your working should be in sufficient detail to
- allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you do not use pencil, except in diagrams.

8 MATHEMATICS METHODS Year 12

Question 11

(5 marks)

The random variable X has a probability density function $f(x) = \frac{\sqrt{x}}{18}$ for $0 \le x \le 9$.

(a) Find the mean μ and the standard deviation σ for X.

(2 marks)

(b) Find the mean μ for T if T = 2X + 5.

(1 mark)

(c) Find the standard deviation σ for P if $P = \frac{x-\mu}{\sigma}$.

(2 marks)

End of questions



2019 UNIT TEST 4

MATHEMATICS METHODS Year 12

Section One: Calculator-free

Student name		
Teacher name	- SOLUTIONS -	

Time and marks available for this section

Reading time before commencing work: 2 minutes
Working time for this section: 15 minutes
Marks available: 15 marks

Materials required/recommended for this section

To be provided by the supervisor This Question/Answer Booklet Formula Sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: nil

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.