


## Stage 3 Physics Semester 2 Practical Exam

Name: \_\_\_\_\_

(45 marks)

1. A student carried out an experiment with a long tube in a  $5.00 \times 10^2$  mL measuring cylinder filled with water. He used a 384 Hz tuning fork and sounded it over the tube as he slowly removed the tube from the water. He found the sound volume increased at two lengths (the fundamental and the next harmonic). If he knew that the speed of sound in the pipe was  $323 \text{ ms}^{-1}$ , calculate the two lengths of pipe where the sound volume increased. (3 marks)

2. Samantha was trying to find the speed of sound within an open tube. She set up the equipment shown and recorded the distances between maximum frequency readings using the CRO. She recorded her results in the table below.



Frequency (Hz)	Distance between maximum freq. (cm)	Wavelength (m)	Speed of sound $\text{s}^{-1}$
200	84.5		
500	68.0		
800	21.2		
1100	15.4		

- a. Complete the wavelength column in the table showing your calculations for 200 Hz below. (2 marks)
- b. Show your calculation for the speed of sound for 200 Hz below, then complete the last column in the table. (2 marks)
- c. What value did Samantha get for the speed of sound? (2 marks)

3. A student was performing some experiments on a standing wave. He collected the following data.
- A. The screen on a cathode ray oscilloscope showed four full waves.
  - B. The dot producing the waves moved across the screen in 0.200 seconds.
  - C. The wavelength was determined to be 0.500m
  - D. The amplitude of the wave was 0.250 m
- a. Complete the following graphs (including scale) and clearly indicate the amplitude, period and wavelength. (4 marks)



- b. Calculate the velocity of the wave. (2 marks)

4. Sound is a mechanical wave.
- a. Are sound waves transverse or longitudinal waves? \_\_\_\_\_ (1 mark)
  - b. Two transverse pulses travel along a spring (same amplitude and energy). If the first rebounds from a fixed end with no loss of energy explain what you would see as it passes the second pulse which hasn't reached the other end. Include a diagram. (3 marks)

---



---



---



---



---

5. You observed the light from a fluorescent tube and the light from the sun through a spectroscope.
- a. Circle the correct answer. (2 marks)
- i. The fluorescent tube emits a/an *emission* *absorption* spectrum
- ii. The sun emits a/an *emission* *absorption* spectrum
- b. If you were to observe the spectrum of hydrogen gas emitted from a gas discharge tube it would appear as follows:



- i. What type of spectrum is this? \_\_\_\_\_ (1 mark)
- ii. Explain how it is formed. (4 marks)

---

---

---

---

---

---

---

---

---

---

---

6. Read the information below then carry out the experiment.

**Background Information:**

The period of a pendulum can be found using the following equation:

$$T = 2\pi \sqrt{\left(\frac{\ell}{g}\right)}$$

where

T = period of oscillation (swing back and forth)

$\ell$  = length of the string

g = acceleration due to gravity;  $9.8 \text{ ms}^{-2}$

**Hypothesis:**

*The period of oscillation of a pendulum is independent of the mass on the pendulum, therefore if the mass is increased, the period will remain constant within experimental error.*

a. Having been given the hypothesis, what were the variables for this experiment? (4 marks)

Dependent: \_\_\_\_\_

Independent: \_\_\_\_\_

Controls: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

b. Use the equipment provided to investigate if the hypothesis above is true by increasing the mass and measuring the period for each different mass, completing the table below. You need to ensure that all control variables are controlled.

Length of string: \_\_\_\_\_ (Experimental accuracy and table completion 8 marks)

Mass	Time for 10 complete swings		Average for 10 swings	Period
	Trial 1	Trial 2		

*This space has been left for any additional calculations you wish to do. This section can gain marks.*

c. Write a discussion and evaluation for this experiment. (7 marks)

[illegible]

