oo ji baa baacid si	olamos odi rodiodiv onimiotop solamos vi	• 45 minutes 1. [2, 2, 2, 2 = 8 marks] Hor each of the followir
	Su	Complete all questions Show all necessary work Total Marks = 45
gnədə eM_	-	:әше\
Mr Roohi	Calculator Assumed	ceptional schooling. Exceptional students.
Mrs. Carter	Zear 12 Mathematics Methods	EDIH WODEDN SCHOOL
Mr Staffe	д 102 омТ чэхэтэг	
[евсрег:	Test Five	
Five 2016	Test	Year 12 Mathematics Methods

were asked to SMS in either Yes or No to the following question: "Do you eat fastfood more than once a week?"

(a) During an episode of The Biggest Loser, a weight loss show, the viewing audience

(c) A random sample of residents in a particular suburb were asked: "Do you prefer

(b) A class of Yeat 8 students are asked to complete a compulsory survey for the following question: "Should the School reduce the lunch hour to 30 minutes?"

Hungry Jacks' over other competitors?"

state the reason(s) for the bias.

(d) Over the course of a Saturday, shoppers in the city central shopping mall were approached and asked: "Do you think the US response to the September 11 attacks was appropriate?"

Perth Modern School

Test Five 2016

2. [5 marks]

At the office of Dilsher/Karan, a company selling stationery supplies, there are the following number of employees:

- 1 Manager
- 7 Sales Representatives
- 2 Office Assistants
- 3 Accountants
- 13 Warehouse employees

The Manager, Jack Buildabridge, wants the Human Resources representative to survey 5 staff on the success of their Positivity Day.

If the Human Resources representative does this proportionally, how many of each staff group should he select? (Show all working – Not all groups need be represented)

3. [4, 3 = 7 marks]

(a) Given that about 15% of Australians are left handed, what is the probability that in a sample of 200 Australians, between 20 and 30 of them will be left handed? (Remember the continuity corrections).

Perth Modern School 2

Year 12 Mathematics Methods Test Five 2016

(b) In 2010 a survey of Western Australians found 268 out of 327 people had completed Year 12. Use this to estimate the interval of probabilities that a Western Australian aged 20-24 had completed Year 12 within 1 standard deviation.

4. [1, 3, 1, 2, 2, 2 = 11 marks]

On a Saturday night in Perth, a Random Breath Test (RBT) location is set up on a busy Perth street and 3000 RBTs are conducted by police. 45 drivers were found to have a blood alcohol limit in excess of 0.05.

- (a) State the sample proportion of drivers with a blood alcohol concentration in excess of the limit of 0.05.
- (b) Police conduct further RBTs in similar locations over the next 15 Saturday nights in Perth. Calculate the mean and standard deviation of the proportion of samples if each sample is 3000 drivers.

Police decide to conduct RBTs in this same location on a Sunday morning. They first decide

to model the scenario using a binomial random variable X.

(c) It each sample is to be of size 1000 on a Sunday morning, define the Random Variable X.

Year 12 Mathematics Methods Test Five 2016

6. [4 marks]

It is thought that about 60% of Year 12 students obtain their driver's licence before they complete Year 12. How large a sample would be needed to establish this to within a margin of 5% at the 90% confidence level? (Show working for full marks)

Test Five 2016

4

15 random samples are simulated and the results are given below.

	(1: √α	パ コ 3.141 ロー	#	Þ	
	list1	list2	list3		
11 12 13 14	15 18 14				

(d) Calculate the sample proportions from the simulations given above.

(e) Calculate the mean and standard deviation of the sample proportions.

(f) Comment on your answers to part (b) and (f).

Year 12 Mathematics Methods

Test Five 2016

5. [4, 3, 3 = 10 marks]

Giulia and Jesse run an icecream shop called Jessnjools and they're wondering whether they should also sell coffee at their shop.

(a) Giulia thinks that the proportion of customers who would also buy coffee is 0.4. Calculate the size of the sample required for Giulia to achieve a margin of error of 3% in an approximate 95% confidence interval for this proportion.

Jesse thinks that the proportion of customers who would also buy coffee is 0.5.
 Calculate the size of the sample required for Jesse to achieve a margin of error of 3% in an approximate 95% confidence interval for this proportion.

(c) What is the effect on the margin of error if Jesse is correct but they use the sample size from Giulia's estimate?