

No other items may be used in this section of the examination. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

Important note to candidates

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper, and up to three calculators satisfying the conditions set by the Curriculum Council for this examination.

Standard items: pens, pencils, pencil sharpener, eraser, correction fluid/tape, ruler, highlighters

To be provided by the candidate

Formula Sheet (retained from Section One)

This Question/Answer Booklet

Materials required/recommended for this section

To be provided by the supervisor

Copying or communication for any other purposes can only be done within the terms of the Copyright Act or with prior written permission of WA Examination papers.

Papers is acknowledged as the copyright owner. Teachers within purchasing schools may change the paper provided educational institutions that have purchased the paper from WA Examination Papers provided that WA Examination Papers moral rights are not infringed.

This examination paper may be freely copied, or communicated on an intranet, for non-commercial purposes within educational institutions that have purchased the paper from WA Examination Papers provided that WA Examination Papers moral rights are not infringed.

Published by WA Examination Papers
PO Box 445 Claremont WA 6910

Working time for this section: one hundred minutes

Reading time before commencing work: ten minutes

Time allowed for this section

Your name

In words

--	--	--	--	--	--	--	--

Student Number: In figures

MATHEMATICS 3C
Section Two:
Calculator-assumed
place your student identification label in this box

Question/Answer Booklet

Semester One Examination, 2013

SCHOOL

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	7	7	50	49	33
Section Two: Calculator-assumed	13	13	100	100	67
		Total		149	100

Additional working space

Question number: _____

Instructions to candidates

1. The rules for the conduct of Western Australian external examinations are detailed in the *Year 12 Information Handbook 2013*. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question(s) that you are continuing to answer at the top of the page.
3. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
4. It is recommended that you **do not use pencil**, except in diagrams.

(2 marks)

- (b) A third event, C, is complementary with event A.
 What is the maximum possible value of $P(C \cup B)$?

(2 marks)

$$(iii) P(\underline{B} \mid (\underline{A} \cup \underline{B}))$$

(1 mark)

$$(ii) P(A \cup B)$$

(2 marks)

- (i) $P(A)$
 (a) Calculate

Two independent events A and B are such that $P(A \cup B) = 0.2$ and $P(\underline{B}) = 0.6$.

(7 marks)

Question 8

Working time for this section is 100 minutes.

Provided.

This section has **thirteen (13)** questions. Answer all questions. Write your answers in the spaces provided.

Section Two: Calculator-assumed
 Section Three: Calculator-assumed

MATHEMATICS 3C

3

CALCULATOR-ASSUMED

CALCULATOR-ASSUMED

18

MATHEMATICS 3C
 Additional working space

Question number: _____

Question 9**(8 marks)**

It is estimated that 6% of gift cards sold by a retail store are never redeemed.

- (a) One day, 23 gift cards were sold. Let X be the number of these gift cards that will not be redeemed.

(i) Define a suitable probability distribution to model X . (1 mark)

(ii) State the mean and standard deviation of this distribution. (2 marks)

(iii) Calculate $P(X = 4)$. (1 mark)

(iv) Calculate $P(X > 0)$. (1 mark)

(v) What is the most likely number of gift cards that will never be redeemed? (1 mark)

- (b) What is the minimum number of gift cards that must be sold, so that the probability that at least one of them will not be redeemed exceeds 90%? Justify your answer. (2 marks)

Additional working space

Question number: _____

- Question 20** **MATHEMATICS 3C**
- Question 10** **CALCULATOR-ASSUMED**
- (8 marks)**
- A six-sided die has faces marked with the numbers 1, 2, 3, 4, 5 and 6. The die is biased and the probability of an industrial item is concerned about the number of defectives being returned to the factory. The items are shipped in boxes of 24.
- The manufacturer of a large production run is known to be faulty. If eight items are randomly selected from the production run, what is the probability that more than half of these items are faulty?
- (a) A six-sided die has faces marked with the numbers 1, 2, 3, 4, 5 and 6. The die is biased and the upper face of the die when it comes to rest after being thrown and k is a constant.
- (a) Determine the value of $P(X = 5)$. (2 marks)
- | x | $P(X = x)$ | 1 | 2 | 3 | 4 | 5 | 6 |
|-----|------------|-----|-----|-----|----|-----|---|
| k | 0.1 | 0.2 | 0.2 | 0.2 | 5k | 0.2 | |
- Question 10** **CALCULATOR-ASSUMED**
- (8 marks)**
- The manufacturer trials a sampling plan to minimise the number of products returned. Five items are removed at random from each box of 24 and the box is not shipped if more than two defective items are observed in the sample.
- If a box contains four defectives, what is the probability that
- (i) The box is shipped? (3 marks)
- (ii) Two defective items are in the sample, given that the box is shipped? (2 marks)
- (iii) The die is thrown three times. Determine the probability of a total of 16 or more when the die is thrown three times. Determine the probability of an even number and an odd number being thrown, in either order. (2 marks)
- (c) The die is thrown twice. Determine the probability of an even number and an odd number being thrown, in either order. (2 marks)
- (d) The die is thrown three times. Determine the probability of a total of 16 or more when the three numbers are added together. (3 marks)


(9 marks)

Question 11

The intensity of light measured by a lux meter in a dark room, t milliseconds after a lamp is turned on, is modelled by the function $I(t) = e^{0.1t-1}$ for $0 \leq t \leq 50$.

- (a) Sketch the graph of $I(t)$ on the axes below.

(3 marks)



- (b) Calculate the average rate of change of intensity between $t = 10$ and $t = 40$.

(2 marks)

- (c) Determine the time at which the instantaneous rate of change of intensity is the same as your answer to (b).

(2 marks)

- (d) On the axes above, draw a tangent to the graph of $I(t)$ which has the same rate of change as your answer to (b).

(2 marks)

(5 marks)

Question 19

The daily increase, I , in millions of organisms, of a colony in which each organism reproduces n times per day can be modelled by $I = 7\left(1 + \frac{1}{4n}\right)^n - 7$.

- (a) Determine the daily increase of the colony when the organisms reproduce

- (i) twice per day.

(2 marks)

- (ii) every half-hour.

(1 mark)

- (b) If the organisms were to reproduce more frequently, could the daily increase of the colony exceed two million per day? Justify your answer.

(2 marks)

(2 marks)

(2 marks)

(2 marks)

(2 marks)

(2 marks)

- (a) If a customer randomly selects two of the discounted CDs, what is the probability that they spend \$24? (1 mark)

A retailer has discounted the prices on 32 different music CDs, with 11 of them priced at \$8 each and the rest on sale at \$12 each.

(6 marks)

- (b) If a customer decides to spend \$24, how many different choices of CDs do they have? (2 marks)

- (c) If a customer decides to pick at least one CD and to spend no more than \$24, how many different combinations of CDs could they buy? (4 marks)

- (d) Given that a customer randomly chooses one or more CDs and spends no more than \$24, what is the probability that they spend exactly \$24? (1 mark)

(c) What is the probability that exactly two, in a box of six randomly selected doghnutis produced by the machine, have weights more than one standard deviation from the mean? (2 marks)

- (d) Given that a customer randomly chooses one or more CDs and spends no more than \$24, what is the probability that they spend exactly \$24? (1 mark)

(10 marks)

Question 13

Bags of sugar packed by a manufacturer are normally distributed with mean 510 g and standard deviation of 15 g. The bags are labelled as containing 500 g of sugar.

- (a) What percentage of the bags contain less than the labelled contents? (2 marks)

- (b) What weight of sugar is exceeded by the heaviest 1% of bags? (1 mark)

- (c) Determine the interquartile range of the bag contents. (2 marks)

- (d) Given that a bag is not underweight, what is the probability that it contains no more than 530 g of sugar? (2 marks)

- (e) The manufacturer has decided to adjust the mean contents of the bags of sugar, so that an average of one out of every 20 bags is underweight. Determine the change in the mean contents. (3 marks)

(d)

- (i) Use the formula $\frac{dA}{dx} = \frac{dA}{dx}$ to find the approximate change in area of the rectangle when x increases from 2 to 2.1 cm. (3 marks)

- (ii) Interpret your answer to (d) (i) in the context of this question. (1 mark)


- Question 17** (8 marks)
- The temperature of a bronze casting after removal from an oven was observed to change according to the rule $\frac{dT}{dt} = -0.0034t$ for $0 \leq t \leq 800$. This is the temperature of the casting, in degrees Celsius, t seconds after being removed from the oven.
- (a) How long, to the nearest second, did it take for the initial temperature of the casting to halve? (3 marks)
- Question 14** (10 marks)
- The temperature of a bronze casting after removal from an oven was observed to change according to the rule $\frac{dT}{dt} = -0.0034t$ for $0 \leq t \leq 800$.

- (b) Show that the area of rectangle OABC is given by $A = 15x - 2x^2 - x^3$, where x is the x -coordinate of corners A and B. (2 marks)
- (c) Determine the initial temperature of the casting, given that it had cooled to 787°C after one minute. (2 marks)

- (c) Can the above rate of change model be used to calculate how long it takes the temperature of the casting to fall below 40°C ? Explain your answer. (3 marks)

(c) Use calculus to determine the maximum area of the rectangle. (3 marks)

(a) Find the area of the rectangle when $x = 2$. (1 mark)



1 unit on each axis is 1 cm.

A rectangle OABC is such that O is always at the y -axis and B lies on the x -axis, C lies on the y -axis, A lies on the x -axis, and B lies in the first quadrant on the curve $y = 16 - (x + 1)^2$.

(6 marks)

Question 15

Software has been developed to classify an email message as either good or spam. The software is not perfect: only 88% of spam is classified as such, and 4% of emails that are good are classified as spam.

A large number of emails, 15% of which were spam, were checked by the software.

- (a) What is the probability that the software will classify a randomly chosen email as spam?
(3 marks)

Question 16

(7 marks)

The table below contains information about the sign of $f(x)$, $f'(x)$ and $f''(x)$ at seven points on the graph of the continuous function $f(x)$. Apart from those in the table, there are no other points where $f(x)$, $f'(x)$ or $f''(x)$ are equal to zero.

x	-3	-1	0	2	3	4
$f(x)$	+	0	+	+	0	-
$f'(x)$	+	0	+	0	-	-
$f''(x)$	-	0	+	-	-	-

$x = 2$ (1 mark)

- (b) Given that the software classifies an email as good, what is the probability that it is actually spam.
(3 marks)

- (b) At what point is $f(x)$ increasing at an increasing rate? (1 mark)

- (c) Describe the nature of the graph when $x = -1$. (1 mark)

- (d) Sketch the function on the axes below. (4 marks)

