

No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

### **Important note to candidates**

Special items:      nil

To be provided by the candidate  
Standard items:      Pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

### **Materials required/recommended for this section**


Working time:      fifty minutes  
Reading time before commencing work:      five minutes

To be provided by the supervisor  
Formula sheet  
This Question/Answer booklet

Time allowed for this section

Calculator-free  
Section One:  
UNITS 1 AND 2  
METHODS  
MATHEMATICS

Fix student label here



Question/Answer booklet

Semester 2 Examination, 2019

Mathematics Department  
Year 11 Mathematics Methods

**Structure of this paper**

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
<b>Total</b>					<b>100</b>

**Instructions to candidates**

1. The rules of conduct of Christ Church Grammar School assessments are detailed in the Reporting and Assessment Policy. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
3. You must be careful to confine your answer to the specific question asked and to follow any instructions that are specified to a particular question.
4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
5. It is recommended that you do not use pencil, except in diagrams.
6. Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

**Question 1**  
**(5 marks)**

Determine the gradient of the curve  $y = x^2 - 4x - 60$  at the point(s) where it crosses the  $x$ -axis.

Working time: 50 minutes.

Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.

This section has eight (8) questions. Answer all questions. Write your answers in the spaces provided.


**Question 2****(4 marks)**

The line segment between the points  $A(-1, -2)$  and  $B(-1, 8)$  is the diameter of a circle.

Determine the equation of the circle in the form  $x^2 + ax + y^2 + by = c$ , where  $a, b$  and  $c$  are constants.

Supplementary page

Question number: \_\_\_\_\_



(3 marks)

- (b) Sketch the graph of  $y = 2^{(3-x)}$  on the axes below.

(4 marks)

$$\sqrt{9x^2 + 1} = 3^{x+\varepsilon} \quad (\text{!!})$$

(2 marks)

$$(i) \quad 25^x = \frac{125}{\sqrt{5}}$$

- (a) Solve the following exponential equations.

(9 marks)

**Question 3**

**Question 4**

(7 marks)

- (a) A small body  $A$  is moving along a straight line so that at any time  $t$  seconds, its displacement relative to a fixed point  $O$  on the line is given by  $x = 2t^3 - 9t^2 + 1$  cm.

(i) Determine the velocity of  $A$  when  $t = 1$ . (2 marks)

(ii) Determine the displacement of  $A$  relative to  $O$  at the instant(s) that it is stationary. (3 marks)

- (b) A small body  $B$  has velocity given by  $v = 6t^2 - 4t - 2$  cm/s and when  $t = 2$  it has a displacement of 6 cm relative to  $O$ .


Determine an expression for the displacement of  $B$  relative to  $O$  at any time  $t$ . (2 marks)

Supplementary page

Question number: \_\_\_\_\_

(2 marks)

Determine the minimum possible value of each of the constants.



- (b) The graph of  $y = \sin(ax + b)$  is shown below, where  $a$  and  $b$  are positive constants.

(4 marks)

$$\text{(ii)} \quad 2 \cos(x - 60^\circ) = \sqrt{3} + \cos x, \quad 0^\circ \leq x \leq 360^\circ.$$

(2 marks)

$$\text{(i)} \quad \tan(2x) = -\sqrt{3}, \quad 0 \leq x \leq \pi.$$

Question number: \_\_\_\_\_

(8 marks)

- (a) Solve the following equations.

Supplementary page

**Question 6**(a) Expand  $(x - 3)^3$ .**(6 marks)**

(2 marks)

Supplementary page


Question number: \_\_\_\_\_

- (b) Hence, or otherwise, determine the equation of the tangent to the curve  $y = (x - 3)^3$  at the point where  $x = -1$ . (4 marks)

(6 marks)

Determine the coordinates of all stationary points of the curve  $y = x^4 + 4x^2 - 12x + 20$ .

(6 marks)

The graphs of  $y = f(x)$  and  $y = g(x)$  are shown below where  $f(x) = 1 + 4x - 2x^2$  and  $g(x) = 2x + k$ .

(a) one solution.

Determine the value(s) of the constant  $k$  so that the equation  $f(x) = g(x)$  has

(5 marks)

(a) one solution.

(5 marks)

(b) no solutions.

(1 mark)

**METHODS UNITS 1 AND 2****10****CALCULATOR-FREE****Question 8****(7 marks)**

An arithmetic sequence has a recursive definition given by  $T_{n+1} = T_n + d$ ,  $T_1 = a$ . It has fourth term of 50 and tenth term of 20.

- (a) Determine the value of the constant  $a$  and the constant  $d$ .

(2 marks)

- (b) Determine  $T_{2019}$ .  
(2 marks)

- (c) The sum of the first  $m$  terms of the sequence is 350. Determine the value(s) of the integer constant  $m$ .  
(3 marks)

**METHODS UNITS 1 AND 2****16****CALCULATOR-ASSUMED****Question 20****(8 marks)**

A fair six-sided dice numbered 1, 2, 3, 4, 5 and 6 is thrown  $n$  times until it lands on a 6.

- (a) Show that the probability that  $n = 3$  is  $\frac{25}{216}$ .  
(1 mark)

- (b) Determine the probability that  $n = 5$ .  
(1 mark)

- (c) Write an expression in terms of  $n$  for the probability that the first 6 is thrown on the  $n^{\text{th}}$  throw and explain why the probabilities form a geometric sequence.  
(2 marks)

- (d) Determine the probability that the first 6 is thrown in 12 or less attempts.  
(2 marks)

- (e) The probability that the first 6 is thrown in  $k$  or less attempts must be at least 99%.  
Determine the least value of integer  $k$ .  
(2 marks)

Question 19 (a) Determine  $P(A \cup B)$  when  $x = 0.12$ .  
 Two events  $A$  and  $B$  are such that  $P(A \cup B) = x$ ,  $P(A) = 0.2$  and  $P(\bar{A} \cup B) = 0.6$ .

(b) Determine an expression for  $P(A \cup B)$  in terms of  $x$ .

(c) Determine the value of  $x$  when  $A$  and  $B$  are mutually exclusive.

(d)  $A$  and  $B$  are independent.

(e)  $p(A|B) = 0.04$ .


Supplementary page

Question number: \_\_\_\_\_

**Question 18**

(7 marks)

A right circular cone of base radius 10 cm and height 25 cm stands on a horizontal surface. A cylinder of radius  $x$  cm and volume  $V$  cm<sup>3</sup> stands inside the cone with its axis coincident with that of the cone and such that the cylinder touches the curved surface of the cone as shown.



- (a) Show that the volume of the cylinder,  $V = 25\pi x^2 - 2.5\pi x^3$ .

(3 marks)

- (b) Given that  $x$  can vary, use a calculus method to determine the maximum value of  $V$ .  
(4 marks)

(c) Use a calculus method to determine the exact coordinates of the local minimum of the graph of  $y = f(x)$ .

Question number:

(d) Determine the coordinates of the point where the tangent to  $y = f(x)$  at  $(0, -27)$  intersects the curve  $y = f(x)$ , other than at the point of tangency.

(3 marks)

Supplementary page

Question number: \_\_\_\_\_

**Question 17**

(12 marks)

The function  $f$  is defined by  $f(x) = x^3 + ax^2 + bx + c$ , where  $a, b$  and  $c$  are constants.The graph of  $y = f(x)$  has the following features:


- passes through  $(0, -27)$  and  $(3, 0)$
- has a local maximum at  $(-3, 0)$

(a) Determine the value of  $a$ , the value of  $b$  and the value of  $c$ .

(3 marks)

(b) Sketch the graph of  $y = f(x)$  on the axes below.

(3 marks)



© 2019 WA Exam Papers. Christ Church Grammar School has a non-exclusive licence to copy and communicate this document for non-commercial educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers. SN018-142-1.

- (c) The doctor prescribes drug A to three unrelated patients. Determine the probability that at least one of these patients switch to another drug. (2 marks)

- (b) The doctor prescribes drug A to a patient. Determine the probability that the patient does not switch to another drug. (2 marks)

Other painkilling drugs are available. Of those who take drug A, 88% of patients who suffer some side effects will switch to another drug whereas no patient who has no side effects will switch.

- (ii) one patient experiences some side effects and the other does not. (2 marks)

- (i) neither patient experiences some side effects. (1 mark)

- (a) A doctor prescribes drug A to two unrelated patients. Determine the probability that

When a patient takes a painkilling drug A, the probability that they experience some side effects is known to be 0.1. When a patient takes a painkilling drug A, the probability that they experience some side effects

**Question 16** CALCULATOR-ASSUMED 11 METHODS UNITS 1 AND 2



Semester 2 Examination, 2019

Question/Answer booklet

MATHEMATICS  
METHODS  
UNITS 1 AND 2  
Section Two:  
Calculator-assumed

Fix student label here

Student name: \_\_\_\_\_

Time allowed for this section

Reading time before commencing work: ten minutes  
Working time: one hundred minutes

Materials required/recommended for this section

*To be provided by the supervisor*

This Question/Answer booklet  
Formula sheet (retained from Section One)

*To be provided by the candidate*

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener,  
correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper,  
and up to three calculators approved for use in this examination

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that  
you do not have any unauthorised material. If you have any unauthorised material with you, hand  
it to the supervisor **before** reading any further.

METHODS UNITS 1 AND 2

10

CALCULATOR-ASSUMED

Question 15

(7 marks)

The amount of water in a tank,  $W$  litres, varies with time  $t$ , in minutes, and can be modelled by  
the equation  $W = 200 - 185(1.2)^{-t}$ ,  $t \geq 0$ .

- (a) Determine amount of water in the tank


- (i) initially.

(1 mark)

- (ii) after 15 minutes.

(1 mark)

- (b) Graph  $W$  against  $t$  for  $0 \leq t \leq 45$  on the axes below.



- (c) Over time, the amount of water in the tank approaches  $v$  litres. State the value of  $v$  and  
determine the time at which the amount of water in the tank reaches 99% of this value.


(2 marks)

- STRUCTURE OF THIS PAPER**
1. The rules for the conduct of Christ Church Grammar School assessments are detailed in the Reporting and Assessment Policy. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
3. You must be careful to confine your answer to the specific question asked and to follow any instructions that are specified to a particular question.
4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be awarded.
5. It is recommended that you do not use pencil, except in diagrams.
6. Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer the answer is continued, i.e. give the page number.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

- INSTRUCTIONS TO CANDIDATES**
- (a) Complete the second column in the table below, rounding values to 4 decimal places (4 marks)
- |       |                           |
|-------|---------------------------|
| $h$   | $\frac{f(1+h) - f(1)}{h}$ |
| 1     |                           |
| 0.1   |                           |
| 0.01  |                           |
| 0.001 |                           |
- $P$  has coordinates  $(1, 4)$  and  $Q$  has coordinates  $(1 + h, f(1 + h))$  where  $0 < h \leq 1$ .  
where necessary.
- (b) Name the feature of the graph above that the values you calculated in part (a) represent. (1 mark)
- (c) Determine an estimate, correct to 3 decimal places, for the value that  $\frac{f(1+h) - f(1)}{h}$  approaches as  $h$  becomes closer and closer to 0 and state what this value represents. (2 marks)

Section	Number of working questions available	Number of questions to be answered (minutes)	Marks	Percentage of examination	Total
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
<b>Total</b>					100

The graph of  $y = f(x)$  is shown below, where  $f(x) = 4x$ , together with the secant to the curve through the points  $P$  and  $Q$ .



Question 14 (7 marks)

CALCULATOR-ASSUMED

9

METHODS UNITS 1 AND 2

METHODS UNITS 1 AND 2

STRUCTURE OF THIS PAPER

**Section Two: Calculator-assumed****65% (98 Marks)**

This section has **thirteen (13)** questions. Answer **all** questions. Write your answers in the spaces provided.

Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.

Working time: 100 minutes.


---

**Question 9****(6 marks)**

- (a) Convert  $108^\circ$  to an exact radian measure.

(1 mark)

- (b) A segment of a circle of radius 28 cm is shown below, where  $\theta = 108^\circ$ .



- (i) Determine the area of the segment.

(2 marks)

- (ii) Determine the perimeter of the segment.

(3 marks)

**Question 13****(5 marks)**

A geometric sequence has a second term of  $-8.4$  and a sum to infinity of  $15$ .

Determine the sum of the first 4 terms of the sequence.

CALCULATOR-ASSUMED	METHODS UNITS 1 AND 2	7	METHODS UNITS 1 AND 2	4	CALCULATOR-ASSUMED
(c) State the range of $C(x)$ .					
(d) When the manufacturer uses process Z, the cost in dollars per litre $k(x)$ is modelled by $k(x) = 10.5 - \frac{6}{x}, \quad 5 \leq x \leq 45.$					
(i) Add this function $k(x)$ to the graph.					
(ii) determine the production quantities for which process X is cheaper than process Z. determine the production quantities for which process X is cheaper than process					
(b) Determine, showing all working, the value of $h$ and calculate the time after leaving its initial position that the drone will collide with the post.					
(a) Sketch a diagram to show the two angles of depression from the drone to the base of the post. Initially, the angle of depression from the drone to the base of the post is $8^\circ$ . Exactly 3 seconds later this angle has increased to $10^\circ$ . A drone is flying in a straight line and at a constant height $h$ m above a level pitch towards a thin goal post. It maintains a constant speed of $4.5 \text{ ms}^{-1}$ .					
(c) Calculate	Question 10	(1 mark)	Question 10	(1 mark)	State the range of $C(x)$ .

**Question 11**

(8 marks)

From a random survey of telephone usage in 320 households it was found that 48 households had access to a mobile phone but not a landline, 268 households had access to a landline and 188 more households had access to a mobile phone than did not.

- (a) Complete the missing entries in the table below. (3 marks)

	Mobile	No mobile	Total
Landline			
No landline	48		
Total			320

- (b) If one household is randomly selected from those surveyed, determine the probability that

- (i) it had access to a landline. (1 mark)

- (ii) it had no access to a mobile phone given that it had access to a landline. (1 mark)

- (iii) it had access to a landline given that it no access to a mobile phone. (1 mark)

- (c) Comment on the possible independence of households having access to a mobile phone and households having access to a landline. Justify your comment. (2 marks)

**Question 12**

(10 marks)

When a manufacturer makes  $x$  litres of a chemical using process  $X$ , the cost in dollars per litre  $C(x)$  varies according to the rule

$$C(x) = \frac{240}{x + 15}, \quad 5 \leq x \leq 45.$$

- (a) Determine

- (i) the cost per litre when 35 L is made. (1 mark)

- (ii) the total cost of making 17 L of the chemical. (2 marks)

- (b) Graph the cost per litre over the given domain on the axes below. (3 marks)

