

Question/Answer Booklet

Semester One Examination, 2016

Exceptional school. Exceptional students.

Perth Modern School

III Required by your examination administrator, please place your student identification label in this box

MATHEMATICS METHODS UNIT 3 Section Two: Calculations assumed

Your name

Time allowed for this section: Working time for section:

One hundred minutes
Ten minutes

To be provided by the supervisor
Materials required/recommended for this section
This Questionnaire/Answer Booklet
Formula Sheet (relatived from Section One)

Materials required/recommended for this section

Formula Sheet (retained from Section One)

To be provided by the candidate

Important note to candidates

do other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorized notes or other items of a non-personal nature in the examination room. If you have any unauthorized material with you, hand it to the supervisor before reading any further.

and up to three calculators approved for use in the WACE examinations drawing instruments, templates, notes on two unruled sheets of A4 paper, special terms:

Standard items: pens (blue/black preferred), pencils (including fluid/tape, eraser, ruler, highlighters)

Formula Sheet (retained from Section One)

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	8	8	50	48	35
Section Two: Calculator-assumed	13	13	100	101	65
Total				149	100

Question number: _____

Instructions to candidates

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer Booklet.
3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you **do not use pencil**, except in diagrams.
7. The Formula Sheet is **not** to be handed in with your Question/Answer Booklet.

(2 marks)

- (b) Assuming the current rate of growth continues, how long will it take for the population to increase from 24 million to 25 million people?

(3 marks)

the constant k .

$$\frac{dP}{dt} = kP$$

, where P is the population of Australia at time t months, determine the value of

- (a) Assuming that the rate of growth of the population can be modelled by the equation

$$23 + 0.02t = P$$

23 to 24 million people.

A recent news report said that it took 34 months for the population of Australia to increase from

(5 marks)

Question 9

METHODS UNIT 3
Additional working space

Question number: _____
95% (101 Marks)

Section Two: Calculator-assumed
CALCULATOR-ASSUMED

METHODS UNIT 3

METHODS UNIT 3

CALCULATOR-ASSUMED

CALCULATOR-ASSUMED

3

18

Working time for this section is 100 minutes.

provided.

This section has thirteen (13) questions. Answer all questions. Write your answers in the spaces

Question number: _____

Question 10

(7 marks)

A small object is moving in a straight line with acceleration $a = 6t + k \text{ ms}^{-2}$, where t is the time in seconds and k is a constant. When $t = 1$ the object was stationary and had a displacement of 4 metres relative to a fixed point O on the line. When $t = 2$ the object had a velocity of 1 ms^{-1} .


- (a) Determine the value of k and hence an equation for the velocity of the object at time t .
(4 marks)

- (b) Determine the displacement of the object when $t = 2$.
(3 marks)

(7 marks)

Question 21

A vertical wall, 2.1 metres tall, stands on level ground and 1.8 metres away from the wall of a house. A ladder, of negligible width, leans at an angle of θ to the ground and just touches the ground, wall and house, as shown in the diagram.



- (a) Show that the length of the ladder, L , is given by
$$L = \frac{2.1}{\sin \theta} + \frac{1.8}{\cos \theta}.$$
 (3 marks)

- (b) Use a calculus method to determine the length of the shortest ladder that can touch the ground, wall and house at the same time.
(4 marks)

(8 marks)

Question 12

The height of grain in a silo, initially 0.4 m, is increasing at a rate given by $h'(t) = 0.55t - 0.05t^2$ for $0 \leq t \leq 11$, where h is the height of grain in metres and t is in hours.

- (a) At what time is the height of grain rising the fastest? (2 marks)

- (b) Determine the height of grain in the silo after 11 hours. (3 marks)


- (c) Calculate the time taken for the grain to reach a height of 4.45 m. (3 marks)

(7 marks)

Question 19

Three telecommunication towers, A, B and C, each need underground power cable connections directly to a new power station, P, that is to be built x km from depot D on a 10 km road running east-west between D and A.


Tower B lies 4 km due north of depot D and tower C lies 7 km south of the depot, as shown in the diagram.



- (a) Determine an expression for the total length of underground cable required to connect A, B and C directly to P. (2 marks)

- (b) Show that the minimum length of cable occurs when $\frac{x}{\sqrt{16+x^2}} + \frac{x}{\sqrt{49+x^2}} = 1$. (3 marks)

- (c) Determine the minimum length of cable required, rounding your answer to the nearest hundred metres. (2 marks)



The shaded region on the graph below is enclosed by the curves $y = -\sin(2x)$ and $y = 2\cos x$.

Question 13 (6 marks)

CALCULATOR-ASSUMED

7

METHODS UNIT 3

Question 18

(6 marks)


The graph of the function $y = f(x)$ is shown below for $-2 \leq x \leq 4$

Question 18 (8 marks)

CALCULATOR-ASSUMED

14

METHODS UNIT 3



The area of regions enclosed by the x-axis and the curve, A, B, C, D and E, are 12, 7, 5, 32 and 21 square units respectively.

(b) Determine the area of the region enclosed between the graph of $y = f(x)$ and the x-axis from $x = 0$ to $x = 4$. (2 marks)

(c) Determine the values of $\int_3^4 f(x) \, dx + 3$ (2 marks)

(d) $\int_{\frac{1}{2}}^2 \frac{2}{f(x)} \, dx$ (2 marks)

Question 14

(14 marks)

- (a) Determine the mean of a Bernoulli distribution with variance of 0.24.


(3 marks)

- (b) A Bernoulli trial, with probability of success
- p
- , is repeated
- n
- times. The resulting distribution of the number of successes has an expected value of 5.76 and a standard deviation of 1.92. Determine
- n
- and
- p
- . (4 marks)

Question 17

(8 marks)

The graph of $y = f'(x)$, the derivative of a polynomial function f , is shown below. The graph of $y = f'(x)$ has stationary points when $x = a$, $x = c$ and $x = e$, points of inflection when $x = b$ and $x = d$, and roots when $x = a$, $x = d$ and $x = g$, where $a < b < c < d < e < g$.




- (a) For what value(s) of
- x
- does the graph of
- $y = f(x)$
- have a point of inflection? (1 mark)

- (b) Does the graph of
- $y = f(x)$
- have a local maximum? Justify your answer. (2 marks)

- (c) Does the graph of
- $y = f(x)$
- have a horizontal point of inflection? Justify your answer. (2 marks)

- (d) On the axis below, sketch a possible graph of
- $y = f''(x)$
- . The graph of
- $y = f'(x)$
- is shown with a broken line for your reference. (3 marks)



The discrete random variable Y has the probability distribution shown in the table below.

(8 marks)

$P(Y=y)$	0.4	0.2	0.1	0.1	0.2
y	-2	-1	0	1	2

$P(t = \text{yes})$	0.4	0.2	0.1	0.1	0.2
(i) only misses the bus on Tuesday?					

(a) Determine $P(I \geq 0 | I \leq 1)$. (2 marks)

The probability that a student misses their bus to school is 0.2. And the probability that they miss it on the previous day.

(8 marks)

(3 marks)

(iii) misses the bus on Tuesday and on two other days?

(1 mark)

$$\cdot (I^2 - 1)\pi \quad (\text{!!})$$

(2 marks)

(iii) misses the bus at least twice?

(2 marks)

(b) Calculate

Over five consecutive weekdays, what is the probability that the student only misses the bus on any day is independent of whether they missed it on the previous day.

(i) only misses the bus on Tuesdays
(2 marks)

$$P(A > t | X = x)$$

Question 15

(9 marks)

A particle moves in a straight line according to the function $x(t) = \frac{t^2 + 3}{t + 1}$, $t \geq 0$, where t is in seconds and x is the displacement of the particle from a fixed point O , in metres.

- (a) Determine the velocity function, $v(t)$, for the particle.

(2 marks)

- (b) Determine the displacement of the particle at the instant it is stationary.

(2 marks)

- (c) Show that the acceleration of the particle is always positive.

(2 marks)

- (d) After five seconds, the particle has moved a distance of k metres.

$$(i) \text{ Explain why } k \neq \int_0^5 v(t) dt.$$

(1 mark)

- (ii) Calculate k .

(2 marks)