F REGASI NOTANIMAXE JAIRT

40 Warks

OE SOITAMENTAM BOAW

SECTION ONE: CALCULATOR-FREE

This section has **NINE** (9) questions. Attempt all questions

Question 1 [3 marks]

Simplify the following:

$$\frac{\sqrt{2}\alpha^2 - 5\alpha - 3}{\sqrt{2}\alpha^3 - \sqrt{2}\alpha^2 - 3} \times \frac{16 - \alpha^2}{\sqrt{2}\alpha - 3}$$

Question 2 [1 + 1 + Σ = Δ marks]

Differentiate the following without simplifying:

$$(a) \quad y = \pi - x^3 + e^4$$

$$(p) \quad \lambda = e_{4^{x}-3^{x_{3}}}$$

(c)
$$\lambda = \sqrt{4x^2 + 2x - 3}$$


e Academic Associates

F REPLAY NOITANIMAXE JAIRT

OE DE SOITAMENTAM BOAW

Question 9 [1 + 3 = 4 marks]

Given the following Venn diagram showing events A and B



:li x ənimnətəQ

(a) A and B are mutually exclusive.

(b) A and B are independent

Question 3 [2 + 2 + 2 = 6 marks]

Given
$$f(x) = x^2 + 6$$

 $g(x) = \sqrt{x-4}$
 $h(x) = x^2 (x-1)$


find:

(a) fog(x) expressing your answer in a simplified form

(b) the domain and range of f o g(x).

(c) the value(s) of x where g o h(x) exists.

(b)



Question 8 [4 + 2 = 6 marks]

(a) Determine all turning points, their nature and points of inflection for the function $f(x) = x^3 - 3x^2$.

(b) Find the maximum and minimum values of the function $f(x) = x^3 - 3x^2$ over the interval $-2 \le x \le 1$

F REPART NOTAVIMAXE JAIRT

OE DE SOITAMENTAM EDAW

Question 4 [1 + 1 + 2 = 4 marks]

Determine the following integrals:

(a)
$$\int \frac{2}{\sqrt{x}} - 3\sqrt{x} dx$$

(b)
$$\int_{2}^{2} 3(x + e^{3x}) dx$$

(c)
$$\int \frac{|x^4 - 4x|^3}{|x^6 - 4x|^3}$$


F A39A9 NOITANIMAX3 JAIRT


astsicoasA cimebscA @

WACE MATHEMATICS 3C 3D

Question ∇ [3 + Δ = 5 marks]

Sketch possible graphs of f(x) and $f^n(x)$ on the axes provided below given the graph of the derivative function $f^n(x)$.





WACE MATHEMATICS 3C 3D TRIAL EXAMINATION PAPER 1

Question 5 [5 marks]

A shopkeeper imports three varieties of fruit to sell in her shop. The three varieties of fruit were apples, oranges and bananas. The weight of apples was four kilograms less than eight times the weight of the oranges. The weight of apples was three times the total weight of the bananas and oranges.

If the latest order of fruit was 80 kg, determine by setting up a system of equations how many kilograms of oranges were ordered

© Academic Associates

WACE MATHEMATICS 3C 3D

TRIAL EXAMINATION PAPER 1

Question 6 [3 marks]

After investigating the addition of integers, Simon makes a conjecture that: 'The sum of two odd integers is even'

Is Simon correct? Prove using algebra.

© Academic Associates