

No other items may be taken into the examination room. It is your responsibility to ensure that you have any unauthorized notes or other items of a non-personal nature in the examination room. If you have any unauthorized material with you, hand it to the supervisor before reading any further.

Important note to candidates

TO BE PROVIDED BY THE EXAMINER: Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters
Special items: drawing instruments, templates, notes on _____ unfolded sheets of A4 paper, and up to three calculators approved for use in the WACE examinations

Materails required/recommended for this section _____
To be provided by the supervisor: This Questionnaire/Answer Booklet
Formula Sheet (referred from Section One)

Time allowed for this section

Teacher Name:

Student Name/Number:

Section Two: Calculator-assumed

MATHEMATICS METHODS

Question/Answer Booklet

Semester 2 (Units 3 and 4) Examination, 201

Acknowledgements

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	9	9	50	52	35
Section Two: Calculator-assumed	13	13	100	99	65
					100

Additional working space

Question number: _____

Instructions to candidates

1. The rules for the conduct of School exams are detailed in the *School/College assessment policy*. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer Booklet.
3. You must be careful to confine your responses to the specific questions asked and to follow any instructions that are specific to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. **Show all working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you **do not use pencil**, except in diagrams.
7. The Formula Sheet is **not** to be handed in with your Question/Answer Booklet.

Section Two: CALCULATOR-ASSUMED
(99 Marks) Weighting 65%

 This section has (thirteen) 13 questions. Answer all questions. Write your answers in the spaces provided. Spare pages are included at the end of this booklet.
 Suggested working time: 100 minutes.

Question 10
(6 marks)
 The half-lives of the radioactive isotopes A and B are 157 years and 359 years respectively.
 At present the concentrations of isotopes A and B in a particular chemical compound are equal. How long will it take before the ratio of the concentrations is 100 to 2? Give your answer correct to the nearest year.
 (4 marks)

Question 10
(6 marks)
 (a) Which isotope is decaying the faster? Justify your answer.
 (2 marks)
 (b) At present the concentrations of isotopes A and B in a particular chemical compound are equal. How long will it take before the ratio of the concentrations is 100 to 2? Give your answer correct to the nearest year.
 (4 marks)

End of questions

Question 11

(6 marks)

A researcher asked 100 voters from a certain town who they would be voting for in the upcoming election. The proportion who said they would vote for Dr Alexander was 35%.

- (a) State the population and the sample in this case.

(2 marks)

- (b) Explain one method that would allow to select an unbiased random sample of 100 voters.

(1 mark)

- (c) Assuming the original sample of 100 was an unbiased random sample, determine the probability that in another sample of 200 voters, between 30% and 40% would vote for Dr Alexander.


(3 marks)

Question 22

(5 marks)

- (b) On the axes provided below, sketch the graph of $f(x) = 3e^{-x} \sin(2x)$ for $-\frac{\pi}{2} \leq x \leq \pi$.

(3 marks)



- (c) Determine a such that $\int_a^{\pi} f(x)dx = 0$ where $-\frac{\pi}{2} \leq a \leq \pi$

(2 marks)

a.

Question 12
The Bermeese family live one kilometre from their school. On the route they drive to school are two school crosswalks. The probability that they will have to stop at each crosswalk is $\frac{5}{3}$ independent of each other.

(a) Illustrate the sample space for the above situation using a tree diagram. (2 marks)

Let c , represent the number of times the car must stop at a crosswalk.

(b) Complete the following probability distribution table for this random variable. (2 marks)

c	0	1	2	$Pr(c = c)$

(c) After five weekdays, what is the expected value of times the Bermeese family must stop at least once on their way to school. (2 marks)

(iii) Determine a , if the heat lost between $t = 0$ and $t = 120$ is known to be 300 kilojoules.

$$\frac{dH}{dt} = 2 + \frac{t+5}{x} + a \sin\left(\frac{9\pi}{7}t\right), \quad 0 \leq t \leq 365$$

A hot water storage tank located in a different State of Australia has a heat loss rate defined by

Question 22 (c) (continued)

Question 13**(6 marks)**

A train stops at a certain train station 15 times a day and is late 30% of the time.
Calculate, correct to 3 decimal places,

(a) the probability that the train will be late 4 times, on any particular day. (2 marks)

(b) the probability that the train is late 4 times for at least 2 out of the next 8 days. (3 marks)

(c) the probability that the first three trains of the day are on time and the fourth is late.
(1 mark)

<p>SEMESTER 2 (UNITS 3 AND 4) EXAMINATION</p> <p>CALCULATOR-ASSISTED</p>	<p>MA11HEMATICS METHODS</p>
<p>(7 marks)</p>	<p>Question 14</p>

Q10) By how much will the noise level increase, if the power increases by a factor of 40?

(a) The noise level (N) of a rock band is given by the relationship

$$N \propto \log_{10} \left(\frac{d}{d_0} \right)$$

where N is the noise level (in decibels), d is the acoustic power and d_0 is a reference power level.
If a rock band increases the acoustic power of its musical output by a factor of 10, the noise level increases by 10 decibels.

(a) Heat escapes from a hot water storage tank such that the rate of loss, in kilojoules per day, is given by

$$\frac{dH}{dt} = 2 + \frac{t+5}{\pi} + \sin\left(\frac{90}{\pi}t\right), \quad 0 \leq t \leq 365$$

To help pass time while marooned on a desert island, a computer scientist constructs a table of base 10 logarithms using approximations involving whole numbers. Her starting point is the familiar approximation involving a power of 2. $2^{10} = 1024 \approx 1000 = 10^3$

(b)

- To help pass time while marooned on a desert island, a computer scientist constructs a table of base 10 logarithms using approximations involving whole numbers. Her starting point is the familiar approximation involving a power of 2. $2^{10} = 1024 \approx 1000 = 10^3$
- To estimate the value of $\log_{10} 7$, she uses a similar approximation and the approximate value of $\log_{10} 2$.

from which it follows that $\log_{10} 2 \approx \frac{3}{10} = 0.3$

(i) Use a similar approximation and the appoximate value of $\log_{10} 2$ to estimate the value of $\log_{10} 7$.

(i) Determine the values of t , to the nearest day, at which the rate of heat loss reaches its maximum? State the maximum rate of heat loss per day.

(ii) Determine the heat loss between $t = 0$ and $t = 120$ (3 marks)

(a) Heat escapes from a hot water storage tank such that the rate of loss, in kilojoules per day, is given by

$$\frac{dH}{dt} = 2 + \frac{\pi}{t} + \sin\left(\frac{90}{t}\right), \quad 0 \leq t \leq 365$$

where $H(t)$ is the total accumulated heat loss on day t a given year.

To estimate the approximate value of $\log_{10} 2$ to estimate the approximate value of $\log_{10} 7$

(i) Use a similar approximation and the approximate value of $\log_{10} 7$ to estimate the escape rate of loss, in kilojoules per day, is given by

from which it follows that

$$\log_{10} 2 \approx \frac{3}{10} = 0.3$$

point is the familiar approximation involving a power of 2: $2^{10} = 1024 \approx 1000 = 10^3$

To help pass time while marooned on a desert island, a computer scientist constructs a table of base 10 logarithms using approximations involving whole numbers. Her starting

(b) To help pass time while marooned on a desert island, a computer scientist constructs a table of base 10 logarithms using approximations involving whole numbers. Her starting

Evaluate $\int_0^x x^2 + 1 \, dx$ exactly. (2 marks)

MA11HEM1ATICS MEL1HODS	CALCULATOR-ASSUMED	SEMESTER 2 (UNITS 3 AND 4) EXAMINATION
/	/	/
MA11HEM1ATICS MEL1HODS	CALCULATOR-ASSUMED	SEMESTER 2 (UNITS 3 AND 4) EXAMINATION

(10 marks)

It is predicted that in the year 2018 the number of daylight hours, between sunrise and sunset, in a city of southern New Zealand will be given by the formula

$$y(t) = a + b \cos \frac{c}{2\pi(t+9)}$$

where y is the number of daylight hours on day t of the new year, and a , b and c are positive constants. The longest day, that is, the day with the greatest number of daylight hours, has 14.5 hours of daylight, and the shortest day has 9.5 hours of daylight.

(a) Evaluate the constants a , b and c given that the number of daylight hours follows a yearly cycle. (3 marks)

(b) Use the formula to determine the day in 2018 with the most daylight. (2 marks)

(10 marks)

It is predicted that in the year 2018 the number of daylight hours, between sunrise and sunset, in a city of southern New Zealand will be given by the formula

$$y(t) = a + b \cos \frac{c}{2\pi(t+9)}$$

where y is the number of daylight hours on day t of the new year, and a , b and c are positive constants. The longest day, that is, the day with the greatest number of daylight hours, has 14.5 hours of daylight, and the shortest day has 9.5 hours of daylight.

(a) Evaluate the constants a , b and c given that the number of daylight hours follows a yearly cycle. (3 marks)

(b) Use the formula to determine the day in 2018 with the most daylight. (2 marks)

(b) Region A, on the graph below, is defined as the area enclosed between the y -axis and $y(x)$ and $f(x)$

while Region B, is defined as the area enclosed between the y -axis and $y(x)$ and $f(x)$

Region A, on the graph below, is defined as the area enclosed between the y -axis and $y(x)$ and $f(x)$

while Region B, is defined as the area enclosed between the y -axis and $y(x)$ and $f(x)$

The following information is known:


$$\int f(x) dx = -5.1$$

$$\int g(x) dx = -2.18$$

(ii) Show that the area of Region B = 1.92 (4 marks)

(2 marks)

(i) Determine the area of Region A. (4 marks)




- (c) On what day will the daily amount of daylight be decreasing the fastest? (3 marks)

- (d) Use the increments formula to estimate the largest difference between the number of daylight hours on successive days. (2 marks)

Question 20

(11 marks)

- (a) The graph below shows the velocity (in m/s) of a projectile at time t seconds after launch.



- (i) Estimate the area of the shaded region by evaluating $\sum_i f(t_i) \delta t_i$ where $\delta t_i = 1$ for all $i = 1$ to 4, $t_i = 2.5, 3.5, 4.5$ and 5.5 . (4 marks)

- (ii) What does this area represent? (1 mark)

Question 17**(7 marks)**

The acceleration of a particle is given by $a=3\sin(2t)$ where distance is measured in metres and time, t , in seconds. Initially, the velocity of the particle is 4 m/s and its distance from the equilibrium position is 2 metres.

- (a) Determine an equation for the velocity of the particle. (3 marks)

- (b) Determine the displacement of the particle when $t = 2$ (accurate to 2 decimal places). (4 marks)

Question 18**(8 marks)**

- (a) State the 30th percentile for standard normal distribution. (2 marks)

- (b) Given that X is a normal random variable with mean of 16 and a standard deviation of 3, determine the value of k for which $P(X+1>3k)=0.6$. (2 marks)

- (c) Explain the following statement in terms of μ and σ .

A standard score of 2.4 has a corresponding x -value of 6. (1 mark)

- (d) When X has a probability density function, $f(x)=3x^2$ for $0 < x < 1$, determine the cumulative distribution function $F(x)$. (3 marks)