

Rossmoyne Senior High School

Semester One Examination, 2019

Question/Answer booklet

(MAMTA) SI AABY EQUITAMMICS METHODS YEAR 12 (ATMAM)

In words

Section One: Calculator-free

			sənugif nl	Student number:
rigodi Tanda	Fraser-Jones Murray	rnznk Restali		сисів уоцг і васпет'я мате:

Time allowed for this section

Reading time before commencing work: fifty minutes

Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer booklet

Formula sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: n

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

© 2019 WA Exam Papers. Rossmoyne Senior High School has a non-exclusive licence to copy and communicate this document for non-commercial, educational use wilthin the school. No other copying, communication or use is permitted without the express written school. No other copying, communication or use is 2013.

METHODS UNIT 3 2 CALCULATOR-FREE

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
				Total	100

Instructions to candidates

- The rules for the conduct of examinations are detailed in the school handbook. Sitting this
 examination implies that you agree to abide by these rules.
- Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
- You must be careful to confine your answer to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 5. It is recommended that you do not use pencil, except in diagrams.
- Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 7. The Formula sheet is not to be handed in with your Question/Answer booklet.

See next page SN085-135-1

CALCULATOR-FREE 11 METHODS UNIT 3

Supplementary page

Question number:

CALCULATOR-FREE 3

Section One: Calculator-free


32% (25 Warks)

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

Question 1 (6 marks)

The curve shown below passes through the point (1,4) and is such that $\frac{dy}{dx} = \frac{12}{x}$.



Determine the equation of the curve. (3 marks)

b) Determine the srea of the region enclosed by the curve, the x-axis, the line x=1 and the line x=3.

METHODS UNIT 3 10 CALCULATOR-FREE Question 8 (7 marks)

(a) Determine $\frac{d}{dx}(4x\sqrt{x+1})$.

(d) Part of the graph of $y = \frac{\lambda x}{1 + x \sqrt{1 + x}}$ is shown below.

Using your answer from part (a), determine $\int_0^3 \frac{2x}{\sqrt{x+1}} \, dx$.

METHODS UNIT 3

1

CALCULATOR-FREE

CULATUR-FREE

Question 2
(a) Determine

(i) $\frac{d}{dx} \left(\frac{e^{5x+3}}{\cos(2x+\pi)} \right).$

(3 marks)

(7 marks)

(ii) $\frac{d}{dt} \int_t^2 (3x - 1)^2 dx.$

(2 marks)

(b) Simplify the indefinite integral $\int (4x-1)^2 dx$.

(2 marks)

CALCULATOR-FREE 9 METHODS UNIT 3

Question 7 (7 marks)

A curve has equation $y = 5xe^{2ax}$, where a is a positive constant.

(a) Determine, in terms of a, the coordinates of the stationary point of the curve. (4 marks)

Determine the coordinates of the point of inflection of the curve when $a = \frac{1}{10}$. (3 marks)

(3 msrks)	Determine $P(Y \le 1)$.	(p)
10 obtained in three consecutive runs	random variable Y is the number of integers less than ${f e}$ program.	
(2 marks)	Determine the mean and standard deviation of X .	(c)
(1 mark)	Determine $P(X = 1)$.	(p)
(1 mark)	Explain why X is a Bernoulli random variable.	(a)
t n , where $2 \le n \le 11$. The program is gers less than 10 obtained.	lculator program will generate a single random integei once, and the random variable X is the number of integ	so A run
(7 marks)	£ noits	gne

9

CALCULATOR-FREE

METHODS UNIT 3

METHODS UNIT 3 8 CALCULATOR-FREE

Differentiate the following (solutions should have positive indices where appropriate):

Question 6

(i) $y = \left(\frac{1}{e^{3x}}\right)^4$

(e marks)

(ii) $y = 2e^{\cos x}$

(d) Use calculus rules to find the gradient function of the following (do not simplify):

 $f(x) = \frac{\cos x}{1 - e^{2x}}$

METHODS UNIT 3 6 **CALCULATOR-FREE**

Question 4 (5 marks)

Let $f(x) = 2x + \frac{k}{3x}$, x > 0 and k is a constant. The graph of y = f(x) has a stationary point when x = 4.

Determine the value of k. (2 marks)

Use the second derivative test to determine the nature of the stationary point. (3 marks)

See next page SN085-135-1 **CALCULATOR-FREE** 7 **METHODS UNIT 3**

Question 5 (7 marks)

A farmer keeps a brood of n hens that can each lay up to one egg per day. On any given day, the probability that a hen lays an egg is independent with a constant value of p.

The discrete random variable *X* is the number of eggs laid by the brood in one day and *X* has a mean of 5 and standard deviation of 2.

State the name given to this type of probability distribution and briefly explain why it is (2 marks)

(3 marks)

Determine the value of n and the value of p.

Determine the mean and variance of the distribution Y, where Y = 5X + 3. (2 marks)

See next page

SN085-135-1