
Mathematics Department

	1 Page
uestions worth more than 2 marks require working to obtain full marks	Note: All part q
vovided: Yes	Formula sheet p
% 0τ ⁻	Task weighting:
: —— _{d2} —— шэцкг	Marks available
examinations	
Drawing instruments, templates, notes on one unfolded sheet of A4 paper, and up to three calculators approved for use in the WACE	sməti İsisədS
Pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters	Standard items:
ed: Calculator with CAS capability (to be provided by the student)	niupər slairətaM
	Number of ques
Time allowed for this task:40 mins	
K esbouse	Issk type:
.e:	Student nan
77 mg L + 1001 cngungu	00100
Methods test 4 Year 12	Course
loohoo Public School	CALOIS CESTEON
Exceptional schooling. Exceptional students.	
PERTH MODERN SCHOOL	

Mary who goes to Perth Modern scored 67% in her exam which had a mean of 65% and a standard deviation of 18%. John who goes to Rossmoyne scored 62% in an exam with a mean of 58% and a standard deviation of 12%. Using standard scores, explain who had the better result.

Q2 (3 marks)

Given that $X \sim N(62,196)$ and that $P(k \le x \le 73) = 0.41$, determine the value of k to two decimal places.



Extra working space

Q3 (10 marks)

The lengths of telephone calls, X in minutes, in Perth are Normally distributed with . Calls that are longer than 17 mins are charged at double rate and are known as SUPER calls.

a) Determine the proportion of calls that are between 11 and 17 mins. (2 marks)

b) Given that a call is less than 13 mins, determine the probability that the call is greater than 9 mins. (3 marks)

c) If the length of the call is in the lower 20% of calls, the call is not charged at all. Determine the longest length of call that is not charged to **the nearest second**. (2 marks)

d) In Sydney the calls are also Normally distributed with a mean of 19 mins. If 25% of all calls are greater than 24 mins, determine the standard deviation to two decimal places. (3 marks)

Mathematics Department Perth Modern

Qe (7 marks) A traffic consultant has been hired to determine the proportion of people who drive to work.

- a) A confidence interval of 82% will be used with an error within 0.015. Determine the minimum sample size that should be selected.
- b) If the maximum sample size is 720 people, determine the maximum error in estimating a 95% confidence interval. (2 marks)
- c) The consultant will stand outside a train station and will interview every fourth person who enters. Describe two sources of bias with this sampling scheme. (explain).

9| b a g e

Mathematics Department	Perth Modern
Q4 (15 marks) In a particular city it is estimated that 30% of the population have blue eyes. A sample chosen and the number of blue eyed people are counted. The statistician will assume distribution.	
a) State two reasons why the statistician believes that a Binomial distribution is a	appropriate. (2 marks)
b) Determine the probability that at least 75 people of the sample have blue eyes	. (2 marks)
For each sample of 250 people the number of blue eyed people are counted and a sa is calculated. c) State the approximate distribution of these sample proportions including all fe	
d) Determine the approximate probability that a sample proportion will be greater	than 0.35. (2 marks)
e) One sample of 250 people had 65 with blue eyes. Determine a 90% confidenc population proportion to 3 decimal places.	e interval for the (3 marks)

4 | P a g e

Mathematics Department Perth Modern

Q4 cont

f) Another three samples of 250 people were taken and the number of blue eyed people were counted. See below. One of these samples is not from the city above (e). Explain which sample it is and justify your answer using confidence intervals

(4 marks)

Sample	Number of blue eyed people
Α	55
В	72
С	41

Q5 (2, 2 & 3 = 7 marks)

Consider a 90% confidence interval that has a margin of error of $\,^{\it d}$ units. Assume that the sample proportion does not change.

Answer in terms of a.

5 | Page

- a) Determine the new margin of error if the sample size is nine times the original.
- b) Determine the new margin of error if the sample size is unchanged but the confidence is decreased to 75%. (2 decimal places).

c) Determine the new width of the confidence interval if a confidence of 97% is used and the sample size being one third of the original size. (2 decimal places)