
2019 TEST 5



Section One:

Section One. Calculator-free

	30 marks	larks available:	
	30 sətunim	Vorking time for this section:	
	3 minutes	seading time for this section:	
	k this section	ime and marks available fo	
	e	Ino I	
	ewcu	31107	

Materials required/recommended for this section To be provided by the supprisor

To be provided by the supervisor This Question/Answer Booklet

Formula Sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: ni

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

CALCULATOR-FREE

MATHEMATICS METHODS Year 11

CALCULATOR-ASSUMED

MATHEMATICS METHODS Year 11

Instructions to candidates

 The rules of conduct of the CCGS assessments are detailed in the Reporting and Assessment Policy. Sitting this assessment implies that you agree to abide by these rules.

2

- 2. Write your answers in this Question/Answer Booklet.
- 3. Answer all questions.
- 4. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 5. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 7. It is recommended that **you do not use pencil**, except in diagrams.

Question 9 continued

(b) By using Calculus methods, determine the height of the rectangular prism (correct to the nearest 0.1 cm) which maximises the volume. (4 marks)

5

See next page End of Questions

Question 1 (5 marks)

Evaluate
$$32^{-0.6}$$
 giving your answer as a fraction. (2 marks)

(b) Given that
$$\frac{\sqrt{a^3} \times b^{-2}}{\sqrt[3]{ab^9}} = \frac{a^m}{b^n}$$
 determine the values for m and n .

CALCULATOR-ASSUMED 4 MATHEMATICS METHODS Year 11

(e marks)

An 80 cm long wire frame is used to make the 12 edges of a rectangular prism. This prism is to have the length of the base equal to four times the width of the base.

Let x = the width of the base of the rectangular (cm) h = the height of the rectangular prism (cm)

Question 9



Show that the volume of the prism formed is given by $V=80x^2-20x^3$. (2 marks)

CALCULATOR-FREE

MATHEMATICS METHODS Year 11

3 **Question 8** (4 marks)

MATHEMATICS METHODS Year 11

Question 2 (3 marks)

The mass of the sun is approximately 2×10^{30} kg whilst the mass of the earth is approximately 6×10^{24} kg.

Determine the ratio of the mass of the sun to the mass of the earth, in the form n: 1, where nis written in scientific notation correct to 3 significant figures.

Data is collected on the growth of bacteria in an organism is tabulated below.

CALCULATOR-ASSUMED

	Time t minutes	10	20	30	40
	Bacteria $B(t)$	41	66	108	176

It was suggested that an exponential model of the form $B(t) = c(k)^t$ be used to model this growth.

Determine the values for the constants c and k, each correct to 0.01. (2 marks)

Using this model, make a prediction for the rate of growth in the bacteria at t = 50minutes. (2 marks)

considered:

Question 3 (5 marks)

9

Consider the graphs of $f(x) = \lambda^x$ and $g(x) = A(\lambda^{-x})$.

- Transformations to the graph of $f(x) = 2^x$ are required to obtain the graph of $g(x) = 4(2^{-x})$. Suppose that the following transformations to $f(x) = 2^x$ were
- $0 = \sqrt{1}$ Reflect about $\sqrt{1} = 0$ Reflect about $\sqrt{1} = 0$
- Transformation C Translate 2 units LEFT
- THOIR stinu Δ at least and Δ no its most of Δ
- Using ONLY transformations A,B,C,D, which transformations (and in the correct order) must be applied to f(x) in order to obtain the graph of g(x)? (3 marks)

Oetermine the exact solution to the equation $S(x) = \sqrt{8}$.

- Instructions to candidates
- 1. The rules of conduct of the CCGS assessments are detailed in the Reporting and Assessment Policy. Sitting this assessment implies that you agree to abide by these rules.

7

- 2. Write your answers in this Question/Answer Booklet.
- Answer all questions.

.9


- 4. You must be careful to confine your response to the specific question saked and to follow any instructions that are specified to a particular question.
- 5. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 7. It is recommended that **you do not use pencil**, except in diagrams.

CALCULATOR-FREE

MATHEMATICS METHODS Year 11

Question 4 (6 marks)

The graph of y = f(x) is shown below.



By drawing appropriate lines and labelling on the above graph, explain how the:

(a) average rate of change of y = f(x) from x = 1 to x = 2 is measured. (2 marks)

See next page



2019 TEST 5

MATHEMATICS METHODS Year 11

Section Two: Calculator-assumed

Your name		
T		
Teacher's name		

Time and marks available for this section

Working time for this section: 10 minutes Marks available: 10 marks

Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer Booklet
Formula Sheet (retained from Section One)

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener,

correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates and up to three calculators approved for use

in the WACE examinations

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

(1 mark)

Question 4 continued

(2 marks)

Z

instantaneous rate of change of y = f(x) at x = 3 is measured.

(1 mark)


(c) Use the graph to determine the value for f(1).

Use the graph to solve the inequality f(x) = 0 for the domain x < 2.

(3 marks) Question 7

requirements: On the axes provided below, sketch a possible graph $y=f\left(x\right)$ satisfying the following

- The curve only cuts the x-axis at the origin
- h = x bns 1 = x is $0 = \frac{\sqrt{b}}{xb}$ •
- 4x > x > 1 Tooly floo $0 > \frac{\sqrt{b}}{xb}$ •



See next page

End of Questions

8 MATHEMATICS METHODS Year 11

Question 5 (4 marks)

Consider the function $g(x) = 2\sqrt{x} - x^3$.

Determine the equation of the tangent to the curve at x = 1.

CALCULATOR-FREE

MATHEMATICS METHODS Year 11

Question 6 (4 marks)

9

Consider the function $f(x) = \frac{1}{1+x}$.

Using the definition that $f'(2) = \lim_{h\to 0} \frac{f(2+h)-f(2)}{h}$, determine from first principles the value for f'(2).