

Question/Answer Booklet Semester Two Examination, 2010

3C/3D **WATHEMATICS**

Calculator-assumed Section Two:

Student Name:

Time allowed for this section

One hundred (100) minutes Ten (10) minutes

Working time for this section: Reading time before commencing work:

Material required/recommended for this section

To be provided by the supervisor

This Question/Answer Booklet

Formula Sheet

To be provided by the candidate

Standard items: pens, pencils, pencil sharpener, eraser, correction fluid, ruler, highlighters

three calculators satisfying the conditions set by the Curriculum Council for this course. drawing instruments, templates, notes on two unfolded sheets of A4 paper, and up to Special items:

Important note to candidates

have any unauthorised material with you, hand it to the supervisor before reading any further. do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you No other items may be used in this section of the examination. It is your responsibility to ensure that you

SEMESTER TWO EXAMINATION CALCULATOR-ASSUMED

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	8	8	50	40	33 1/3
Section Two: Calculator-assumed	13	13	100	80	66 2/3
				120	100

2

Instructions to candidates

- The rules for the conduct of Western Australian external examinations are detailed in the Year 12
 Information Handbook 2010. Sitting this examination implies that you agree to abide by these
 rules
- Write your answers in the spaces provided in this Question/Answer Booklet. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the
 original answer space where the answer is continued, i.e. give the page number. Fill in the
 number of the question(s) that you are continuing to answer at the top of the page.
- 3. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.

See next page

4. It is recommended that you do not use pencil except in diagrams.

DO NOT WRITE IN THIS AR

 \triangleleft

Ш

SEMESTER TWO EXAMINATION SECTION TWO

19

MATHEMATICS 3C/3D CALCULATOR ASSUMED

Z

N

Ш

 \geq

 \dashv

 \perp

 \supset

R E ≥

original answer space where the answer is continued, i.e. give the page number. Fill in the Continuing an answer: If you need to use the space to continue an answer, indicate in the Planning: If you use the spare pages for planning, indicate this clearly at the top of the page. and/or as additional space if required to continue an answer. Spare pages are included at the end of this booklet. They can be used for planning your responses This section has thirteen (13) questions. Answer all questions. Write your answers in the space (80 Marks) Section Two: Calculator-assumed CALCULATOR ASSUMED SECTION TWO SEMESTER TWO EXAMINATION MATHEMATICS 3C/3D

	Prove that the product of any two (different) Hilbert numbers is itself a Hilbert number.	(၁)
wsrk)	1 Ls 49 a Hilbert number? Is 111?	(q)
wsrk)	Which Hilbert number corresponds to $n=7$?	(a)

A Hilbert number H_n is an integer of the form 4n+1 where n is a positive integer.

number of the question(s) that you are continuing to answer at the top of the page.

Suggested working time for this section is 100 minutes.

(3 marks)

(5 marks)

See next page

 \bigcirc \mathbb{Z} \bigcirc \leq $\sqrt{2}$ П \mathbb{Z} $_{\perp}$ \circ \supset 70 П

 \supset

CALCULATOR-ASSUMED

SEMESTER TWO EXAMINATION

 \triangleleft

Ш α

 \triangleleft

工

 \geq

Ш

 \circ

 \geq

 \circ

Question 9

81 MATHEMATICS 3C/3D

Additional working space

Question number(s):

SEMESTER TWO EXAMINATION

CALCULATOR-ASSUMED

Question 10 (5 marks)

Two events A and B are such that $P(A \mid B) = 0.6$ and $P(A \cap B) = 0.24$

Evaluate:


P(B)(1 mark)

 $P(B \mid A)$ when A and B are independent events (1 mark)

 $P(B \mid A)$ when $P(A \cup B) = 0.8$ (3 marks) (c)

Question 11 (8 marks)

A pharmaceutical company is trialling a new anti-biotic tablet that is made in the shape of a cylinder with hemispherical ends. The cylindrical section has radius r and length equal to 2r, the diameter of the hemispheres.



See next page

 \triangleleft Ш α \triangleleft \circ $_{\perp}$ \mathbb{Z} Ш α \geq \circ \geq \circ

SEMESTER	TWO	EXAMINATION
SECTION TWO		

17

MATHEMATICS 3C/3D CALCULATOR ASSUMED

Δ	ddi	tional	working	snace

Question	number(s):	
Question	number(s).	

 \Box \circ \geq \circ \leq N \dashv П \mathbb{Z} \dashv \perp

 \circ

 \supset

 $\sqrt{}$

П \supset

CALCULATOR ASSUMED
WATHEMATICS 3C/3D

(3 marks)

(3 marks)

SECTION TWO SEMESTER TWO EXAMINATION

(a) Show clearly that the volume of this tablet is given by
$$V = \frac{10\pi r^3}{\xi}$$

The tablet is designed to dissolve at a constant rate of $10~\mathrm{mm}^3$ per minute.

Determine the rate at which the radius v is changing when the radius is 2.5 mm.

(c) What is the rate at which the surface area is changing when the radius is

See next page

CYTCATVALOR-VZZANIED
ZEMEZLEK LMO EXVMINVLION

 \bigcirc

 \mathbb{Z}

 \bigcirc

WRIT

П

Z

 $\overset{\text{H}}{\sim}$

 \supset

70

 \square

 \triangleleft

Ш

 α

 \triangleleft

 \geq

Ш

 \circ

 \geq

 \circ

?mm 2.5

WYTHEMATICS 3C/3D 16

Question 21 (4 marks)

Gas is leaking from a storage tank in a large industrial and processing facility. The rate of this leak is directly proportional to the pressure, P, of the gas remaining in the tank.

(a) Show clearly how the equation $P(t) = P_0 e^{it}$ models this situation. (2 marks)

(b) Determine the instantaneous rate of the loss of pressure, as a percentage of the remaining pressure, given that the pressure dropped by 50% in the first 4 hours after the leak developed.

anoitseup to bn∃

SEMESTER TWO EXAMINATION CALCULATOR-ASSUMED

Question 12 (4 marks)

6

An economics model once trialled by the Department of Treasury and Finance in Canberra calculated the annual inflation rate I(x) based on the GST rate x%.

The *marginal* inflation rate was defined as $I'(x) = \frac{9}{2\sqrt{x}}$

(a) Use the incremental technique $\delta y \approx \frac{dy}{dx} \delta x$ to estimate the change in the annual inflation rate if the GST was increased from 9% to 9.5% (1 mark)

(b) Apply an integration method to calculate the predicted inflation rate for a GST of 16%, given that a 9% GST is associated with an inflation rate of 3.5% (2 marks)

(c) Could the incremental technique be reliably used to predict the effect of a GST increase from 9% to 16%? Explain. (1 mark)

See next page

SEMESTER TWO EXAMINATION SECTION TWO

 \mathbb{Z}

 \leq

N

Ш

 \geq

 \dashv

HIS A

R E ≥

REA

HIS A

 \geq

Ш

 α

 \geq

 \mathbb{Z}

15

MATHEMATICS 3C/3D CALCULATOR ASSUMED

(a) Identify the minimum operating time per week for Stephen's Shaft (1 mark)

(b) The total possible maximum operating hours for the two mines combined is 120 hours. Add this constraint to the graph and clearly mark the resulting feasible region. (2 marks)

(c) For how many hours should each mine operate each week in order to minimise total costs? (3 marks)

(d) Determine the possible changes to the costs per hour for David's Diggings that would result in an alteration to the optimal solution found in (c). (4 marks)

See next page


CVFCOLVTOR ASSUMED MATHEMATICS 3C/3D

SECTION TWO SEMENTION

Question 13 (3 marks)

An engineer designed a bridge with the profile of the Sydney Harbour bridge, with a circular arch of radius 25 metre above a horizontal roadway that is a 40 metre long chord of the circle.

Calculate the maximum height of the arch above the roadway.



Question 14 (3 marks)

Two kangaroo shooters, Wayne and Clint, have respective probabilities of 0.75 and 0.6 of bitting any torest independent of any other events.

hitting any target, independent of any other event.

What is the probability Wayne fired the bullet that hit the kangaroo, if it was hit by (exactly) one

See next page

bullet?

They both fired at a kangaroo.

 \triangleleft

N H

 \triangleleft

 $_{\perp}$

 \geq

Ш

 \vdash

 α

 \geq

CVTCATVALOR-VZSAMED
SEMESLEK LMO EXVMINVLION

 \Box

 \bigcirc

 \mathbb{Z}

 \bigcirc

 \dashv

 \leq

N

 \dashv

П

 \mathbb{Z}

 \perp

 \supset

Z M

 \supset

MATHEMATICS 3C/3D

Question 20 (10 marks)

ħΙ

The Wyvern Mining Company NL operates two small mines, both producing both copper and lead ores, which are transported to a nearby processing plant for refining into ore concentrates.


The mine known as David's Diggings costs \$20 000 per hour to operate in producing 24 tonnes of copper ore per hour and 24 tonnes of lead ore per hour.

Stephen's Shaft is now an open pit, costing \$15 000 per hour in producing 12 tonnes of copper and 32 tonnes of lead each hour.

The company is contracted to produce at least 960 tonnes of copper ore and 1440 tonnes of lead ore each week.

David's Diggings must operate for at least 20 hours per week and Stephen's Shaft also has a minimum operating time requirement.

These constraints are graphed, with the operating hours per week as the variables: x for David's Diggings and y for Stephen's Shaft.



See next page

8

SEMESTER TWO EXAMINATION

SECTION TWO

 \geq

 \leq

J

 \dashv

П

 \mathbb{Z}

 \dashv

HIS A


70

 \square

Question 15

In this diagram, AOB is the diameter of a circle, AC is a chord of the circle and CD is perpendicular to the tangent AD.

(a) Prove that $\triangle ABC$ is similar to $\triangle CAD$ (3 marks)



(b) Hence show that $AC^2 = AB.CD$

(2 marks)

REA

S

I

 \geq

Ш

 α

 \geq

Z

0

(c) Determine the radius of the circle when AC = 15 cm and AD = 12 cm.

(2 marks)

(d) How many packets are needed per box so that the botanist can be 95% confident that the mean number of germinations is within 0.5 of the expected or overall average number. (3 marks)

(e) Another supplier of Eucalyptus Barrettii seeds finds that his overall average number of germinations from packets of 20 seeds when packed in boxes of 200 packets is 15.3 By calculating the probability that his mean exceeds 15.3 and assuming the same standard deviation, decide how likely is it that the mean germination rates are the same. (2 marks)

CYFCULATOR ASSUMED MATHEMATICS 3C/3D	ECLION LMO EXPWINATION 6	
(8 тагкя)	destion 16	ιQ
	charged sub-atomic particle enters a variable magnetic field v c ⁻¹ and an acceleration at time t defined by $a(t) = t - 3$ cm sec	
e <i>t.</i> (2 marks)	Write an expression for the velocity of this particle at time	(a)
if the magnetic field, at time $t = 6$ (2 marks)	What is the position of the particle, relative to the edge of seconds?	(q)
= 0 and t = 6.	Calculate the distance travelled by the particle between \imath	(၁)

See next page

(d) Identify the minimum velocity for $0 \le t \le 6$

 \triangleleft

 \mathbb{Z}

 \triangleleft

 \perp

Z

Ш

 \bigcirc

 \geq

 \bigcirc

(2 marks)

DO NOT WRITE IN THIS AREA

(2 marks)

CVI COLLA SCAD 12 SEMESTER TWO EXAMINATION SEMESTER TWO EXAMINATION

Question 19

A botanist has found that 75% of the seeds of Eucalyptus Barrettii planted actually germinate and that the germination of each seed is statistically independent of any other event.

(a) For a packet of 20 seeds, determine the probability of at most 16 germinations, given that at least 14 seeds germinated. (3 marks)

(b) How many seeds should he plant before his chances of at least one seed not germinating exceed 0.99? (2 marks)

(c) The botanist has sent boxes containing 200 such packets, each containing 20 Eucalyptus Barrettii seeds, all around the world. For these boxes, describe the distribution of the <u>average</u> number of germinations per packet within each box, assuming a constant germination rate of 75%. Specify the type of distribution, its mean and its standard

deviation.

See next page

SEMESTER TWO EXAMINATION

CALCULATOR-ASSUMED

Question 17 (6 marks)

10

A horse trainer is working with 5 colts and 4 fillies and he randomly selects five of these horses to enter the 5 events at a small country race meeting.

(a) Calculate the probability he selects more colts than fillies in his selection. (3 marks)

(b) If he actually selects 3 colts and 2 fillies and then randomly allocated each horse to a different race, what are the chances the fillies do not compete in consecutive events (3 marks)

 α \triangleleft S \perp \geq Ш α \geq \geq

 \triangleleft Ш

 \mathbb{Z}

N

 \neg

П

 \mathbb{Z}

 \dashv

 \perp \circ


 \supset

70 П \supset

See next page

Question 18 (5 marks)

The curves $y = a x^2$ and $y = a\sqrt{x}$ intersect at the point (1,a), as shown.



(a) Determine the value of a which makes the shaded area = 1 unit = 1 for $0 \le x \le 4$. (3 marks)

(b) Write down, but do not evaluate, an integral expression to find the volume generated when the <u>unshaded</u> area enclosed between $y = a x^2$ and $y = a \sqrt{x}$ for $0 \le x \le 1$ is rotated around the y axis. (2 marks)

See next page