

# Semester Two Examination, 2016

## Question/Answer Booklet

Section One:	·
4 QNA E STINU	place your student identification label in this box
WETHODS	If required by your examination administrator, please
MATHEMATICS	

Calculator-free Section One:

. c. c  4, c,  c c	0.0,400				
	Your name	 <del></del>	 	 	 
	lu words	 	 	 	 
Student Number:	səınbij ul				

## Time allowed for this section

fifty minutes Working time for section: Reading time before commencing work: sətunim əvit

# Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer Booklet

Formula Sheet

To be provided by the candidate

fluid/tape, eraser, ruler, highlighters Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction

Special items:

### Important note to candidates

before reading any further. examination room. If you have any unauthorised material with you, hand it to the supervisor you do not have any unauthorised notes or other items of a non-personal nature in the No other items may be taken into the examination room. It is your responsibility to ensure that

STUDENT NAME:

## MARKING GRID Section One

	1 25	Section 1 Total
	8	L
	8	9
	8	9
	8	7
	L	3
	L	7
	9	τ
WARKS ACHIEVED	WARKS AVAILABLE	биезтіои

METHODS UNITS 3 AND 4 2 CALCULATOR-FREE

## Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	7	7	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
			Total	150	100

### Instructions to candidates

- The rules for the conduct of examinations are detailed in the school handbook. Sitting this
  examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer Booklet.
- 3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
  - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
  - Continuing an answer: If you need to use the space to continue an answer, indicate in
    the original answer space where the answer is continued, i.e. give the page number.
     Fill in the number of the question that you are continuing to answer at the top of the
    page.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you **do not use pencil**, except in diagrams.
- 7. The Formula Sheet is **not** to be handed in with your Question/Booklet.

See next page

### CALCULATOR-FREE 11 METHODS UNITS 3 AND 4

### Additional working space

Question	number:			

3

Section One: Calculator-free

CALCULATOR-FREE

Determine the exact displacement of the particle from the origin when t = 4.

(4 marks)

32% (25 Marks)

METHODS UNITS 3 AND 4

Additional working space 20 CALCULATOR-FREE

Calculate f'(0) when  $f(x) = e^{2x}(1+5x)^3$ .

Question 2

(7 marks) (3 marks) Question 7 The discrete random variable X is defined by  $P(X=x)=k\log x$  for x=2,5 and 10.

(a) Determine the value of k.

(3 marks)

(8 marks)

(b) Determine  $\frac{d}{dx} \int_{x}^{5} \sqrt{t^2 + 1} dt$ .

(2 marks)

(b) Determine P(X=2|X<10 i.

(2 marks)

(c) Given  $f'(x)=(1-2x)^4$  and f(1)=-1, determine f(x).

(2 marks)


(c)  $E[X]=a[b+\log \sqrt{c}]$ , where the constants a,b and c are prime numbers. Determine the values of a,b and c. (3 marks)

(T mark)

(a) The function f is defined by  $f(x) = \log_a x$ , x > 0, where a is a constant, a > 1.

The graphs shown below have equations y=f(x), y=f(x+b) and y=f(x)+c, where b and c are constants.

g



Determine the values of the constants a,b and c.

(b) Determine

(ii) the coordinates of the y-intercept of the graph of  $y = \log_2(x+8) - 5$ .

the equation of the asymptote of the graph of  $y = \log_e(x - 3) - 2$ .

Question 6

Coestion 7

Coestion 6

Coestion 7

Coestion 7

Coestion 6


Coestion 7

Coesti

8

CALCULATOR-FREE

The diagram below shows the curve  $y=x^3-3x^2+k$ , where k is a constant. The curve has a turning point on the x-axis.



(a) Determine the value of k.

Determine the set of values of x for which  $\frac{dy}{dx}$  is increasing. (2 marks)

(c) Calculate the area of the shaded region. (3 marks)

See next page

Question 4 (8 marks)

A curve has equation  $y=2x^5-5x^4+10$ .

(a) Point A lies on the curve at (-1,3i. Use the increments formula  $\delta y \approx \frac{dy}{dx} \times \delta x$  to estimate the y-coordinate of point B that has an x-coordinate of -0.99.


(4 marks)

(b) Point C also lies on the curve, at (2,-6). Verify that C is either a minimum or maximum point of the curve. (4 marks)

Question 5 (8 marks)

Determine the coordinates of the root of the graph of  $y = log_3(2x+1) - 2$ . (3 marks)

(b) The graph of  $y=e^{2x-1}-4x$  has a single stationary point, as shown on the graph below.



Determine the exact coordinates of the stationary point.

(5 marks)