

Semester Two Examination, 2016 Question/Answer Booklet

Please place your student identification label in this box

MATHEMATICS METHODS UNITS 3 AND 4 SECTION TWO: CALCULATOR-ASSUMED

Your name
In words
Student Number:

Time allowed for this section: Reading time before commencing work: one hundred minutes

To be provided by the supervisor
This Question/Answer Booklet
Formula Sheet (retained from Section One)

Special items: drawing instruments, templates, notes on two units and up to three calculators approved for use in the

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

© 2025 WA Exam Papers. Perth Modern School has a non-exclusive licence to copy and communicate this paper for non-commercial, educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers.

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of exam
Section One: Calculator-free	7	7	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
		Total		150	100

Additional working space

Question number: _____

Instructions to candidates

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer Booklet.
3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
4. Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
5. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
6. It is recommended that you **do not use pencil**, except in diagrams.
7. The Formula Sheet is **not** to be handed in with your Question/Booklet.

(2 marks)

The water supply pipe was seriously compromised when the mussel density reached 85 thousand shellfish per square metre. After how many days from the commencement of observations did this happen?

(c)

(2 marks)

(b) Determine the value of k , rounded to four decimal places.

The mussel density was observed to double every eight days.

(1 mark)

(a) What was the mussel density in the colony when observations began?

$$D = 200e^{kt}$$

is a positive constant;

water supply pipe t days after a colony began, was modelled by the following equation, where k is a positive constant:

(5 marks)

Question 8

Working time for this section is 100 minutes.

This section has **thirteen (13)** questions. Answer all questions. Write your answers in the spaces provided.

Section Two: CALCULATOR-ASSUMED
65% (98 Marks)

METHODS UNITS 3 AND 4

3

CALCULATOR-ASSUMED

Question number: _____

Additional working space

18

CALCULATOR-ASSUMED

METHODS UNITS 3 AND 4

(6 marks)

Question 9

The speeds of 250 vehicles, on a section of freeway undergoing roadworks with a speed limit of 60 kmh^{-1} , had a mean and standard deviation of 56.9 kmh^{-1} and 3.6 kmh^{-1} respectively. A summary of the data is shown in the table below.

Speed ($x \text{ kmh}^{-1}$)	$45 \leq x < 50$	$50 \leq x < 55$	$55 \leq x < 60$	$60 \leq x < 65$	$65 \leq x < 70$
Relative frequency	0.024	0.272	0.504	0.188	0.012

- (a) Use the table of relative frequencies to estimate the probability that the next vehicle to pass the roadworks
- (i) was not exceeding the speed limit. (1 mark)
 - (ii) had a speed of less than 65 kmh^{-1} , given they were exceeding the speed limit. (1 mark)

- (b) Subsequent tests on the measuring equipment discovered that it had been wrongly calibrated. The correct speed of each vehicle, v , could be calculated from the measured speed, x , by increasing x by 6% and then adding 1.7.


- (i) Calculate the adjusted mean and standard deviation of the vehicle speeds. (2 marks)

- (ii) Determine the correct proportion of vehicles that were speeding. (2 marks)

(8 marks)

Question 20

A particle, initially stationary and at the origin, moves subject to an acceleration, $a \text{ ms}^{-2}$, as shown in the graph below for $0 \leq t \leq 20$ seconds.




- (a) Determine the velocity of the object when
- (i) $t = 6$. (1 mark)
 - (ii) $t = 20$. (2 marks)
- (b) At what time is the velocity of the body a maximum, and what is the maximum velocity? (2 marks)
- (c) Determine the distance of the particle from the origin after 3 seconds. (3 marks)

(10 marks)

Question 11

- (a) The graph below shows the curve $y=f(x)$, where $f(x)=\frac{12}{2x-1}$.



Use the five centred rectangles shown to estimate the shaded area under the curve from $x=1.25$ to $x=3.75$. (3 marks)

- (b) Given $\int_a^b h(x) dx = k$ and $h(x)$ is a polynomial, determine the following in terms of the constants a, b and k :

(i) $\int_a^b 3h(x) dx.$ (1 mark)

(ii) $\int_a^b 2-h(x) dx.$ (2 marks)

Question 18

From a random sample of n people, it was found that 54 of them subscribe to a streaming music service. A symmetric confidence interval for the true population proportion who subscribe is $0.1842 < p < 0.2958$.


- (a) Determine the value of n , by first finding the mid-point of the interval. (3 marks)

- (b) Determine the confidence level of the interval. (4 marks)

Question 17
METHODS UNITS 3 AND 4

CALCULATOR-ASSUMED
METHODS UNITS 3 AND 4


7



- (c) The graphs of $y = \cos^2(x + \frac{\pi}{6})$ and $y = \frac{3}{4}$ are shown below. Determine the exact area of the shaded region they enclose.
(4 marks)

(b) Show that $A = 600 \sin \theta + 225 \sin \theta \cos \theta$.
(2 marks)

(a) Determine A in terms of w and h.
(1 mark)



A trough for holding water is to be formed by taking a length of metal sheet 70 cm wide and folding it up through an angle of θ . The following diagram shows the cross-section of the trough which is 15 cm on either end, up through the middle, and 70 cm wide at the top. Determine the exact area of the trough with the cross-sectional area, A, shaded.

(c) Use calculus to determine the maximum possible cross-sectional area.
(4 marks)

(8 marks)

Question 12

A box contains a large number of packets of buttons. The number of buttons in a packet may be modelled by the random variable X , with the probability distribution shown below. It is also known that $E(X)=6.25$.

x	3 or fewer	4	5	6	7	8	9 or more
$P(X=x)$	0	0.05	a	b	0.25	0.15	0

- (a) Two packets are randomly chosen from the box. Determine the probability that there are at least 15 buttons altogether in the two packets. (2 marks)

- (b) Determine the values of a and b . (3 marks)

- (c) Calculate $\text{Var}(X)$. (1 mark)

- (d) As part of a fundraiser, patrons pay 75 cents to select a packet at random and then win back 10 cents for each button in the packet. If the random variable W represents the net gain per game for a patron in cents, determine the mean and variance of W . (2 marks)

- (b) The stationery company that supplies pens to the conference centre claim that no more than 3 in 50 pens fail to write. Use your previous working to comment on the validity of this claim. (2 marks)

- (c) Comment on how the margin of error would change in (a) (ii) if

- (i) the quality of the pens had been better. (1 mark)

- (ii) the required level of confidence decreased. (1 mark)

Question 16 (7 marks)

A hardware store sells stakes, of nominal length 1.8 metres, to be used for supporting newly planted trees. The lengths, X metres, of the stakes can be modelled by a normal distribution with mean 1.85 and standard deviation 0.1.

- (a) If $\sigma = 0.035$, determine the probability that a randomly chosen stake is shorter than 1.8 metres. (1 mark)
- (b) If $\sigma = 0.035$, determine the probability that a randomly chosen stake is longer than 1.79 m given that it is shorter than 1.8 metres. (2 marks)

- (iii) the value of k , if the longest 15% of stakes exceed k metres in length. (1 mark)

- (b) A large number of stakes were measured and it was found that 97% of them were longer than their nominal length. Show how to use this information to deduce that the value of σ is 0.027 when rounded to three decimal places. (3 marks)

- (a) If p is the true proportion of pens that fail to write and \hat{p} is the corresponding sample proportion, use the above sample to determine if p is the true proportion of pens that fail to write. (1 mark)
- The management at a conference centre was concerned about the quality of the free pens that it provided in its meeting rooms. A staff member tested a random sample of 150 pens and found that 18 of them fail to write.
- If p is the true proportion of pens that fail to write and \hat{p} is the corresponding sample proportion, use the above sample to determine if p is the true proportion of pens that fail to write. (1 mark)

- (iii) an approximate 98% confidence interval for p . (1 mark)
- (iii) the approximate margin of error for a 98% confidence interval for p . (3 marks)
- (iii) the value of k , if the longest 15% of stakes exceed k metres in length. (1 mark)
- (iii) an approximate 98% confidence interval for p . (1 mark)

(8 marks)

Question 14

The random variable X denotes the number of hours that a business telephone line is in use per nine hour working day.

The probability density function of X is given by $f(x) = \begin{cases} \frac{(x-a)^2+b}{k} & 0 \leq x \leq 9 \\ 0 & \text{otherwise} \end{cases}$,

where a , b and k are constants.

- (a) If $a=15$ and $b=3$, determine the value of k .

(2 marks)

- (b) Let $a=16$, $b=1$ and $k=1260$.

- (i) The business is open for work for 308 days per year. On how many of these days can the business expect the phone line to be in use for more than eight hours?
(2 marks)

- (ii) Determine, correct to two decimal places, the mean and variance of X . (4 marks)

Question 15

An analysis of the number of dogs registered by each household within a suburb resulted in the following information:

Number of dogs registered	0	1	2	3 or more
Percentage of households	21	44	27	8

- (a) A council worker selects households at random to visit. What is the probability that the first five households visited all have at least one dog registered? (2 marks)

- (b) A random sample of 40 households within the suburb is selected.

Use a binomial distribution with $n=40$, together with relevant information from the table in each case, to determine the probability that the sample contains:

- (i) exactly 6 households with no dogs registered. (2 marks)

- (ii) no more than 15 households with at least two dogs registered. (2 marks)

- (c) A random sample of 25 households within the city is to be selected. If X is the number of households in the sample that have exactly one dog registered, determine the mean and variance of X . (2 marks)