SECTION 2

Question 1. (3, 1, 2, 2 marks)

recorded as 'Yes', 'No' or 'Undecided' A shopping centre conducts a survey of 400 shoppers on their preference for 24 hour shopping. Responses were

years old and Group 3: over 40 years old. The shoppers were broken into 3 age groups: Group :1 under 25 years old, Group 2: 26 - 40

102 Undecided 32 were from Group 1. The same number said No in Group 1 as in There were 109 participants in Group 2 and a total of 143 answered Yes. Of the 35 Group I answered Yes, 47 Group 2 answered No, 53 Group 3 were Undecided.

IntoT	121	501	OLI	00 77
Undecided	Z. E.	LI	5_3	201
oN	nS	LD	NS	_S.SI
səд	38	St	٤9	511
	Group 1	Group 2	Group 3	Total

(a) Complete the table using the information given.

Complete the table using the information given.

If all underdund conset the probability that they were from Group 2 and responded Yes?

he belongs to Group 1? What is the probability that a person chosen is Undecided given that

he belongs to Group 1?

Given that the person answered Yes what is the probability that he belonged to Group 3?

63

63

72

74

63

74

15


Question 2. (2,3, 2 marks)

At Metropolitan SHS, year 12 girls have to wear school uniform.

For footwear, they have a choice of black shoes or white shoes. [B or W]

On their lower torsos, they have a choice of skirt, shorts or slacks. [SK, SH or SL]

On their upper torsos, they have a choice of standard top or leavers' top. [ST or LT]



- (b) If a year 12 girl is equally likely to choose any of these combinations, what is the probability she chooses
 - bility she chooses
 (i) a skirt?

 (ii) a skirt and a leavers' top

 (iii) a skirt or a leavers' top $\frac{4}{12} = \frac{1}{3}$ $\frac{2}{12} = \frac{1}{6}$ $\frac{2}{12} = \frac{1}{3}$
- (c) Sally is fashion conscious and will not wear black shoes if she wears her leavers' top. If she is equally likely to choose any other combination, what is the probability that she wears shorts and white shoes?

Question 3. (1, 1, 1, 1 marks)

Science books and I Geography book. How many ways of arranging his books are possible if; Shaggy keeps his textbooks on a shelf above his desk. He has 3 Math books, 2 English books, 2

(c) the books are to be kept in subject from left to right, Math, Science-English and then Geography $3 \not \times 2 \times 3 \times 1 = 2 \times 4$

(d) each subject is kept together?
$$3! \times 2 \times 2 \times 1 \times 4! = 5776.$$

Question 4. (2 marks)

dnokkas on the island. Show all working. captured 56 quokkas, of which 4 had the same small markings. Estimate the total population of island population Sandra tagged a group of 25 quokkas with small markings. Six weeks later, Sandra Sandra is studying the number of quokkas found on Bald Island near Albany. To approximate the

$$\frac{2g_{ged} \ln sample}{\sqrt{2g_{ed} \ln sample}} = \frac{4ag_{ed} \ln pop^{2}}{\sqrt{2g_{ed} \ln pop^{2}}}$$

$$\frac{2S}{\sqrt{2g_{ed}}} = \frac{2S}{\sqrt{2g_{ed}}}$$

$$\sqrt{2S} = \frac{2S}{\sqrt{2g_{ed}}}$$

$$\sqrt{2S} = \frac{2S}{\sqrt{2g_{ed}}}$$

Approx 350 Quoks

ÞΙ

Question 5. (1, 1, 1, 1, 1 marks)

The following are heights of school children recorded to the nearest 5 cms.

Height(cms)	Frequency
145 ≤ x < 150	11
$150 \le x < 155$	16
$155 \le x < 160$	27
$160 \le x < 165$	22
165 ≤ x < 170	16
$170 \le x < 175$	12
$175 \le x < 180$	9
$180 \le x < 185$	8


- Which is the modal class of the data? $155 \le x < 160$ cm $\sqrt{}$
 - K must be class
- Determine: (2de)

 - 162-79 cm V
 - 9.78 cm the standard deviation
 - in which group does the median lie? 160 < x < 165 cm
- A basketball coach is looking for players at least 175cm tall. What percentage of players would qualify for the basketball team?

$$\frac{17}{121} \times 100 = 14\%$$

Question 15. (1,5 marks)

A man walks a distance of 8 km in a direction S 5.6° W from his car to a creek. He then walks 20 km due East from the creek to a camp. What is the bearing of the camp from the man's car? (to 1 decimal



b)
$$\chi^{2} = 8^{2} + 20^{2} - 2 \times 8 \times 20 \times \cos 34^{\circ}$$

$$\chi \approx 14 \cdot 1 \times m. \qquad \text{Note is } 14 \cdot 1 \times m.$$

$$\frac{\sin y}{20} = \frac{\sin 34}{14 \cdot 1}$$

$$y \approx 52.5^{\circ} \text{ or } 127.5^{\circ}, \text{ note } 52.5^{\circ} \text{ not}$$

$$y \approx 127.5^{\circ} - 5.6 \qquad \text{(ignore if not hentroried)}$$

$$3 \approx 127.5^{\circ} - 5.6 \qquad \text{(ignore if not hentroried)}$$

$$\approx 71.5^{\circ} \qquad \text{(ignore if not hentroried)}$$

End of Part B

The bearing is S.71.5°E. 1.

Question 6. (2, 2, marks)

A National Wildlife Park notices that the population of native deer in the year 2000 was increasing according to the equation $y = \frac{n(n+20)}{10} + 30$ whilst the population of feral dogs in the

same Park was increasing according to the equation $y=10~(I.I)^n$ where n is the number of years after 2000. Use your CAS calculator to answer the following questions.

(b) In which year and month will the two populations equal each other if these rates of increase are maintained?

During Aug 2030 / 2 14 30 yo and 7 mms 30. 6 076

During Aug 2030 / 2 14 30 yo and 7 mms,

Question 7. (2.1.2 marks)

(a) P is directly proportional to the cube of y. If P=40 when y=2, find;

V in terms of y.
$$P = Ky^3$$

 $V = Q$... $V = S = y^3$
 $V = S = y$

(b) Under certain circumstances, the volume V (mL) of a given quantity of gas is inversely proportional to its pressure P (kPa) as given by the equation $V=\frac{c}{P}$ where c is a positive constant. In a particular experiment, when the pressure was $90~\mathrm{kPa}$, the volume of gas was

40 mL . What will the pressure be when the pressure is increase to 120 kPa?

Question 14. (2, 2, 2 marks)

Flour from a mill is poured in '1 kg' bags for sale to the public. In fact, the weight of flour in the bags is normally distributed with a mean of $1005\,$ g and a standard deviation of 4 g.

(a) What is the probability that a randomly selected bag of flour is under the market weight?

(b) What is the weight that is exceeded by only 10 % of the bags?

(c) The mill owners decide that no more than 1% of the bags should be underweight. They increase the mean weight of the bags without changing the standard deviation. What should be the mean weight of the flour (to the nearest 0.1g) to ensure that no more than 1% of bags are underweight?

$$\frac{\pi}{x-0001} = 988.8 - \frac{\pi}{x-0001}$$

$$\frac{\pi}{x-0001} = 988.8 - \frac{\pi}{x-0001}$$

$$\frac{\pi}{x-0001} = 988.8 - \frac{\pi}{x-0001}$$

(dimu on llowus 1-)

Question 8 (3, 3 marks)

The equations for the following graphs are (not necessarily in order): -

$$2y + x = 2$$

$$y = (x-1)^3 - 2$$


$$y = 2(x+1)^2 - 2 \qquad \cdot$$


$$y = \frac{2}{x - 2}$$

$$y = 2(x - 1)^{2}(x - 2)$$

$$y = 2\sqrt{x+1} - 2$$

- (a) Write the equation which matches the graph in the appropriate cell.
- (b) Next to each of the points A to I, write its coordinates.





Question 13. (3, 2, 2 marks)

A mathematics exam is marked out of 150 and the class mean for 25 students is 92 with a standard deviation of 12.3. The lower quartile is 74 and the upper quartile is 112.

(a) The top mark is 147 while the bottom mark is 11.
One definition of an outlier is a score that lies more than 1.5 × the interquartile range above the upper quartile or below the lower quartile.
Determine if either of the 2 marks is an outlier by this definition

$$IQR = 112 - 74 = 38$$


 $1.5 \times 38 = 57$
 $0Q+57 = 169$
 $20-57 = 17$


(b) A student who is away for the exam does it at a later date and scores 134. Calculate the new class mean.

$$25 \times 92 + 134 = 2434$$

 $\bar{x} = 2434 \div 26$
= 93.6

c) If the median of the original dataset is 108 draw a boxplot of the dataset on the axes below.






61

Question 12. (1, 2 marks)

Belle needs to go to hospital to visit her Grandma. She drives her car 12 km to the nearest florist, which laskes her 9 minutes to get there. It took her 15 minutes to select the flowers and write the card. She then drove another 28 km to get to the hospital, which took her 20 minutes. She spent half an hour with her Grandma and then went straight home. This final journey from hospital to home, took her 22 minutes. The graph of her journey is drawn below.



(a) What was the total distance that Belle travelled? $\ensuremath{\$\text{OKF}}$

(b) Express her speed for the first 9 minutes of the journey in;

s/m (ii)

12 Klm / gmin 1333.3 m/ min Question 9 (2, 1, 2 marks)

The value of a certain stock changes daily. On odd numbered days of the month it increases by 10%, and on even numbered days of the month it decreases by 10%.

(a) By what percentage increase or decrease will the value of the stock change over two consecutive days?

(b) At the beginning of November 1st the value of the stock is \$50 000. What will be the value at November 30th?

(c) Is there any month(s) in which the value of the stock increases? Justify your answer.

A man borrows $\$20\,000$ at 10% p.a. compound interest paid annually and agrees to repay at a rate of $\$3\,000$ per year.

(a) How much does he still owe at the end of 10 years?


After 10 years the lender increases the interest rate to 11% but agrees that the repayments remain the same.

(b) During which year will the man finish repaying his loan?

(c) What amount is his final repayment?

Question 11. (3, 3 marks)

Consider the triangle drawn below.



(a) Show that $3x^2 + 6x - 36 = 0$

$$c^{2} = a^{2} + b^{2} - 2ab \cos C$$

$$(2\pi)^{2} = 6^{2} + x^{2} - 2x6xx \cos 60^{\circ} \checkmark$$

$$4x^{2} = 36 + x^{2} - 2x6xx \times \frac{1}{2} \checkmark$$

$$3x^{2} = 36 - 6x$$

$$3x^{2} + 6x - 36 = 0.$$

(b) D is a point on the line AC such that the angle ADB = 100°. Calculate the length of BD. Working...

$$\sqrt{\frac{BD}{\sin 60^{\circ}}} = \frac{6}{\sin 80^{\circ}} \sqrt{\frac{8D}{\sin 80^{\circ}}} = \frac{6}{\sin 80^{\circ}} \times \sin 60^{\circ}$$

$$= 5.3 \text{ m.}$$