# Calculator Assumed Random Sampling and Distributions

Time: 45 minutes Total Marks: 45 Your Score: / 45



## Question One: [2, 2, 3, 3 = 10 marks] CA

For each of the following samples, determine whether the sample is bias and if so, state the reason(s) for the bias.

- andience were asked to SMS in either Yes or No to the following question: "Do you eat fastfood more than once a week?"
- (b) A class of Year 8 students are asked to complete a compulsory survey for the following question: "Should the School reduce the lunch hour to 30 minutes?"
- (c) A random sample of residents in a particular suburb were asked: "Do you prefer Hungry Jacks' over other competitors?"
- (d) Over the course of a Saturday, shoppers in the city central shopping mall were approached and asked: "Do you think the US response to the September 11 attacks was appropriate?"

# Question Two: [5 marks] CA

At the office of Dunder/Mifflin, a company selling stationery supplies, there are the following number of employees:

- 1 Manager
- 7 Sales Representatives
- 2 Office Assistants
- 3 Accountants
- 13 Warehouse employees

The Manager, Michael Scott, wants the Human Resources representative to survey 5 staff on the success of their Positivity Day.

2

If the Human Resources representative does this proportionally, how many of each staff group should he select?

 $\mathbf{C}\mathbf{V}$ Question Three: [3, 3 = 6 marks]

these numbers is shown below. Two digit random numbers have been created using an excel spreadsheet. A screen shot of

S	Я	ď	d	0	N	M	٦	К	١	1	H	9	3	3	O	Э	8	1
33	76	91⁄2	55		۷9	ST	6 <b>†</b>	77		ST	SL	52	25		34	ÞΤ	₽8	81/
6T	812	69	99		۷Þ	18	91	86		50	89	<del>1</del> 9	₽9		76	τt	33	94
81⁄2	61⁄2	09	09		۷9	۷6	₽S	18		33	35	91⁄2	13		91⁄2	38	₽8	25
۷Þ	34	31	63		92	54	83	73		66	۷S	τt	56		85	09	73	<b>t</b> ⁄9
08	OΤ	04	87		75	3.1	95	ÞÞ		25	77	τt	TT		72	94	12	εT
tL	74	77	3.1		SZ	77	73	<del>1</del> /9		7.7	85	92	ST		₽S	68	23	50
92	84	<del>7</del> 6	33		09	۷9	34	SS		18	۷Ţ	64	6T		۷Þ	7.7	30	09
39	۷6	72	38		99	LL	04	۷6		66	9T	18	۷Þ		ST	St	13	62
<b>L</b> 6	20	28	98		SZ	52	66	34		817	9T	74	33		₽9	τ6	65	86
₽9	96	ħΔ	28		79	OΤ	85	94		۷6	34	86	66		34	99	tνL	55
69	545	45	72		99	۷Þ	95	96		72	ħΔ	55	۷8		OΤ	<b>†</b> 6	98	86
SÞ	95	۷9	09		۷9	33	<b>†</b> 9	55		ÞΤ	ττ	τt	72		17	68	か	77
65	83	94	83		96	43	18	TΔ		ħΤ	۷8	LΤ	55		73	15	34	<b>₽</b> 9
34	91⁄2	32	52		52	30	98	30		96	85	τ9	25		66	98	<b>Z</b> 8	08
33	τt	۷9	94		30	36	05	34		83	<b>†</b> 6	35	66		۷8	68	55	St
<b>L</b> 6	95	OT	68		54	52	7.7	OT		05	50	43	25		₽9	85	16	T.9
83	43	SS	98		56	57	85	54		OΤ	85	ħΔ	<b>L9</b>		58	79	16	St
09	95	83	85		99	53	68	76		85	۷S	89	79		3.1	τs	85	77
92	tL	43	57		25	91⁄2	ST	77		۷6	ΤŢ	88	23		96	۷Þ	175	98
85	TS	<b>†</b> 9	34		SZ	28	50	16		97	78	545	96		۷S	97	LΤ	09

between 74 and 150 inclusive. Starting in column F and row 5, collect a systematic sample of size 8 of numbers


phone numbers (ignoring the area codes). then followed by 7 digits. Starting in column K and row 15, collect a sample of 10 Landline phone numbers in Australia begin with an area code, followed by a 9 and

3

Mathematics Methods Unit 4

 $\mathbf{C}\mathbf{V}$ [1, 2, 2, 1 = 6 marks]Sizinon Six:

deviation of 12 are given below. A random sample of 15 items from a normal distribution with a mean of 100 and a standard



What proportion of items do you expect to lie within two standard deviations of the

26.0

Calculate the mean and standard deviation for this sample.

V 86.8 = ₽ 12.001 = u

What proportion of items in this sample lie within two standard deviations of the

 $\checkmark$   $78.0 = \frac{\varepsilon I}{\varepsilon I}$ V 89.8×2±12.001

and the one given above?

about the variability of the mean and standard deviation between the larger sample If a random sample of 100 items had been created instead, what would you notice

deviation of the distribution. The mean and standard deviation would be much closer to the mean and standard

www.educationequals.com

ÞΙ

## Question Four: [2, 2, 2, 3 = 9 marks]

CA

At a particular bus stop during morning peak hour, the waiting time for the next bus is between o seconds and 300 minutes.

- Define the random variable that would model this situation.
- (b) Determine the mean and standard deviation for this distribution.

During peak hour on a Monday morning, random samples of waiting times were observed for this bus stop. These times are shown below.

	В	С
<b>S</b>	0.29	1.41
	0.44	1.45
	0.96	0.05
	0.26	1.24
	1.58	1.54
	3.92	1.01
	3.88	2.08
	3.90	0.16
	0.89	2.80
	4.77	3.28

Calculate the mean and standard deviation for the above sample.


## Mathematics Methods Unit 4

Calculate the mean and standard deviation of the second sample, given in list 2.

$$\mu = 0.5 \checkmark$$

$$\sigma = 0.5 \checkmark$$

Construct a side-by-side column graph of the sample results.




Hence or otherwise compare and contrast the distributions.

The second sample has a perfectly symmetrical distribution while the first sample is slightly positively skewed.

13

Mathematics Methods Unit 4
----------------------------


(d) By grouping the data appropriately, draw a graph of the sample distribution on the axes below.



Question Five: [2, 2, 3, 2 = 9 marks] CA

A Bernoulli trial is such that the probability of success is 0.4.

Two random samples of 12 trials is given below:



(a) Calculate the mean and standard deviation of the first sample, given in list 1.

Mathematics Methods Unit 4


(d) By grouping the data appropriately, draw a graph of the sample distribution on the



Question Five: [2, 2, 3, 2 = 9 marks] CA

 $\Lambda$  Bernoulli trial is such that the probability of success is 0.4.

Two random samples of 12 trials is given below:



(a) Calculate the mean and standard deviation of the first sample, given in list 1.

12

$$\xi \xi.0 = \eta$$

$$\nabla \xi \xi.0 = \eta$$

Calculate the mean and standard deviation of the second sample, given in list 2.

Construct a side-by-side column graph of the sample results. (c)

Hence or otherwise compare and contrast the distributions.

www.educationequals.com

Mathematics Methods Unit 4

Question Four: [2, 2, 2, 3 = 9 marks]

CA

At a particular bus stop during morning peak hour, the waiting time for the next bus is between o seconds and 300 seconds.

Define the random variable that would model this situation.

$$P(X = x) = \begin{cases} \frac{1}{300}; 0 \le x \le 300 & \checkmark \\ 0 & otherwise & \checkmark \end{cases}$$

(b) Determine the mean and standard deviation for this distribution.

$$\mu = 150 \text{ sec}$$

$$\sigma = \sqrt{\frac{150^2}{12}} = 43.3 \text{ sec}$$

During peak hour on a Monday morning, random samples of waiting times were observed for this bus stop. These times are shown below.

В	С
<b>ॐ</b> 0.29	1.41
0.44	1.45
0.96	0.05
0.26	1.24
1.58	1.54
3.92	1.01
3.88	2.08
3.90	0.16
0.89	2.80
4.77	3.28

Calculate the mean and standard deviation for the above sample.

$$\mu = 1.8 \,\text{min}$$
 $\sigma = 1.4 \,\text{min}$ 

11

 $\mathbf{C}\mathbf{V}$ [1, 2, 2, 1 = 6 marks]Suestion Six:

deviation of 12 are given below. A random sample of 15 items from a normal distribution with a mean of 100 and a standard  ${\bf A}$ 

	C15II	5	71511	2.19 2.19 4.19	95 10 10 10 10 10 10 10 10 10 10 10 10 10	1234567890123456	
	Etsil	(	list		1sil		
4	<b>+</b>	·••	"IFI'S		:Z.		삣
X		<ul><li>yd</li></ul>	erbte	alc Se	) i	PΞ	O

- What proportion of items do you expect to lie within two standard deviations of the
- Calculate the mean and standard deviation for this sample.
- (c) What proportion of items in this sample lie within two standard deviations of the
- If a random sample of 100 items had been created instead, what would you notice
- snd the one given above? about the variability of the mean and standard deviation between the larger sample

www.educationequals.com

Mathematics Methods Unit 4

Question Three: [3, 3 = 6 marks]

these numbers is shown below. Two digit random numbers have been created using an excel spreadsheet. A screen shot of

S	Я	Q	d	0	N	M	1	K	٦	1	H	9	3	3	D	Э	8	١
33	76	91⁄2	77		۷9	ST	61⁄2	77		12	SL	52	25		34	ÞΤ	₽8	8t
6T	817	69	99		۷Þ	18	91⁄2	86		50	89	₽9	₽9		76	τt	33	94
81⁄2	61⁄2	09	09		۷9	۷6	₽S	18		33	35	917	13		917	38	1/8	25
۷t	34	3.1	63		92	74	83	23		66	۷2	τt	56		85	09	73	<b>₽</b> 9
08	OΤ	04	87		75	3.1	95	か		25	77	ΤÞ	ΤŢ		72	94	12	εT
ħΔ	74	7.7	3.1		SZ	77	73	₽9		7.7	85	<b>S9</b>	ST		₽S	68	23	07
92	87	<b>⊅</b> 6	33		09	<b>L9</b>	34	SS		18	L٦	64	6T		۷Þ	7.7	30	09
39	۷6	72	38		99	LL	04	۷6		66	9T	18	۷Þ		ST	St	13	64
<b>L</b> 6	20	58	98		SZ	52	66	34		817	9T	74	33		<b>t</b> ⁄9	τ6	65	86
₽9	96	tL	28		79	OΤ	85	94		۷6	34	86	66		34	99	ħΔ	55
69	St	45	72		SS	۷Þ	95	<b>S6</b>		77	tL	77	۷8		OΤ	<b>7</b> 6	98	86
St	95	۷9	20		۷9	33	<b>†</b> 9	55		ÞΤ	ΤŢ	τt	72		15	68	か	71
65	83	94	83		96	43	18	TΔ		ÞΤ	۷8	۷Ţ	77		73	15	34	₽9
34	91⁄2	32	52		52	30	98	30		96	85	τ9	25		66	98	۷8	08
33	τt	۷9	94		30	98	05	34		83	<b>⊅</b> 6	35	66		۷8	68	77	St
<b>_</b> 6	95	OT	39		54	52	53	TO		20	50	43	25		₽9	85	16	ŢŞ
83	43	SS	98		56	58	85	54		OΤ	85	tL	۷9		58	79	16	St
09	95	83	85		99	73	68	65		85	۷S	89	79		3.7	TS	85	Z
92	tνL	43	57		25	91	ST	45		۷6	II	88	23		<b>S6</b>	۷Þ	175	98
85	TS	<b>†</b> 9	34		SZ	28	50	16		97	۷8	57	96		LS	97	LΤ	09

between 74 and 150 inclusive. Starting in column F and row 5, collect a systematic sample of size 8 of numbers

 $\nearrow$   $\nearrow$   $\nearrow$ 114 127 78 108 89 75 121 124

phone numbers (ignoring the area codes).

then followed by  $\gamma$  digits. Starting in column K and row 15, collect a sample of 10 Landline phone numbers in Australia begin with an area code, followed by a 9 and

1857779 2879165 7L69S01 1252439 0248229 2010202 8645243 3361915 14/99/0 3450363



## SOLUTIONS Calculator Assumed Random Sampling and Distributions

Time: 45 minutes Total Marks: 45 Your Score: / 45

#### Question One: [2, 2, 3, 3 = 10 marks]

CA

For each of the following samples, determine whether the sample is bias and if so, state the reason(s) for the bias.

(a) During an episode of The Biggest Loser, a weight loss show, the viewing audience were asked to SMS in either Yes or No to the following question: "Do you eat fastfood more than once a week?"

Non response bias



- (b) A class of Year 8 students are asked to complete a compulsory survey for the following question: "Should the School reduce the lunch hour to 30 minutes?" Selection bias
- (c) A random sample of residents in a particular suburb were asked: "Do you prefer Hungry Jacks' over other competitors?"

Design bias and Selection bias 🗸





(d) Over the course of a Saturday, shoppers in the city central shopping mall were approached and asked: "Do you think the US response to the September 11 attacks was appropriate?"

Selection and Recall/Reporting bias 🗸





## Mathematics Methods Unit 4

#### Question Two:

[5 marks]

#### CA

At the office of Dunder/Mifflin, a company selling stationery supplies, there are the following number of employees:

- 1 Manager
- 7 Sales Representatives
- 2 Office Assistants
- 3 Accountants
- 13 Warehouse employees

The Manager, Michael Scott, wants the Human Resources representative to survey 5 staff on the success of their Positivity Day.

If the Human Resources representative does this proportionally, how many of each staff group should he select?

$$\frac{13}{26} \times 5 = 2.5$$

3 warehouse employees 🗸

$$\frac{7}{26} \times 5 = 1.35$$

1 sales representative

$$\frac{3}{26} \times 5 = 0.58$$

1 accountant