



**MATHEMATICS
METHODS
UNITS 3 AND 4
Section One:
Calculator-free**

If required by your examination administrator, please place your student identification label in this box

Student Number: In figures

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

In words

Your name

Time allowed for this section
Reading time before commencing work: five minutes
Working time for section: fifty minutes

Materials required/recommended for this section
To be provided by the supervisor
This Question/Answer Booklet
Formula Sheet

To be provided by the candidate
Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters
Special items: nil

Important note to candidates
No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Structure of this paper

| Section | Number of questions available | Number of questions to be answered | Working time (minutes) | Marks available | Percentage of exam |
|---------------------------------|-------------------------------|------------------------------------|------------------------|-----------------|--------------------|
| Section One: Calculator-free | 8 | 8 | 50 | 52 | 35 |
| Section Two: Calculator-assumed | 13 | 13 | 100 | 99 | 65 |
| Total | | | | 151 | 100 |

Instructions to candidates

- The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
- Write your answers in this Question/Answer Booklet.
- You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- Spare pages are included at the end of this booklet. They can be used for planning your responses and/or as additional space if required to continue an answer.
 - Planning: If you use the spare pages for planning, indicate this clearly at the top of the page.
 - Continuing an answer: If you need to use the space to continue an answer, indicate in the original answer space where the answer is continued, i.e. give the page number. Fill in the number of the question that you are continuing to answer at the top of the page.
- Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- It is recommended that you **do not use pencil**, except in diagrams.
- The Formula Sheet is **not** to be handed in with your Question/Answer Booklet.

Additional working space

Question number: _____

35% (52 Marks)

Section One: Calculator-free


This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time for this section is 50 minutes.

Question 1

(4 marks)

A function has a stationary point at $(-2, 3)$ and is such that $f'(x) = 16 + kx^3$. Determine the constant k and hence an equation for $f(x)$.



(a) Determine the values of a and b . (2 marks)

(b) If $\int_2^0 f(x) dx = d$ and $\int_4^2 f(x) dx = q$, determine, in terms of d and q

(i) $\int_4^0 f(x) dx$. (1 mark)

(ii) $\int_2^4 2f(x) dx$. (2 marks)

(iii) the area between the x -axis and the curve $y = f(x)$ between $x = 0$ and $x = 4$. (1 mark)

End of questions

See next page

Question 2

(4 marks)

Let $G(x) = \int_0^x \cos\left(2t + \frac{\pi}{6}\right) dt$.

(a) Determine $G'(x)$.

(1 mark)

(b) Determine $G\left(\frac{\pi}{6}\right)$.

(3 marks)

Question 7

(8 marks)

A small storage tank, initially holding 20 L of water, is being filled so that the rate of change of volume of water in the tank t minutes after filling began is given by $\frac{dV}{dt} = \frac{10t}{t^2 + 1}$ for $t \geq 0$, where V is the volume of water in the tank, in litres.

(a) Use calculus to show that the tank is filling at the fastest rate after exactly 1 minute.

(3 marks)

(b) Determine an expression for V in terms of t .

(3 marks)

(c) The tank has a maximum capacity of 80 litres. Determine an exact expression for the time it will take to reach this capacity.

(2 marks)

Question 3 (6 marks)

(a) Indicate, with reasons, which of the following could **not** represent a discrete probability distribution. (3 marks)

| | | | | |
|------------|-----|-----|-----|-----|
| x | -1 | 0 | 1 | 2 |
| $P(X = x)$ | 0.1 | 0.2 | 0.6 | 0.1 |

(i)

| | | | | |
|------------|-----|-----|------|-----|
| x | 1 | 2 | 3 | 4 |
| $P(X = x)$ | 0.4 | 0.5 | -0.1 | 0.2 |

(ii)

| | | | | |
|------------|-----|-----|-----|-----|
| x | 2 | 4 | 6 | 8 |
| $P(X = x)$ | 0.3 | 0.2 | 0.3 | 0.4 |

(iii)

Question 6 (7 marks)

Let $f(x) = x^2e^{2x-1}$.

(a) Determine the exact value of $f'(1)$. (3 marks)

(b) Use the increments formula $\delta y \approx \frac{dy}{dx} \times \delta x$ with $x = 1$ to estimate $f(1.02)$. (4 marks)

(b) The probability distribution for the number of broken eggs, X , in a carton of six sold at a supermarket is shown below.

| | | | | | | | |
|------------|------|------|------|------|------|------|------|
| x | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| $P(X = x)$ | 0.86 | 0.07 | 0.04 | 0.02 | 0.01 | 0.00 | 0.00 |

(i) Determine the probability that a randomly chosen egg carton contains at least four unbroken eggs. (1 mark)

(iii) Calculate $E(X)$. (2 marks)

Question 4

(8 marks)

(a) Simplify $\log_2 32$.

(2 marks)

(b) Solve $2^{x-1} = 5$.

(2 marks)

(c) If $x = \log_n 3$ and $y = \log_n 4$ (i) express $\log_n \left(\frac{4}{9} \right)$ in terms of x and/or y .

(2 marks)

(ii) evaluate n^{2x} .

(2 marks)

Question 5

(9 marks)

The continuous random variable X has probability density function $f(x) = \begin{cases} \frac{2x}{9} & 0 \leq x \leq 3 \\ 0 & \text{elsewhere} \end{cases}$.

(a) Determine $E(X)$.

(2 marks)

(b) The variance of X , $\text{Var}(X)$, is $\frac{1}{2}$.(i) Determine $E(4X + 3)$.

(1 mark)

(ii) Determine $\text{Var}(4X + 3)$.

(1 mark)

(c) Determine the cumulative distribution function $F(x)$.

(3 marks)

(d) Calculate $P(1 < X < 2)$.

(2 marks)