Test Two 2016

Year 12 Mathematics Methods

Ms Cheng idooA 1M_ _Mr Bertram Mrs. Carter Mr Staffe <u>Теасћег:</u>

[7]

OWT 129T

Calculator Free Year 12 Mathematics Methods Semester One 2016

FEKTH MODERN SCHOOL

Exceptional schooling. Exceptional students.

:əmeN

- Complete all questions
- Total Marks = 20 • Show all necessary working
- e 20 minutes
- 1. [9 marks]

Find $\frac{dy}{dx}$ in each of the following, by using the appropriate rule. DO NOT SIMPLIFY. (a) $y=x^2\,e^x$ [7]

(b) $y = \frac{e^{3x-2}}{e^{9x}}$

(c)
$$\lambda = \theta_{SX} \left(2X - \theta_{XX} \right)$$
 [3]

(a) Simplify
$$v = \frac{d}{dx} \int_{-\infty}^{\infty} \frac{dx}{dx} = 6t + 4 dt$$

Perth Modern School

2. [11 marks]

Simplify the following integrals

(a)
$$\int \frac{5x+2}{\sqrt{10x^2+8x-3}} \, dx$$
 [3]

(b)
$$\int e^{3x} dx$$
 [2]

(c)
$$\int (40x - 12) e^{5x^2 - 3x} dx$$
 [3]

(d) Evaluate
$$y = \int_0^1 4(\sqrt{e^x} + x^2) dx$$
 Leave as exact value [3]

Year 12 Mathematics Methods

3102 owT 1s9T

Year 12 Mathematics Methods

.6

gnədə sM_ :əmeN idooA vM____ _Mr Bertram Calculator Assumed Exceptional schooling. Exceptional students. PERTH MODERN SCHOOL Year 12 Mathematics Methods _Mrs. Carter Semester One 2016 offist Staffe OwT 1s9T <u>Теасћет:</u>

• Show all necessary working Complete all questions

• Total Marks = 30

e 30 minutes

1. [8 marks]

the x – axis. (a) Find the area enclosed by the curve $y = x^2 - 3x - 4$ between the values x = 2 and x = 5, and

(b) Find the area between the curves curve f(x) = (x + 1)(x - 1)(x - 1) and $g(x) = 4x^2 - 28$

of the dye at any time t minutes after being placed into the tub. change of the dye is given by $\frac{dC}{dt} = -.76C$ units per minute where C = C(t) is the concentration A Colour dye with initial concentration of 0.7 units is placed into a tub of water, and the rate of [6 marks]

[1] (a) Find C as a function of t.

(b) Calculate the concentration of dye 2 minutes after the dye was placed into the water.

[7]

[8]

9

(c) How long does it take for the concentration of dye to be 0.1 units?

2. [6 marks]

A sweeping "circular" driveway actually has two parabolas as its edges to allow parking near the house. The x – axis is the edge of the roadway and the driveway lies between the curves

 $y = \frac{x^2 - 22x + 21}{10}$ and $y = \frac{x^2 - 22x + 72}{10}$ (in metres).

(a) Draw a **sketch** showing the situation . Does not have to be to scale. [1]

(b) Find the area of the driveway and hence the cost of concreting to a depth of 15cm, with concreting costing \$350 / m³.

Perth Modern School 4

3. [6 marks]

Year 12 Mathematics Methods

Following the Second World War, there was a significant increase in the birth rates among the western countries. If it is assumed that the rate of births in millions of babies per year for the post war years is approximated by B'(t) = 2t + 5 for $0 \le t \le 15$, find

[3] (a) How many babies were born in the first 15 years after the war?

(b) How long did it take for the number of babies born after the war to reach 104 million? [3]

[4 marks] 4.

The velocity of a particle moving in a straight line is given by $\frac{dx}{dt} = 20 - 8e^{-0.4t}$. Calculate the total distance travelled by the particle in the first 3 seconds.