

**PART 2**

**NAME** .....

Circle your teacher's name ( Callus / Kanakis / Hill )

Answer all questions in part 2 in the spaces below

- 1 Write balanced equations to describe any reaction in the following (If there is no reaction , write "N R" ) .Ionic equations must be written where relevant

(a) zinc hydroxide + nitric acid

.....

(b) sodium phosphate solution plus calcium nitrate solution

.....

(c) acetic acid (ethanoic acid ) plus sodium hydroxide solution

.....

(d) solid sodium nitrate dissolving in water

.....

(e) . potassium carbonate solution added to hydrochloric acid

.....

(f) aluminium plus dilute sulfuric acid

.....

(g) copper nitrate solution mixed with zinc sulfate solution.

.....

- 2 For each of the following pairs of substances describe a test that would distinguish between them and the observations that would enable this to be done .

(a) Solid sodium nitrate and solid zinc carbonate

Test : .....

Observations. ....

.....

(b) zinc nitrate solution and sodium phosphate solution

Test : .....

Observations. ....

.....

(c) Nitric acid and sulfuric acid and solid zinc carbonate

Test : .....

Observations. ....

.....

(6)

- 3 Write the pH of :

(a) 0.01 M  $\text{Ba}(\text{OH})_2$  solution .....

(b) 0.1 M KCl .....

(c) 0.1 M  $\text{Na}_3\text{PO}_4$  .....

(d) 0.145 M NaOH .....

(4)

- 4 In the following table write either the formula or name of the an example of the substance described :

Substance	Name or formula
A concentrated solution of a weak base	
A diprotic acid	
An anion that forms basic solutions	
An oxidising agent that can be reduced by acidified KBr solution	
A molecule that can undergo disproportionation	
A reducing agent that will reduce $\text{Sn}^{2+}$ to Sn but not $\text{Al}^{3+}$ to Al	
An oxidising agent stronger than $\text{Cl}_2$	

(7)

- 5 Write equations to show the  $\text{HCO}_3^-$  ion acting as an acid and as a base

As acid .....

As base .....

(2)

6 Explain why (use equations to illustrate your answer)

(a) The pH of a solution of sodium acetate is not 7

.....  
.....  
.....

(b) A small temperature increase can result in a large increase in reaction rate (2 reasons)

.....  
.....  
.....

(c) Copper sulfate solution cannot be stored in a zinc container

.....  
.....  
.....

(6)

7 Create balanced half equations to describe the following changes

(a)  $\text{S}_2\text{O}_3^{2-}$  is converted to  $\text{SO}_4^{2-}$

(b)  $\text{MnO}_2$  is converted to Mn

(4)

8 For each of the following reactions , write half equations , redox equations and name the oxidising and reducing agents

(a) Acidified  $\text{KMnO}_4$  is added to a solution of oxalic acid ( $\text{HOOC}\text{COOH}$ )

Oxidation half equation

Reduction half equation

Redox equation

Oxidising agent .....

Reducing agent .....

(4)

(b) Potassium dichromate solution ( $\text{K}_2\text{Cr}_2\text{O}_7$ ), acidified with sulfuric acid is mixed with a solution of sodium iodide

Oxidation half equation

Reduction half equation


Redox equation

Oxidising agent .....

Reducing agent .....

(4)

9 Consider the following equilibrium :



Complete the table below to describe how and why the following changes influence the equilibrium amount of  $\text{CO}_2$

Change	Amount of $\text{CO}_2$ present at equilibrium (more ,less, same)	Reason
System is heated		
Pressure is increased		
Solid P is added		

(6)


- (c) Complete the table below to describe how the following changes effect the **rate** of forward reaction at the new equilibrium .

Change	Effect on forward reaction rate
System is cooled	
Volume is halved	

(2)

10 On the enthalpy –reaction pathway diagrams below , sketch curves to represent the reactions described

- (a) An endothermic reaction with heat of reaction  $85 \text{ kJ mol}^{-1}$  and activation energy  $120 \text{ kJ mol}^{-1}$



- (b) Burning natural gas in air (no values required – only the general shape of the curve)



(4)

11 A solution of vinegar (acetic acid ) is placed in a conical flask and titrated with a standardised NaOH solution. The NaOH is placed in the burette .

(a) Suggest a suitable indicator for this titration. .... (1)

(b) Explain , using the terms pH , end point , equivalence point , hydrolysis etc why this indicator is chosen(an equation will help your answer)

.....

.....

.....

.....


.....

.....

(2)

(c) The volume of NaOH required to titrate the vinegar sample is 27.20mL

Sketch a titration curve to show how the pH of the contents of the conical flask varies With volume of NaOH delivered from the burette for the first 40mL delivered .



(2)

**END OF PART 2**



**PART 4**

NAME .....  
Teacher ( Callus / Kanakis / Hill )

Answer **ONE** of the following extended answer questions . Where applicable use equations , diagrams ,and illustrative examples of the chemistry you are describing.

Marks are awarded for the relevant chemical content of your answer , but marks will be lost for lack of clarity or coherence . Your answer should be presented in 2-3 pages and should be commenced in the space immediately following the choice of topic. This part carries 20 marks and is worth 10% of the paper/

1 Consider the following solutions :

0.1 M NaCl , 0.1 M HNO<sub>3</sub> . 0.1 M KNO<sub>3</sub> , 0.1 M NH<sub>4</sub>Cl , 0.1 M Na<sub>3</sub>PO<sub>4</sub> , 0.1 M KOH  
and 0.1 M Na<sub>2</sub>CO<sub>3</sub>,

For each solution , predict the concentration of H<sup>+</sup> ions and explain the source of these ions.  
Your answer should draw upon such concepts as

Definition of acids and bases

Strength of acids / bases

Hydrolysis of salts

Ionisation of water

2 The percentage of sodium carbonate in a contaminated sample of it can be determined by titration with standardised HCl solution . Describe techniques equipment and procedures involved in this analysis . Assume you have been supplied with standardised HCl labelled “0.1342M” and a carefully weighed 3.452g sample of the impure Na<sub>2</sub>CO<sub>3</sub>.

3 Describe how the rate of chemical reactions depends on the conditions affecting collisions between reacting particles

**End of paper**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

[illegible]