



# KINGSWAY CHRISTIAN COLLEGE

## MATHS DEPARTMENT

**Course:** Math Methods unit 3

**Assessment Task:** Test 3

**Student Name:** \_\_\_\_\_

**Date:** 11<sup>th</sup> & 12<sup>th</sup> May 2017

**Assessment Score:** \_\_\_\_\_ / 71

**Year Score:** \_\_\_\_\_

**Comments:** \_\_\_\_\_

---

---

---

---

---

---

---

---

---

---

**Teacher signature:** \_\_\_\_\_

**Parent/ Guardian signature:** \_\_\_\_\_

**Comments:** \_\_\_\_\_

---

---

---

---



## Math Methods Unit 3 Test 3 2017

### Anti - Differentiation

Resource Free

Time: 50 minutes

Marks: / 46

Only a formula sheet is allowed for this section. No calculator or notes allowed.

#### Question 1

(12 marks)

Evaluate each of the following, showing all working. Leave all answers with positive indices.

(a)  $\int \frac{4}{t^2} dt$  (1 mark)

(b)  $\int 3x(x^2 - 2)^3 dx$  (3 marks)

(c)  $\int (e^{-5x} + 2\pi x - \sqrt{x}) dx$  (3 marks)

(d)  $\frac{d}{dx} \left( \int_{-3}^{x^2} \frac{\sqrt{2t-3}}{t+1} dt \right)$  (2 marks)

If it is given that  $f(x)$  is continuous everywhere and that  $\int_4^{10} f(x) dx = -10$ , find:

(e)  $\int_1^3 f(3x+1) dx$  (3 marks)

**Question 2** (15 marks)

Evaluate the following, showing full working.

(a)  $\int_1^2 (x^2 - 1) dx$  (3 marks)

(b)  $-3 \int_{\pi}^{2\pi} \cos(3x) dx$  (3 marks)

(c)  $\int_1^3 (-e^{4x} + 2) dx$  (3 marks)

(d)  $\frac{d}{dx} \int_4^{x^2} \frac{2}{3t^3 - 1} dt$  (3 marks)



(e)  $\int_1^2 \frac{d}{dx} \left( \frac{x^3}{x^2 + 1} \right) dx$  (3 marks)

**Question 3****(3 marks)**

The derivative of  $f(x)$  is given by  $f'(x) = 2e^{2x} + 3x^2$ . Given that  $f(1) = 4 + e^2$ , find an expression for  $f(x)$ .


**Question 4****(3 marks)**

The area labelled  $B$  is two times the area labelled  $A$ . Express  $b$  in terms of  $a$ .



**Question 5****(3 marks)**

Find the exact area bound by the two curves shown below.

**Question 6****(4 marks)**

Determine the function  $y$  given that  $\frac{d^2y}{dx^2} = 3e^x + 2$  and  $\frac{dy}{dx} = 5$  when  $x = 0$  and  $y = 3e^2 + 15$  when  $x = 2$ .

**Question 7****(6 marks)**

The gradient function of  $f(x)$  is given by  $f'(x) = ax^2 + b$ . Determine the values of  $a$  and  $b$  if  $f'(-2) = 28$ ,  $f(0) = 1$  and  $f(1) = 7$ .



END OF PAPER 1

EXTRA PAGE FOR WORK OUT