

Student Name: \_\_\_\_\_



Methodist Ladies' College Semester 2, 2010

## 3CD MATHEMATICS: SPECIALIST

Question/Answer Booklet – Section 1 – Calculators NOT allowed – Notes sheets NOT allowed

Teacher's Name: \_\_\_\_\_ **SOLUTIONS** \_\_\_\_\_

***Time allowed for this paper***

| Section                   | Reading    | Working     |
|---------------------------|------------|-------------|
| <b>Calculator-free</b>    | 5 minutes  | 50 minutes  |
| <b>Calculator-assumed</b> | 10 minutes | 100 minutes |

**Materials required/recommended for this paper**

**Section One (Calculator-free): 40 marks**

**To be provided by the supervisor**

Section One Question/Answer booklet

Formula sheet

**To be provided by the candidate**

Standard items: pens, pencils, pencil sharpener, highlighter, eraser, ruler

**Section Two (Calculator-assumed): 80 marks**

**To be provided by the supervisor**

Section Two Question/Answer booklet

Formula sheet

**To be provided by the candidate**

Standard items: pens, pencils, pencil sharpener, eraser, correction fluid, ruler, highlighters

Special items: drawing instruments, templates, notes on two unfolded sheets of A4 paper, and up to three calculators satisfying the conditions set by the Curriculum Council for this course.

### ***Important Note to candidates***

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.



1234567-8

**Instructions to candidates**

1. **All** questions should be attempted.
2. Write your answers in the spaces provided in this Question/Answer Booklet. Spare answer pages may be found at the end of this booklet. If you need to use them, indicate in the original answer space where the answer is continued (i.e. give the page number).
3. **Show all your working clearly.** Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
4. It is recommended that you **do not use pencil** except in diagrams.

**Structure of this paper**

| Questions                | Marks available | Your score |
|--------------------------|-----------------|------------|
| 1                        | 5               |            |
| 2                        | 7               |            |
| 3                        | 4               |            |
| 4                        | 7               |            |
| 5                        | 8               |            |
| 6                        | 6               |            |
| 7                        | 3               |            |
| <b>Total:</b>            | <b>40</b>       |            |
| 8                        | 6               |            |
| 9                        | 8               |            |
| 10                       | 9               |            |
| 11                       | 10              |            |
| 12                       | 6               |            |
| 13                       | 7               |            |
| 14                       | 7               |            |
| 15                       | 6               |            |
| 16                       | 5               |            |
| 17                       | 10              |            |
| 18                       | 6               |            |
| <b>Total:</b>            | <b>80</b>       |            |
| <b>Total marks = 120</b> |                 |            |
|                          |                 | %          |

DO NOT WRITE IN THIS AREA

Section One: Calculator-free (40 Marks)

This section has **seven (7)** questions. Answer **all** questions. Write your answers in the space provided.

Suggested working time for this section is 50 minutes.

Question 1 (5 marks)

The transformation matrix **T** is defined by **T = AB**, where **A** and **B** are the transformations:

- A:** a rotation about the origin through 210° anticlockwise;
- B:** a reflection in the line through the origin that makes an angle of 120° with the *x*-axis.

Determine matrix **T** and describe **T** geometrically.

| Solution   |  |
|--|--|
| $T = \begin{bmatrix} \cos 210^\circ & -\sin 210^\circ \\ \sin 210^\circ & \cos 210^\circ \end{bmatrix} \begin{bmatrix} \cos 240^\circ & \sin 240^\circ \\ \sin 240^\circ & -\cos 240^\circ \end{bmatrix}$ $= \begin{bmatrix} \frac{-\sqrt{3}}{2} & \frac{1}{2} \\ \frac{-1}{2} & \frac{-\sqrt{3}}{2} \end{bmatrix} \begin{bmatrix} \frac{-1}{2} & \frac{-\sqrt{3}}{2} \\ \frac{-\sqrt{3}}{2} & \frac{1}{2} \end{bmatrix}$ $= \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ |  |
| <b>T</b> represents a reflection in the line $y=x$ .   |  |
| Specific behaviours  |  |
| <ul style="list-style-type: none"><li>✓ defines rotation matrix in terms of trig functions</li><li>□ defines reflection matrix in terms of trig functions</li><li>□ correctly evaluates terms in rotation and reflection matrices</li><li>✓ correctly calculates matrix <b>T</b></li><li>✓ correctly describes <b>T</b> geometrically</li></ul>  |  |

DO NOT WRITE IN THIS AREA



Question 2

(7 marks)

Use an algebraic method to solve  $3|x-2| > |2x+1|$ .

| Solution  |                    |
|---|--------------------|
| Critical values: $x = \frac{-1}{2}$ and $x = 2$   |                    |
| For $x < \frac{-1}{2}, 3(2-x) > -2x-1$  | $x < 7$            |
| i.e. $x < \frac{-1}{2}$   |                    |
| For $\frac{-1}{2} \leq x \leq 2, 3(2-x) > 2x+1$   | $x < 1$            |
| i.e. $\frac{-1}{2} \leq x < 1$  |                    |
| For $x > 2, 3(x-2) > 2x+1$  | $x > 7$            |
| i.e. $x > 7$  |                    |
| Hence,  | $x < 1$ or $x > 7$ |
| Specific behaviours   |                    |
| <ul style="list-style-type: none"> <li>✓ correct inequality for <math>x &lt; \frac{-1}{2}</math></li> <li>□ correct solution for <math>x &lt; \frac{-1}{2}</math></li> <li>✓ correct inequality for <math>\frac{-1}{2} \leq x \leq 2</math></li> <li>□ correct solution for <math>\frac{-1}{2} \leq x \leq 2</math></li> <li>✓ correct inequality for <math>x &gt; 2</math></li> <li>□ correct solution for <math>x &gt; 2</math></li> <li>✓ correct solution for inequality (no mark if 'and' used)</li> </ul> |                    |

DO NOT WRITE IN THIS AREA

Question 3

(4 marks)

A body in simple harmonic motion passes from rest to rest through a distance of 20 cm in 2.5 seconds. Find the maximum velocity this body attains.

| Solution  |
|---|
| $\text{Let } x = 10 \sin\left(\frac{2}{5}\pi t\right) \quad v = 4\pi \cos\left(\frac{2}{5}\pi t\right)$ <p>Since <math>-4\pi \leq v \leq 4\pi</math></p> $v_{\max} = 4\pi \text{ cm s}^{-1}$  |
| Specific behaviours   |
| <ul style="list-style-type: none"> <li>✓ correct period</li> <li>□ correct amplitude</li> <li>□ differentiates correctly</li> <li>✓ identifies max velocity</li> </ul> <p>Similarly using, <math>x = 10 \cos\left(\frac{2}{5}\pi t\right)</math> or <math>x = 10 \sin\left(\frac{2}{5}\pi t + \alpha\right)</math> or <math>x = 10 \cos\left(\frac{2}{5}\pi t + \beta\right)</math></p> |

DO NOT WRITE IN THIS AREA



1234567-8

Question 4

(7 marks)

Find the following antiderivatives.

(a)  $\int e^{\sin x} \cos x \, dx$  [1]

| Solution  |
|---|
| $\int e^{\sin x} \cos x \, dx = e^{\sin x} + c$ |
| Specific behaviours                             |
| ✓ correct antiderivative including the constant |

(b)  $\int \frac{x^2}{x^3+2} \, dx$  [2]

| Solution  |
|---|
| $\int \frac{x^2}{x^3+2} \, dx = \frac{1}{3} \int \frac{3x^2}{x^3+2} \, dx$ $= \frac{1}{3} \ln x^3+2  + c$ |
| Specific behaviours   |
| ✓ recognises form $\frac{f'(x)}{f(x)}$<br>□ gives correct solution  |

(c)  $\int \sin^3 x \, dx$  by using the substitution  $u = \cos x$  [4]

| Solution   |
|--|
| $\int \sin^3 x \, dx = \int \sin^2 x \sin x \, dx$ $= \int (1-u^2) \, du$ $= u - \frac{u^3}{3} + c$ $= \cos x - \frac{\cos^3 x}{3} + c$  |
| $u = \cos x$ $du = -\sin x \, dx$ $\sin^2 x = 1 - \cos^2 x = 1 - u^2$  |
| Specific behaviours  |
| ✓ correctly substitutes for $\sin^2 x$ in terms of $u$<br>□ correctly substitutes for $\sin x \, dx$ in terms of $u$<br>□ correct antiderivative<br>✓ answer given correctly in terms of $x$ |

DO NOT WRITE IN THIS AREA



1234567-8

Question 5

(8 marks)

- (a) Given that  $xy + \cos y - x^2 = 1$ , find  $\frac{dy}{dx}$ . [3]

| Solution   |
|--|
| $y + x \frac{dy}{dx} - \sin y \frac{dy}{dx} - 2x = 0$ $\frac{dy}{dx} = \frac{2x - y}{x - \sin y}$  |
| Specific behaviours  |
| <input checked="" type="checkbox"/> correctly applies product rule<br><input type="checkbox"/> correctly differentiates implicitly<br><input type="checkbox"/> correctly rearranges equation for $\frac{dy}{dx}$ |

- (b) Evaluate  $\int_0^{0.5} \frac{x}{\sqrt{1-x^2}} dx$  using the substitution  $x = \sin \theta$ . [5]

| Solution   |
|--|
| $\int_0^{0.5} \frac{x}{\sqrt{1-x^2}} dx = \int_0^{\frac{\pi}{6}} \frac{\sin \theta}{\cos \theta} \cos \theta d\theta$ $x = \sin \theta$ $\int_0^{\frac{\pi}{6}} \sin \theta d\theta$ $dx = \cos \theta d\theta$ $\int_0^{\frac{\pi}{6}} [-\cos \theta]_0^{\frac{\pi}{6}}$ $x = 0, \theta = 0$ $1 - \frac{\sqrt{3}}{2}$ $x = 0.5, \theta = \frac{\pi}{6}$ |
| Specific behaviours  |
| <input checked="" type="checkbox"/> correctly substitutes for $x$<br><input type="checkbox"/> correctly substitutes for $dx$<br><input type="checkbox"/> correct upper and lower limits<br><input checked="" type="checkbox"/> correct antiderivative<br><input checked="" type="checkbox"/> correct answer  |

DO NOT WRITE IN THIS AREA



Question 6

(6 marks)

- (a) Given that  $y = \ln x$ , where  $x > 0$ , show that the small increment in  $y$  corresponding to a small positive increment of  $h$  in  $x$  is approximately  $\frac{h}{x}$ . [2]

| Solution  |
|---|
| $\delta y \approx \frac{dy}{dx} \delta x$ $\delta y \approx \frac{1}{x} h$ $\delta y \approx \frac{h}{x}$   |
| Specific behaviours   |
| <input checked="" type="checkbox"/> chooses increment formula<br><input type="checkbox"/> correct substitutions for derivative and for $\delta x$ |

The difference between the approximate and true increments, for a fixed value of  $h$ , is denoted by  $f(x)$ , so that

$$f(x) = \frac{h}{x} - (\ln(x+h) - \ln x).$$

- (b) Show that  $f'(x) = \frac{-h^2}{x^2(x+h)}$ . [3]

| Solution   |
|--|
| $f'(x) = \frac{-h}{x^2} - \left\{ \frac{1}{x+h} - \frac{1}{x} \right\}$ $= \frac{-h(x+h) - x^2 + x(x+h)}{x^2(x+h)}$ $= \frac{-h^2}{x^2(x+h)}$  |
| Specific behaviours  |
| <input checked="" type="checkbox"/> differentiates power function correctly<br><input type="checkbox"/> differentiates log function correctly<br><input type="checkbox"/> simplifies correctly |

- (c) Explain how this result shows that  $f(x)$  decreases as  $x$  increases. [1]

| Solution   |
|--|
| $f'(x) = \frac{-h^2}{x^2(x+h)}$ <p>As <math>x</math> increases, <math>f'(x) &lt; 0</math>, hence <math>f</math> is decreasing.</p> |



1234567-8

See next page

| Specific behaviours   |
|---|
| <input type="checkbox"/> interprets negative derivative correctly |

DO NOT WRITE IN THIS AREA

Question 7

(3 marks)

Show that  $\tan \theta + \frac{\cos \theta}{\sin \theta} = \frac{2}{\sin 2\theta}$ .

| Solution   |
|--|
| $\tan \theta + \frac{\cos \theta}{\sin \theta} = \frac{\sin \theta}{\cos \theta} + \frac{\cos \theta}{\sin \theta}$ $= \frac{\sin^2 \theta + \cos^2 \theta}{\sin \theta \cos \theta}$ $= \frac{1}{\sin \theta \cos \theta}$ $= \frac{2}{\sin 2\theta}$ |
| Specific behaviours  |
| <input type="checkbox"/> common denominator<br><input type="checkbox"/> use identity $\sin^2 \theta + \cos^2 \theta = 1$<br><input checked="" type="checkbox"/> use identity $2 \sin \theta \cos \theta = \sin 2\theta$                                |

DO NOT WRITE IN THIS AREA



1234567-8

**Additional working space**

Question number(s): \_\_\_\_\_

DO NOT WRITE IN THIS AREA

Additional working space

Question number(s): \_\_\_\_\_

DO NOT WRITE IN THIS AREA



1234567-8

||

||

---

DO NOT WRITE IN THIS AREA