



Semester Two Examination, 2019

Question/Answer booklet

**MATHEMATICS
METHODS
UNITS 1 AND 2**
Section One:
Calculator-free

SOLUTIONS

Student number: In figures

--	--	--	--	--	--	--	--

In words

Your name

Time allowed for this section

Reading time before commencing work: five minutes

Working time: fifty minutes

Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer booklet

Formula sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: nil

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	52	35
Section Two: Calculator-assumed	13	13	100	98	65
Total					100

Instructions to candidates

1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
2. Write your answers in this Question/Answer booklet preferably using a blue/black pen. Do not use erasable or gel pens.
3. You must be careful to confine your answer to the specific question asked and to follow any instructions that are specified to a particular question.
4. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
5. It is recommended that you do not use pencil, except in diagrams.
6. Supplementary pages for planning/continuing your answers to questions are provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
7. The Formula sheet is not to be handed in with your Question/Answer booklet.

Section One: Calculator-free

35% (52 Marks)

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

Question 1

(4 marks)

The line segment between the points $A(-2, -3)$ and $B(-2, 5)$ is the diameter of a circle.

Determine the equation of circle in the form $x^2 + ax + y^2 + by = c$, where a , b and c are constants.

Solution

See next page

Centre: $\left(-2, \frac{-3+5}{2}\right) = (-2, 1)$

Radius: $r = 5 - 1 = 4$

Equation: $(x+2)^2 + (y-1)^2 = 4^2$

$x^2 + 4x + 4 + y^2 - 2y + 1 = 16$
 $x^2 + 4x + y^2 - 2y = 1$

Specific behaviours

- ✓ centre
- ✓ radius
- ✓ factored equation
- ✓ correct equation

Question 2**(5 marks)**

Determine the gradient of the curve $y = x^2 - 3x - 40$ at the point(s) where it crosses the x -axis.

Solution

$$(x+5)(x-8)=0 \quad x=-5, x=8$$

$$\frac{dy}{dx} = 2x - 3$$

$$x = -5, \frac{dy}{dx} = -13$$

$$x = 8, \frac{dy}{dx} = 13$$

At $(-5, 0)$ gradient is -13 and at $(8, 0)$ gradient is 13 .

Specific behaviours

- ✓ factorises quadratic
- ✓ determines roots
- ✓ derivative of quadratic
- ✓ one point and gradient
- ✓ second point and gradient

Question 3

(8 marks)

(a) Simplify $\sqrt{3a+2}$.

(2 marks)

Solution
$(3a+2)\sqrt{}$
Specific behaviours
✓ indicates use of difference of squares
✓ correct simplification

(b) Solve the equation $8^x = \sqrt{32}$ for x .

(3 marks)


Solution
$(2^3)^x = 2^{0.5} \times 2^{-5} 2^{3x} = 2^{-4.5} 3x = -4.5x =$
Specific behaviours
✓ writes 8 and 32 as powers of 2
✓ simplifies RHS
✓ correct solution

(c) Sketch the graph of $y = 2^{(1-x)}$ on the axes below.

(3 marks)

Solution
See graph
Specific behaviours
✓ y-intercept

- ✓ RHS of y -axis (asymptotic)
 - ✓ LHS of y -axis (through $[-2, 8]$)
-)



Question 4

(7 marks)

Small body A is moving along a straight line so that at any time t seconds, its displacement relative to a fixed point O on the line is given by $x=t^3-3t^2+5$ cm.

(a) Determine the velocity of A when $t=3$.

(2 marks)

Solution
$v = \frac{dx}{dt} = 3t^2 - 6t$ $v(3) = 3(3)^2 - 6(3) = 9 \text{ cm/s}$
Specific behaviours
✓ expression for velocity ✓ correct velocity

(b) Determine the displacement of A relative to O at the instant(s) that it is stationary.

(3 marks)

Solution
$3t^2 - 6t = 0 \Rightarrow 3t(t-2) = 0 \Rightarrow t = 0, t = 2$ $x(0) = 5 \text{ cm}, x(2) = 1 \text{ cm}$
Specific behaviours
✓ factorises velocity ✓ one correct displacement ✓ both correct displacements

Small body B has velocity given by $v=6t^2+2t-3$ cm/s and when $t=2$ it has a displacement of 3 cm relative to O .

- (c) Determine an expression for the displacement of B relative to O at any time t . (2 marks)

Solution
$\frac{dx}{dt}=6t^2+2t-3 \quad x=2t^3+t^2-3t+c$
$c=3-(16+4-6)=-11$
$x=2t^3+t^2-3t-11$
Specific behaviours
✓ antidifferentiates
✓ correct expression

Question 5

(7 marks)

(a) Using Pascal's triangle, or otherwise, determine $\binom{4}{2}$.

(1 mark)

Solution
$\binom{4}{2} = 6$
Specific behaviours
✓ correct value

(b) Expand $(x+1)^4$.

(2 marks)

Solution
$(x+1)^4 = x^4 + 4x^3 + 6x^2 + 4x + 1$
Specific behaviours
✓ uses Pascal's triangle for coefficients
✓ correct expansion

(c) Hence, or otherwise, determine the equation of the tangent to the curve $y = (x+1)^4$ at the point where $x = -2$.

(4 marks)

Solution
$\frac{dy}{dx} = 4x^3 + 12x^2 + 12x + 4$ <p>When $x = -2$</p> $y = (-1)^4 = 1$ $\frac{dy}{dx} = -32 + 48 - 24 + 4 = -4$ <p>Hence equation of tangent is</p> $y - 1 = -4(x + 2)$ <p>or</p> $y = -4x - 7$
Specific behaviours

- ✓ derivative
- ✓ y -coordinate
- ✓ gradient
- ✓ equation of tangent (any form)

Question 6

(8 marks)

(a) Solve the following equations.

(i) $\tan \tan(2x) = \sqrt{3}, 0 \leq x \leq \pi.$

(2 marks)


Solution
$2x = \frac{\pi}{3}, \frac{4\pi}{3}$ $x = \frac{\pi}{6}, \frac{2\pi}{3}$
Specific behaviours
✓ one correct solution
✓ both correct solutions

(ii) $2 \cos \cos(x - 60^\circ) = \sqrt{3}, 0^\circ \leq x \leq 360^\circ.$

(4 marks)

Solution
$2(\cos \cos x \cos \cos 60^\circ + \sin \sin x \sin \sin 60^\circ) = \sqrt{3}$
Specific behaviours
✓ uses angle difference identity
✓ substitutes exact values
✓ simplifies equation
✓ correct solution

- (b) The graph of $y = \sin \sin(ax + b)$ is shown below, where a and b are positive constants.



Determine the minimum possible value of each of the constants.

(2 marks)

Solution
Period of $90^\circ \Rightarrow a = 360^\circ \div 90^\circ = 4$ $y = \sin \sin(4(x + 10)) = \sin \sin(4x + 40^\circ)$ $a = 4, b = 40^\circ$
Specific behaviours
✓ value of a ✓ value of b

Question 7

(6 marks)

Determine the coordinates of all stationary points of the curve $y = x^4 + 2x^2 - 8x + 9$.

Solution
$\frac{dy}{dx} = 4x^3 + 4x - 8$ $4x^3 + 4x - 8 = 0$ $x^3 + x - 2 = 0$ <p>By inspection, $x = 1$ is a solution.</p> $x^3 + x - 2 = (x - 1)(x^2 + ax + 2)$ <p>From x^2 coefficient: $-1 + a = 0 \Rightarrow a = 1$</p> $x^2 + x + 2 = 0$ $b^2 - 4ac = 1 - 4(1)(2) = -7 \Rightarrow \text{No solutions}$ $y = 1 + 2 - 8 + 9 = 4$ <p>Hence just one stationary point at $(1, 4)$.</p>
Specific behaviours
<ul style="list-style-type: none"> ✓ derivative ✓ equates derivative to 0 ✓ one solution by inspection ✓ factorises derivative ✓ indicates quadratic factor has no roots ✓ states coordinates of stationary point

Question 8**(7 marks)**

An arithmetic sequence has a recursive definition given by $T_{n+1} = T_n + d$, $T_1 = a$. It has third term of 40 and tenth term of 12.

- (a) Determine the value of the constant a and the constant d .

(2 marks)

Solution
$(10-3)d = 12 - 40$ $7d = -28$ $d = -4$ $a = 40 - 2(-4) = 48$
Specific behaviours
✓ value of d
✓ value of a

- (b) Determine T_{2019} .

(2 marks)

Solution
$T_n = 48 + (n-1)(-4)$ $T_{201} = 48 + 2018(-4)$ -8024
Specific behaviours
✓ indicates rule for general term
✓ correct value

- (c) The sum of the first m terms of the sequence is 200. Determine the value(s) of the integer constant m .

(3 marks)

Solution

End of questions

$$200 = \frac{m}{2} (2(48) + (m-1)(-4)) \quad 400 = m(96 - 4m + 4) \quad 4m^2 - 100m + 400 = 0$$

$$m = 5, m = 20$$

Specific behaviours

- ✓ substitutes into sum formula
- ✓ simplifies and equates quadratic to zero
- ✓ both correct solutions

Supplementary page

Question number: _____

