



配置编辑器

您可以通过选择“编辑”>“首选项”>“文本编辑器”来配置文本编辑器以满足您的特定需求。



您指定的设置将全局应用于所有项目。

若要为打开的项目指定编辑器行为，请选择“项目>编辑器”。



The screenshot shows the Qt Creator settings dialog with the 'Editor' tab selected. The settings are organized into several sections:

- Spaces Only:** Includes a dropdown for 'Spaces Only', 'Tab size: 8', 'Indent size: 4', 'Align continuation lines: With Spaces', and checkboxes for 'In entire document', 'Clean indentation', 'Skip clean whitespace for file types: *.md, *.MD, Makefile', and 'Ensure newline at end of file'.
- Typing:** Includes checkboxes for 'Enable automatic indentation' and 'Prefer single line comments', and dropdowns for 'Backspace indentation: None' and 'Tab key performs auto-indent: Never'.
- File Encodings:** Includes dropdowns for 'Default encoding: UTF-8', 'UTF-8 BOM: Keep If Already Present', and 'Default line endings: Unix (LF)'.
- Mouse and Keyboard:** Includes checkboxes for 'Hide mouse cursor while typing', 'Enable mouse navigation', 'Enable scroll wheel zooming', 'Enable built-in camel case navigation', and 'Enable smart selection changing', and a dropdown for 'Show help tooltips using the mouse: On Mouseover'.

您还可以为全局或打开的项目分别C++和 QML 文件指定缩进设置。有关更多信息，请参见[缩进文本或代码](#)。

您可以执行以下配置操作：

- › 设置**字体**首选项并应用**配色方案**以在“**字体**”&“**颜色**”中突出显示语法。
- › 为其他类型的文件指定**定义文件**，而不是在**通用荧光笔**中为C++或 QML 进行语法**突出显示**。
- › 在**行为**中设置制表符、缩进、空格处理和鼠标操作。
- › 在“**显示**”中设置各种显示属性，如**突出显示**和**折叠块**或文本环绕。
- › 在**代码段**中添加、修改和删除**代码段**。
- › Configure **code completion** in **Completion**.

[< Applying Refactoring Actions](#)

[Specifying Code View Settings >](#)



Contact Us

Company

- About Us
- Investors
- Newsroom
- Careers
- Office Locations

Support

- Support Services
- Professional Services
- Partners
- Training

Community

- Contribute to Qt
- Forum
- Wiki
- Downloads
- Marketplace

Licensing

- Terms & Conditions
- Open Source
- FAQ

For Customers

- Support Center
- Downloads
- Qt Login
- Contact Us
- Customer Success