Qt DOCUMENTATION

搜索

Topics >

Qt设计工作室手册 > 创建组件实例

# 创建组件实例

Qt设计工作室附带*了预设组件*，您可以通过创建它们的实例在UI中使用。

要创建组件实例并编辑其属性，请执行以下操作：

1. 将组件从**组件**（1）拖放到导航器（2）、2D（3）或 3D 视图（4）。这将在当前组件文件中创建组件的实例。
2. 在"**导航器**"中选择组件实例，以在"**属性**"中编辑其属性的值。

**Qt** DOCUMENTATION

有关更多信息，请参见指定组件属性。

3. 要以 Qt Design Studio 默认不支持的方式更改组件实例的外观和行为，可以在"连接"**视图的**"属性"选项卡上定义自定义属性。

For more information, see Specifying Custom Properties.

4. To enable users to interact with the component instances, connect the instances to signals on the **Connections** tab in the **Connections** view. For example, you can specify what happens when a component instance is clicked. For more information, see Connecting Components to Signals.

Qt DOCUMENTATION

5. To dynamically change the behavior of a component instance when another component instance changes, create bindings between them on the **Bindings** tab in the **Connections** view. For more information, see Adding Bindings Between Properties.

Item	Property	Source Item	Source Property
textField	placeholderText	qsTr("Text Field")	

6. Add states to apply sets of changes to the property values of one or several component instances in the **States** view. For more information, see Adding States.

7. Animate the properties of component instances in the **Timeline** view. For more information, see Creating Timeline Animations.

The Qt Company

Contact Us

Company

About Us

Investors

Newsroom

Careers

Office Locations

Licensing

Terms & Conditions

Open Source

FAQ

Support

Support Services

For Customers

Support Center

Qt DOCUMENTATION

Training

Contact Us

Customer Success

Community

Contribute to Qt

Forum

Wiki

Downloads

Marketplace

Feedback   Sign In

Training

Contact Us

Customer Success