


键盘快捷键

Qt设计工作室提供了各种键盘快捷键来加速您的开发过程。如果缺少您喜欢的组合，则可以添加更多快捷方式。此外，您可以为某些功能指定自己的键盘快捷键，这些功能可以使用鼠标轻松执行，因此不会出现在菜单中或具有默认的键盘快捷键。例如，在编辑器中选择和删除单词或行。


要查看Qt Design Studio中所有可用的功能以及为其定义的键盘快捷键，请选择“**编辑>首选项>环境>键盘**”。快捷方式按类别列出。要在列表中查找键盘快捷键，请在“**筛选器**”字段中输入函数名称或快捷键。



以红色显示的快捷方式与多个函数相关联。Qt设计工作室执行当前上下文中可用的函数。如果一次有多个函数可用于同一快捷方式，则存在冲突，Qt Design Studio无法执行任何函数。

方式。

要覆盖确定键盘快捷键是否显示在上下文菜单项的标签中的平台默认值，请选择“**编辑>首选项**”>**环境>界面**。“**在上下文菜单中显示键盘快捷键**”复选框的标签指示平台默认值是 为 还是 。onoff



配置键盘快捷键

要自定键盘快捷键：

1. 选择“**编辑>首选项**”>**环境>键盘**。
2. 从列表中选择一个命令。
3. 在“**键序列**”字段中，您有以下选项：
 - 输入要与所选命令关联的快捷键。
 - 选择“**录制**”，按键用作键盘快捷键，完成后选择“**停止录制**”。
4. 若要为一个函数分配多个键盘快捷键，请选择“**添加**”，然后输入或录制其他组合键。
5. 若要还原为默认快捷方式，请选择“**重置**”。

Qt设计工作室允许您使用不同的键盘快捷键映射方案：

- To import a keyboard shortcut mapping scheme, click **Import** and select the .kms file containing the keyboard shortcut mapping scheme you want to import.
- To export the current keyboard shortcut mapping scheme, click **Export** and select the location where you want to save the exported .kms file.

Default Keyboard Shortcuts

The following tables list the default keyboard shortcuts. They are categorized by actions.

General Keyboard Shortcuts

Action	Keyboard shortcut
--------	-------------------

New project	Ctrl+Shift+N
New file	Ctrl+N
Open in external editor	Alt+V, Alt+I
Select all	Ctrl+A
Delete	Del
Cut	Ctrl+X
Copy	Ctrl+C
Paste	Ctrl+V
Redo	Ctrl+Y
Print	Ctrl+P
Save	Ctrl+S
Save all	Ctrl+Shift+S
Close window	Ctrl+W
Close all	Ctrl+Shift+W
Close current file	Ctrl+F4
Go back	Alt+Left
Go forward	Alt+Right
Go to line	Ctrl+L
Next open document in history	Ctrl+Shift+Tab
Go to other split	Ctrl+E, O
Previous open document in history	Ctrl+Tab
Activate Locator	Ctrl+K
Switch to Welcome mode	Ctrl+1
Switch to Edit mode	Ctrl+2
Switch to Design mode	Ctrl+3
Switch to Debug mode	Ctrl+4
Switch to Projects mode	Ctrl+5
Switch to Help mode	Ctrl+6
Toggle Issues	Alt+1 (Cmd+1 on macOS)
Toggle Search Results	Alt+2 (Cmd+2 on macOS)
Toggle Application Output	Alt+3 (Cmd+3 on macOS)
Toggle Compile Output	Alt+4 (Cmd+4 on macOS)
Action	Keyboard shortcut

	Where the number is the number of the view.
Activate File System view	Alt+Y
Activate Open Documents view	Alt+O
Maximize output views	Alt+9
Move to next item in output	F6
Move to previous item in output	Shift+F6
Activate Projects view	Alt+X
Full screen	Ctrl+Shift+F11
Toggle the sidebar	Alt+0 (Cmd+0 on macOS)
Undo	Ctrl+Z
Move to Edit mode In Edit mode: <ul style="list-style-type: none"> › The first press moves focus to the editor › The second press closes secondary windows 	Esc
Exit Qt Design Studio By default, Qt Design Studio exits without asking for confirmation, unless there are unsaved changes in open files. To always be asked, select the Ask for confirmation before exiting check box in Edit > Preferences > Environment > System .	Ctrl+Q

Editing Keyboard Shortcuts

Action	Keyboard shortcut
Auto-indent selection	Ctrl+I
Collapse	Ctrl+<
Expand	Ctrl+>
Trigger a completion in this scope	Ctrl+Space
Display tooltips for function signatures regardless of the cursor position in the function call	Ctrl+Shift+D
Copy line	Ctrl+Ins
Copy line down	Ctrl+Alt+Down
Copy line up	Ctrl+Alt+Up
Paste from the clipboard history	Ctrl+Shift+V Subsequent presses move you back in the history
Action	Keyboard shortcut

Insert line above current line	Ctrl+Shift+Enter
Insert line below current line	Ctrl+Enter
Decrease font size	Ctrl+- (Ctrl+Roll mouse wheel down)
Increase font size	Ctrl++ (Ctrl+Roll mouse wheel up)
Reset font size	Ctrl+0
Toggle Vim-style editing	Alt+Y, Alt+Y
Split	Ctrl+E, 2
Split side by side	Ctrl+E, 3
Remove all splits	Ctrl+E, 1
Remove current split	Ctrl+E, 0
Select all	Ctrl+A
Go to block end	Ctrl+]
Go to block start	Ctrl+[
Go to block end and select the lines between the current cursor position and the end of the block	Ctrl+Shift+]
Go to block start and select the lines between the current cursor position and the beginning of the block	Ctrl+Shift+[
Select the current block The second press extends the selection to the parent block. To enable this behavior, select Edit > Preferences > Text Editor > Behavior > Enable smart selection changing .	Ctrl+U
Undo the latest smart block selection	Ctrl+Alt+Shift+U
Move current line down	Ctrl+Shift+Down
Move current line up	Ctrl+Shift+Up
Trigger a refactoring action in this scope	Alt+Enter
Rewrap paragraph	Ctrl+E, R
Enable text wrapping	Ctrl+E, Ctrl+W
Toggle comment for selection	Ctrl+/ /
Visualize whitespace	Ctrl+E, Ctrl+V
Adjust size	Ctrl+J
Lay out in a grid	Ctrl+G
Lay out horizontally	Ctrl+H
Lay out vertically	Ctrl+L
Preview	Alt+Shift+R
Find references to symbol under cursor	Ctrl+Shift+U
Follow symbol under cursor	Ctrl+Shift+U
Action	Keyboard shortcut
	F7

Switch between function declaration and definition	Shift+F2
Open type hierarchy	Ctrl+Shift+T
Add a cursor at the next occurrence of selected text for multi-cursor editing	Ctrl+D
Turn selected text into lowercase	Alt+U
Turn selected text into uppercase	Alt+Shift+U
Sort selected lines alphabetically	Alt+Shift+S
Run static checks on JavaScript code to find common problems	Ctrl+Shift+C
Find and replace	Ctrl+F
Find next	F3
Find previous	Shift+F3
Find next occurrence of selected text	Ctrl+F3
Find previous occurrence of selected text	Ctrl+Shift+F3
Replace next	Ctrl+=
Open advanced find	Ctrl+Shift+F

Design Mode Keyboard Shortcuts

You can use the following keyboard shortcuts when editing QML files in the **Design** mode.

Action	Keyboard shortcut
Open the QML file that defines the selected component	F2
Move between the {Code} and 2D views	F4
Toggle left sidebar	Ctrl+Alt+O
Toggle right sidebar	Ctrl+Alt+Shift+O

Debugging Keyboard Shortcuts

Action	Keyboard shortcut
Start or continue debugging	F5
Exit debugger	Shift+F5
Step over	F10
Step into	F11
Step out	Shift+F11
Set or remove breakpoint	F9 (F8 on macOS)
Enable or disable breakpoint	Ctrl+F9 (Ctrl+F8 on macOS)
Run to selected function	Ctrl+F6
Action	Keyboard shortcut

Project Keyboard Shortcuts

Action	Keyboard shortcut
New project	Ctrl+Shift+N
Open project	Ctrl+Shift+O
Run	Ctrl+R


Help Keyboard Shortcuts

Action	Keyboard shortcut
View context-sensitive help	F1
Activate contents in Help mode	Ctrl+T
Add bookmark in Help mode	Ctrl+M
Activate index in Help mode	Ctrl+I
Reset font size	Ctrl+O
Activate search in Help mode	Ctrl+S

Version Control Keyboard Shortcuts

Action	Keyboard shortcut
Stage file for commit	Alt+G, Alt+A
Commit	Alt+G, Alt+C
Diff current file	Alt+G, Alt+D
Diff project	Alt+G, Alt+Shift+D
Blame	Alt+G, Alt+B
Log current file	Alt+G, Alt+L
Log project	Alt+G, Alt+K
Reset	Alt+G, Alt+U

[< Managing Sessions](#)[Creating Projects >](#)



Contact Us

Company

- About Us
- Investors
- Newsroom
- Careers
- Office Locations

Licensing

- Terms & Conditions
- Open Source
- FAQ

Support

- Support Services
- Professional Services
- Partners
- Training

For Customers

- Support Center
- Downloads
- Qt Login
- Contact Us
- Customer Success

Community

- Contribute to Qt
- Forum
- Wiki
- Downloads
- Marketplace