



Qt Creator Manual 8.0.2

Search

Topics >

Qt Creator Manual > [Building and Running](#)



Qt Creator provides support for running and deploying Qt applications built for different target platforms, or using different compilers, debuggers, or Qt versions. **Kits** define the tools, **device** type and other settings to use when building and running your project.

› Validating with Target Hardware

You can use the QML live preview to preview a QML file or an entire Qt Quick application on the desktop, as well as on Android and embedded Linux devices. The changes you make to the UI are instantly visible to you in the preview.

› Building for Multiple Platforms

Build configurations contain everything you need to compile the sources into binaries. Build configurations use the tools and settings defined in their corresponding kit.

› Running on Multiple Platforms

Run configurations start the application in the location where it was copied by the *deploy configuration*. By default, when you select the **Run** function, Qt Creator builds the project, deploys it to the device defined in the kit, and runs it there. However, if you have not made any changes to the project since you last built and deployed it, Qt Creator simply runs it again.

› Deploying to Devices

Deploy configurations handle the packaging and copying of the necessary files to a location you want to run the executable at. The files can be copied to a location in the file system of the development PC or a device.

› Connecting Devices

When you install tool chains for device types as part of a Qt distribution, the build and run settings for the devices might be set up automatically. However, you might need to install and configure some additional software on the devices to be able to connect to them from the development PC.

Related Topics

› Customizing the Build Process

By default, running an application also builds it and deploys it to a location from where it can be run on the device. You can change the relationship between the build, run, and deploy configurations.

< Editing State Charts

Validating with Target Hardware >



Contact Us

Company

- About Us
- Investors
- Newsroom
- Careers
- Office Locations

Support

- Support Services
- Professional Services
- Partners
- Training

Community

- Contribute to Qt
- Forum
- Wiki
- Downloads
- Marketplace

Licensing

- Terms & Conditions
- Open Source
- FAQ

For Customers

- Support Center
- Downloads
- Qt Login
- Contact Us
- Customer Success