The subcaption package*

Axel Sommerfeldt

axel.sommerfeldt@f-m.fm

2010/09/04

Abstract

This package supports typesetting of sub-captions (by using the sub-caption feature of the caption package).

- At the end of each section, text marked with the mountain symbol will contain background knowledge on how the particular command or environment is actually implemented. If you just want to use this package as it is, you don't have to read or understand them.
- This package demonstrates the usage of \DeclareCaptionSubType, \captionsetup { subtype }, and the internal hook \caption@subtypehook (offered by the caption package).

Contents

1 The user interface					
	1.1	Loading the package	2		
	1.2	The \subcaption command	3		
	1.3	The subfigure & subtable environments	4		
	1.4	The \subcaptionbox command	5		
	1.5	The \subref command	7		
	1.6	The \DeclareCaptionSubType command	7		
	1.7	Where do hyperlinks jump?	8		
	1.8	Beyond this package	8		
2	Tha	Γhanks			
3	The	implementation	9		
	3.1	Identification	9		
	3.2	Initial code	9		
	3.3	Execution of options	9		
	3.4	Main code	9		

^{*}This package has version number v1.0c, last revised 2011/01/22.

1 The user interface

1.1 Loading the package

Load this package using

```
\usepackage[\langle options \rangle] \{ subcaption \}.
```

The options for the subcaption package are the same ones as for the caption package, but specify settings which are used for sub-captions *additionally*. In fact

```
\usepackage[\langle options \rangle] \{ subcaption \}
```

is identical to

```
\usepackage{subcaption} \captionsetup[sub]\{\langle options \rangle\}.
```

The default settings for subcaptions are:

```
margin=0pt, font+=small, labelformat=parens, labelsep=space,
skip=6pt, list=false, hypcap=false 1
```

Options specified with \usepackage[...] {subcaption} and \captionsetup[sub] {...} will override the ones specified by \captionsetup {...} and \captionsetup[figure] {...}, but are again overwritten by \captionsetup[subfigure] {...} (same for 'table'). So finally we have the following order how settings for sub-captions are applied:

- 1. Global settings ($\userbox{usepackage}[...]$ {caption} and $\userbox{captionsetup}{...}$)
- 2. Environmental settings (\captionsetup[figure -or-table] {...})
- 3. Local settings (\captionsetup{...} inside figure or table environment)
- 4. Default 'sub' settings (margin=0pt, font+=small, ..., see above)
- 5. Custom 'sub' settings (\usepackage[...] { subcaption} and \usepactaptionsetup[sub] {...})
- 6. Environmental 'sub' settings (\captionsetup[subfigure -or-subtable] {...})
- 7. Local 'sub' settings (\captionsetup{...} inside subfigure or subtable)

An example:

```
\usepackage[labelsep=quad,indention=10pt]{caption}
\usepackage[labelfont=bf,list=true]{subcaption}
\captionsetup[table]{textfont=it,position=top}
\captionsetup[subtable]{textfont=sf}
```

causes the captions inside subtable environments to be typeset with the settings

```
indention=10pt,position=top,margin=0pt,font=small,
labelformat=parens,labelsep=space,skip=6pt,hypcap=false,
labelfont=bf,list=true,textfont=sf .
```

¹This means that sub-captions are not listed in the List of Figures or Tables by default, but you can enable that by specifying the option list=true.

1.2 The \subcaption command

\subcaption

The easiest and most flexible method to apply a sub-caption is by using the \subcaption command. Its syntax is analogous to the one of the \caption command and shares its features:

```
\subcaption[\langle list\ entry \rangle] {\langle heading \rangle} \subcaption*{\langle heading \rangle}
```

Please note that the \subcaption command *must* be applied inside its own box or environment.

An example:

```
\begin{figure}
\begin{minipage}[b]{.5\linewidth}
    \centering\large A
    \subcaption{A subfigure}\label{fig:1a}
\end{minipage}%
\begin{minipage}[b]{.5\linewidth}
    \centering\large B
    \subcaption{Another subfigure}\label{fig:1b}
\end{minipage}
    \caption{A figure}\label{fig:1}
\end{figure}
```

gives the result:

A B
(a) A subfigure (b) Another subfigure

Figure 1: A figure

Prepared with either \DeclareCaptionSubType (offered by the caption package) or \newsubfloat (offered by the subfig package), the caption package option subtype becames available. Analogous to the type option of the caption package, the subtype option sets the sub-type of the box or environment (so \caption will typeset a sub-caption instead of an ordinary one), places a proper hyperlink anchor (non-starred variant only), executes options associated with the sub-type etc.

The \subcaption command is just a simple combination of \captionsetup{subtype*} and \caption.

1.3 The subfigure & subtable environments

subfigure subtable

After loading the subcaption package the new environments subfigure and subtable are available, which have the same (optional & mandatory) arguments as the minipage environment. Inside these environments you use the ordinary \caption command for typesetting captions. So this example is the same as the last one, but uses the subfigure environment:

```
\begin{figure}
\begin{subfigure}[b]{.5\linewidth}
\centering\large A
\caption{A subfigure}\label{fig:1a}
\end{subfigure}%
\begin{subfigure}[b]{.5\linewidth}
\centering\large B
\caption{Another subfigure}\label{fig:1b}
\end{subfigure}
\caption{A figure}\label{fig:1}
\end{figure}
```

Using the subfigure or subtable environment instead of \subcaption has two advantages:

• You can override the setttings for a specific subcaption with a \captionsetup inside the subfigure or subtable environment, e.g.:

```
...
\begin{subfigure}[b]{.5\linewidth}
  \centering\large A
  \captionsetup{skip=3pt}
  \caption{A subfigure}\label{fig:1a}
\end{subfigure}
```

• Hyperlinks targeted to this subfigure will jump to the beginning of the subfigure, and not to the caption of the subfigure (if hyperlinks jump?)

(See section 1.7: Where do hyperlinks jump?)

The subfigure & subtable environments are just simple minipage environments with \captionsetup{subtype} as first contents line. These environments are defined with the help of \caption@For{subtypelist}, which executes code for every sub-type declared with \DeclareCaptionSubType.

1.4 The \subcaptionbox command

\subcaptionbox

A more powerful (but less flexible) way of setting sub-figures is offered by the \sub-captionbox command. Its syntax is:

```
\subcaptionbox [\langle list\ entry \rangle] \{\langle heading \rangle\} [\langle width \rangle] [\langle inner-pos \rangle] \{\langle contents \rangle\} \\ \subcaptionbox * \{\langle heading \rangle\} [\langle width \rangle] [\langle inner-pos \rangle] \{\langle contents \rangle\} \\
```

The arguments $\langle \textit{list entry} \rangle$ & $\langle \textit{heading} \rangle$ will be used for typesetting the \caption. $\langle \textit{width} \rangle$ is the width of the resulting \parbox; the default value is the width of the contents.

(inner-pos) specifies how the contents will be justified inside the resulting \parbox; it can be either 'c' (for \centering), 'l' (for \raggedright), 'r' (for \raggedleft), or 's' (for no special justification). The default is 'c'. (But you can use any justification defined with \Declare-CaptionJustification as well, e.g. 'centerlast'.)

Using \subcaptionbox, the baseline of the resulting box will be placed right between contents and heading, so usually you don't have to care about the vertical alignment of the sub-figures for yourself. Also the hyperlink anchor is placed properly with respect to the hyperline setting.

One example:

```
\begin{figure}
  \centering
  \subcaptionbox{A cat\label{cat}}
    {\includegraphics{cat}}
  \subcaptionbox{An elephant\label{elephant}}
    {\includegraphics{elephant}}
  \caption{Two animals}\label{animals}
\end{figure}
```

gives the result:




Figure 2: Two animals ²

As you see the result is not satisfying; the caption below the cat looks ugly because of the small width of the graphic. This can be solved by using the optional arguments of \captionbox, increasing the width of the resulting box:

²The pictures were taken with permission from the L^AT_EX Companion[1] examples.

```
...
\subcaptionbox{A cat\label{cat}}
   [2.5cm] {\includegraphics{cat}}
...
```




Figure 3: Two animals

Furthermore the main caption, which is centered with respect to the \textwidth, looks mis-aligned with respect to the sub-captions. This can (again) be solved by using the optional arguments of \captionbox, giving both boxes the same width, for example:

```
...
\subcaptionbox{A cat\label{cat}}
  [.4\linewidth]{\includegraphics{cat}}%
\subcaptionbox{An elephant\label{elephant}}
  [.4\linewidth]{\includegraphics{elephant}}
...
```




Figure 4: Two animals

▲ The \subcaptionbox is a \parbox with \captionsetup{subtype} as first contents line.

1.5 The \subref command

While $\texttt{ref}\{\langle key \rangle\}$ (and $\texttt{ref} \star \{\langle key \rangle\}$, if the hyperref package is used) usually gives a combined result representing the main caption counter and the sub-caption one, it is sometimes useful to have a reference to the sub-caption only. For this purpose you can use

```
\subref{\langle key \rangle} \subref*{\langle key \rangle} <sup>3</sup>
```

So for example \ref{cat} gives the result '2a' but \subref{cat} gives 'a'.

Note: If the sub-caption was defined with the starred variant \DeclareCaptionSubType*, both \ref and \subref gives the same result.

The \subref command demonstrates the usage of \caption@subtypehook which will be called during \captionsetup{subtype}.

1.6 The \DeclareCaptionSubType command

\DeclareCaptionSubType

For using the sub-caption feature of the caption package some commands and counters must be prepared. This is done with ⁴

```
\DeclareCaptionSubType[\langle numbering\ scheme \rangle] {\langle type \rangle} \DeclareCaptionSubType*[\langle numbering\ scheme \rangle] {\langle type \rangle}
```

For the environments figure & table (and all the ones defined with \Declare-CaptionType) this will be done automatically by this package, but for others (e.g. defined with \newfloat offered by the float package or \DeclareNewFloatType offered by the floatrow package) this has to be done manually.

The starred variant provides the sub-caption numbering format $\langle type \rangle$. $\langle subtype \rangle$ (e.g. '1.2') while the non-starred variant simply uses $\langle subtype \rangle$ (e.g. 'a').

Own numbering formats can be created by redefining \thesub\(\text{type}\), e.g.

```
\DeclareCaptionSubType*{figure}
\renewcommand\thesubfigure{\thefigure\alph{subfigure}}}
```

would give you sub-caption numbers like '1b'.

The default numbering scheme is alph, but you can use any LATEX command name here which converts a counter to a text value, e.g. arabic, roman, Roman, alph, Alph, fnsymbol,...

But \DeclareCaptionSubType is not for defining new sub-caption types only, you can use this command for re-definitions as well, e.g.

```
\DeclareCaptionSubType*[arabic]{table}
\captionsetup[subtable] {labelformat=simple, labelsep=colon}
```

 $^{^3}$ Like \ref*, \subref* is only available if the hyperref package[3] is used.

 $^{^4}$ \newsubfloat offered by the subfig package[5] could be used for this purpose as well.

will give you sub-captions in tables like these ones:

Table 1: Two tables

1.1: Table one	1.2: Table two		
A B	E F		
C D	G H		

A

\DeclareCaptionSubType is an integral part of the caption package kernel.

1.7 Where do hyperlinks jump?

For the subfigure & subtable environments and \subcaptionbox boxes (and own constructs which use \captionsetup{subtype}) the hyperlink anchors will be placed in respect to the hypeap= setting. While usage of this option is straight-forward ordinary captions, the usage for sub-captions depends on the setting for the main captions. This table gives you an overview where the hyperlinks will jump:

caption subcaption	hypcap=false	hypcap=true
hypcap=false	sub-caption	figure or table (default setting)
hypcap=true	sub-figure or sub-table	sub-figure or sub-table

But if \subcaption is used and hypcap=true is set for sub-captions, the subcaption package does not know where the sub-figure or sub-table actually begins, so it will jump to the sub-caption instead.

Remember: If you use the hypcap package[4], it controls the placement of the hyperlink anchors, making the rules above invalid.

(See also the documentation of the caption package, sections about hyperref & hypcap.)

1.8 Beyond this package

For a more advanced usage of the sub-caption feature of the caption package, please take a look at the floatrow package[2] which provides the powerful subfloatrow environment for typesetting sub-figures.

2 Thanks

I would like to thank Stephen Dalton who helped to make this package a better one.

3 The implementation

3.1 Identification

```
I \NeedsTeXFormat{LaTeX2e}[1994/12/01]
2 \ProvidesPackage{subcaption}[2011/01/22 v1.0c Adding subcaptions (AR)]
```

3.2 Initial code

Since we are incompatible to them an error message will be issued when the subfigure or subfig package is loaded.

```
3 \@ifundefined{subfigure}{}{%
4  \PackageError{subcaption}{%
5  This package can't be used in cooperation\MessageBreak
6  with the subfigure package}%
7  \endinput}
8 \@ifundefined{subfloat}{}{%
9  \PackageError{subcaption}{%}
10  This package can't be used in cooperation\MessageBreak
11  with the subfig package}%
12 \endinput}
```

Since we base on the caption package we load it here.

13 \RequirePackage{caption}[2010/12/01] % needs v3.2 or newer

3.3 Execution of options

We use \caption@ExecuteOptions and \caption@ProcessOptions here to add the options to the 'sub' option list instead of executing them immediately.

```
14 \caption@SetupOptions{subcaption} {\captionsetup[sub]{#2}}%
15 \caption@ExecuteOptions{subcaption}{%
16  font+=small,labelformat=parens,labelsep=space,skip=6pt,list=0,hypcap=0}
17 \caption@ProcessOptions*{subcaption}
```

3.4 Main code

We call \DeclareCaptionSubType for figure, table, and every caption type declared with \DeclareCaptionType here.

```
18 \@ifundefined{c@figure}{} {\DeclareCaptionSubType{figure}}
19 \@ifundefined{c@table}{} {\DeclareCaptionSubType{table}}
20 \caption@For{typelist}{\DeclareCaptionSubType{#1}}
```

3.4.1 The \subcaption command

 $\sl subcaption$

Without a prefacing \captionsetup{subtype}, \subcaption is some kind of \captionof{sub\@captype}.

Note: Like \captionof, this command is designed to be used inside an own group!

21 \newcommand*\subcaption{\captionsetup{subtype*}\caption}

But with a prefacing \captionsetup{subtype}, \subcaption is simply \caption.

22 \g@addto@macro\caption@subtypehook{\let\subcaption\caption}

3.4.2 The subfigure & subtable environments

subfigure subtable This is just an ordinary minipage environment with \captionsetup{subtype} as first contents line. It will be defined using the helper macro \caption@For{subtypelist} offered by the caption kernel, so for every caption type declared with \DeclareCaptionType a corresponding 'sub' environment will be defined automatically.

```
23 \caption@For{subtypelist}{%
   \newenvironment{sub#1}%
25
      {\caption@withoptargs\subcaption@minipage}%
      {\endminipage}}%
27 \newcommand*\subcaption@minipage[2]{%
  \minipage#1{#2}%
   \captionsetup{subtype}}
```

3.4.3 The \subcaptionbox command

\subcaptionbox

A \parbox with contents and sub-caption, separated by an invisible \hrule.

```
30 \newcommand*\subcaptionbox{%
  \def\captionbox@type{subtype}%
   \caption@withoptargs\caption@box}
```

3.4.4 The \subref command

At \land captionsetup { subtype }, we redefine \land label.

```
33 \g@addto@macro\caption@subtypehook{%
   \ifx\label\subcaption@label \else
      \let\subcaption@ORI@label\label
35
36
      \let\label\subcaption@label
   \fi}
```

\subcaption@label

When a label will be placed for a sub-caption, we automatically place a second one for \subref, too. This second label will contain the sub-type counter only.

```
38 \newcommand*\subcaption@label[1] {%
   \@bsphack\begingroup
40
      \subcaption@ORI@label{#1}%
      \protected@edef\@currentlabel{\csname thesub\@captype\endcsname}%
41
      \subcaption@ORI@label{sub@#1}%
42
   \endgroup\@esphack}
```

\subref This simply calls \ref with the second label. (see \subcaption@label)

```
44 \DeclareRobustCommand*\subref{\caption@withoptargs\subcaption@ref}
45 \newcommand*\subcaption@ref[2] {\ref#1{sub@#2}}
```

References

[1] Frank Mittelbach and Michel Goossens: The LTEX Companion (2nd. Ed.), Addison-Wesley, 2004. [2] Olga Lapko: *The floatrow package documentation*, 2007/12/24

[3] Sebastian Rahtz & Heiko Oberdiek: *Hypertext marks in LTEX*, November 12, 2007

[4] Heiko Oberdiek: The hypcap package – Adjusting anchors of captions, 2007/04/09

[5] Steven D. Cochran: *The subfig package*, 2005/07/05