

PATIENT NAME
hbsdh hhAGE / SEX
20 Y / MaleLAB NO
LAB-20260531-0006REFERRED BY
SelfREGISTRATION ON
31 May 26 11:58CENTRE
MainCRN NO
REG-93903

Scan to Download Report

LAB TEST

Blood Sample

Accession No:
LAB-20260531-0006

Collected On: 31 May 26 11:58

Received On: 31 May 26 11:58

Approved On: 31 May 26 12:00

Observation	Result	Unit	Biological Ref. Interval
2001	0		
2002	1		
2003	2		
2004			
2033	iVBORw0KGgoAA AANSUhEUgAAA K8AAACvCAIAAA AE8BkiAAAAA3N CSVQICajb4U/gA AAACXBIWXMAA BLDAAASwwFyL QTKAAAFUUIEQV R4nO3dP2gbZxyH 8Z+KhuumwYOHD l2dqYEugU7ZGuj QDAUrdDId2tXpU NLRdBIZQkKhG5 eCqJgUlaCshiUIS APBWdzhw63BBR oBw+F6+D2vuc7n 3S6e99XJ+n5DEK R9Q/u0b3veeqZt ciSWLYVu+t+g2gR agBQg2Qtaqha9Z d9XvYKsFmkVEvi uN4/HI8eT15+tPT7 J8Ovj6I43j3g93Mv W14Mhyfjsen48GT QZh3iHA19HZ607 Pp1fXRb6PbH99O/ zR5NTn89vDwu8P 0lruf3n3+8/Mwb2y btWCkiCx6P4rfxlf/ 2vtoL47jZz8+e/ DFg/Qus9ns1t6t3 Q93S54CfoTcN8x ms9GL0fmb89GL UTohGDwe3Pv8np kd/3J855M76f37+/ 3Ri9H0bNrf74d5h1 jNSDF4PDj46SDMf GtxHE9/n07Pphd/ XOTmE1ePuvjzwg/ iw73HrtGKOPvt7F kWRmd3/7P7xr8c Pv3loZta18zfnURR dXI6m93z39p39Y1 E3urTLsmeDM0FH		

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Steve Jerald / Pathologist

ir9m49Px5NVk9HL
U2+mZ2fBkmJ1O
Dp4M+l/2zay/3x+fj
ocnw+nZ9NEPj8K
8Q7T4PEXXeju9d
uzLtkZ7a4B/LVhho
jWoAUINEGqAUA
OEGiDUAKEGCDV
AqAFCDRBqgFAD
hBog1AChBgg1Q
KgBQg0QaoBQA4
QaINQAoQYINUC
oAUINEGqAUAOE
GiDUAKEGCDVAq
AFCDRBqgFADhB
og1AChBgg1QKg
BQg0QaoBQA4Qa
INQAoQYINUCoA
UINEGqAUAOEGi
DUAKEGCDVAqA
FCDRBqgFADhBo
g1AChBgg1QKgB
Qg0QaoBQA4QaI
NQAoQYINUCoAU
INEGqAUAOEGiD
UAKEGCDVAqAF
CDRBqgFADJEQN
iSUBXgXNhaihY50
Ar4LmGCKg1ACh
Bgg1QALVUFxWs
NBYA0nCRtpejBQ
QaoBQA8RxDYmu
JNdvZzqyhpzPillN
rLEWrimoJxhfl4V
DnPQKxnENue1W
JQ4++u3hrlakcMU
KcWTuTAHroMa8Y
c4DEj9jBzxsG+4
2gEk/18WC6geRN
k+g31JGG5GisSs
c32rVxkvisomjDfe
TiLOuZ835G7xtx5
greGcgxoqfkLLDI
OiPbyfpyhOlxp+p
onJn/o1JJnL+TqZ
y+YYIPwJ899T5K+
gnerXsOwnnhTar0
4NZSvJMsVuOCrV
Tt0aj0m3a8UU5hy
M8r0KxVlazRuqb
MWFxyVJoT0a1eB
mb182bMw//
wEPmq4w51j4oU/
MOknhPlf+1uCpU
UvTNcUcVT/AuQU
oU4nVcTBvqL3hO
vN7qX54C464OU9
RI4h5KaS7h+JTE4
dPdVaYWdlB36Xie
HFVBiOIT03XFOI
WW2ozLRgjsi+gxy
zzAqil0b6h3o6hag
qpekMRLufsm3C+
ZL9ht/BuaMbBSL
HUgL70jkGPLP9+I
bHzcKPPCrN4zmL
eQaMmn2DOi/vXd
E1hhaMO3jdWMT
cmFo54/JZsTqMd
w39PUZhAEiFTvr7
7INTMDIKwwwW5g
2uORgpcjol113KH
pu68XglfdTiribssY
f8+QvnU4n5xZFC
XU5GiqP0Wm6pm
aS3WrGRRXKbnM
PS4Xn5NY/kpsuy
G2/8U9lzwqtwv+3

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

This is a computer-generated report. No manual signature required.

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Lab Head / Pathologist

C8YP2Wd1vu3QK
V7Bqfn/bJY/
dQLuF/b1ldgPt5n
hNgY1SYRZ5VLiC
DVFj3/B94Ray2BC
1R4qjzGWxDyORT
VDreAMbfkNVriG7
bzCC2EzVakhTyD
WB9bbsvCG7M0in
CzfOG7D+Wvgb9
AiG/3cNhBog1AC
hBgg1QKgBQg0Q
aoBQA4QaINQAY
X9vlfMUAAAWO
xfic9gRraXbiAAA
AAASUVORK5CYII
=

2034

iVBORw0KGgoAA
AANSUheUgAAA
K8AAACvCAIAAA
AE8BkiAAAAA3N
CSVQICAjb4U/gA
AAACXBIWXMMAA
BLDAAASwwFyL
QTKAAAJdUIEQV
R4nO2dP4jbVhzH
n4oHDR003HCBF
nrQoQ4dGugSyHT
QoYEMdWngbFol
nprVydAmU8iYKT
gthDhLuOtkAil1Jk
8HTiFFLrSch8Bly
KAl4BsyaDhQB6V
6z++PLFvS6ffk72c
l8rP+nd9Hv/d7f+w
wtkgURQxsKh9Uf
QOELABcGAD4
BRnQ4OxRmEnAy
RIskjXc8eHY3WH7
o/dlAi2P9rmRS4b
PhuOD8fjw/G9+/cy
Xsj13CAIji8mk5eT
4WjY/KypXvf9Pi8n
k5eTR48faUtAiSQ
2eFueP/XVHSYvJr
2bvd5PvaRk9+vd
NSpGPP/IK5ePXh
2p5eo9mO4KFMJ
qLUXzi2YQBA9+fd
C52kkK5/P5+eb57
U+2Uw5MZ/T76OT

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

This is a computer-generated report. No manual signature required.

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Pathologist

wXks4/Phw3P28yt
BSVskI3oHWlItf90/
8b1G/FxR7Mj13XD
MEx2OHI7wk6Z23
BDFhrPomP3q91z
W+dm/85WOGgoUT
poNzc+a8YM4ezXr
XO10rnXu3rn7/r1T
Nno+an3XOnhy0N
5rd693T+YnOx/vD
H4bhO+yqhDHfLf
hBvPg22++zfeHgB
JYc56iwbwtD+MN
dQOzVpsMRqYBB
zYADmwAHNgAO
LABcGAD4MAGwl
ENgAMbAAc2AA5
sABzYADiwAXBg
A+DABsCBDYADG
wAHNgAObAAc2A
A4sAFwYAPgwAb
AgQ2AAxsABzYA
DmwAHNgAOLAB
cGAD4MAGwlENg
AMbAAc2IIXVP5U
DG0rGqfoGVgE2A
A5sABzYADiwAX
BgA+DABsCBDYA
DGwAHNgAObAA
c2FAaVs1QxMCG
0rBqhilGNgAOBA
Ac2FAEFqYIWmB
DEViYImiBDbmpS
2BgsGEdpOp3Fgt
tlgM25CZaVMERt
m0H/wNiGtrPRoo
KNn9+mxobltaZto
4dJRJIUcFyM+Rs
Oloix6lLilwUogoZ
sfMj3NTYsBQ1Vd
Sq4BheRouRwxJg
g4GkpxCIRoXI8NI
R/rWHWtsgZcRZnl
S1vXcWewpiecpL
7SHkqbUNUgK0tH
oi4ZIOcoXkLXVn0
0sxrmiPpUqtbVBJ
rx117leqSJM6jq6Q
JBtmw9KKkUJC+
s7aY02Xs6HhaFR
9A1WQUjGOLmIY
G6lrSl6IDYsNEtl4k
poK5FFBTEGc3G
KdCfW1IYrkPoW8
g/CwSk1+IQ+xtnt
Cm5raEEVyh4ItVk
ykJAfr5Qr1onY2iC
EhpYepjhaUMUlg9
VfJU5csMg4G+pA
QMaaYcWZYNShp
W2zQpgJaFel940J
JhYzpYf4qxOhTiW
gffff/cx8Lle2Z7C9
pICV6F1WLIgQGZ
pkNWhXUaKHvSjj
ypppFFps6mMan
CYcKa/MGNU6oya
NY4piOEraLTfdM8
5mEQ4WdNiSJAm
Pyhrgtth0xanRRJ
xccIVTkJKUYSXLL
1z6pjYJoQPYpPD
onTQTpg2SOM4b5
AUKee8paD1g5ky
zWmxoJhh1G+ThI
0fuKSQv1Q0Rnsp
FvER8V3Pple5TK
SGcKqZgSd6gjiVI

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

This is a computer-generated report. No manual signature required.

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Lab Head / Pathologist

OYHYOqjDTfzRdB
ZKkvkpsw3ZqxO
aRU1M5hBOyQk0I
4NCUkrkCAOK4m
ualebjKdVtrPXnHZ
tnDb3tEQFZo0NM
SmjzplopglM7YK2
9cYDxH6HtKSWK
eWWYJUNMeKAo
7ghZgym8GBarCZ
WXsYFseq6GGYI
MPY4YVUPUzsTw
ZTYIBam/y3SEGR
KhTmGYCCd3p4U
IRN0v4eZsnol6XY
u3TPrtZQWRFolx
RYLpfLaQNNQdZ
hBLNF2LtLOpmxr
S0wVvznQskF66JI
BC8mJPH+C+ohH
Kz73dQoSJGxYsp
7RMGm50p1rs0jT
9noRgsAHmRcSN
kiYxqcZ07QURV63
ILNSxsleZszCbLV
hSUuu89erd7Ae5
GKDGhhMhUvOY3
iZp5kn9IEVDzkbJ
MprF4AKIRvUwW
bTW6AkCNkgYloq
DUqFqA01ILSDb
WECuRsqEmjcDf9
baJcKLOBMZZjgJj
iH2MRldtQ+OWpC
UE0DGip3laYjMG
AxL3mI5GDoiUUb
NDOJEs7bNqMQT
VUa4N67fQppGiZ
NIssSeWADB0bp
GUGWSaWEQNYQ
nTWyjRnpC2MUt8
liwUDD5XnDZESF
ZjyrzbHJPZBWgn
pb9eoa1cjoVy7M8
gDuZZC+Iqz2mRI
P4sACoSQDaY8U
btOUfvVBxv9IJUr
ELKBZfsNNfWrDF
ZnkQ6lu6Ziw9LaX
eqHdZDyllaKDDJ3
ndX8UXII/St02rfAU
qjYIJLxR3a0/Qv1+
482UIUyQaWHmfJ
Mq196Zsp2zaiqES
EUG0w1bRpush1
SvYkYKjY4hkSSH
oVNfRHMIUqHJ
nWTIAhKzxLqMQ
GprQU0i8mmOax
QIFQsSFSWooso
w6IFsVCxQYRtfoj
JbFQ9yyfzVssU1X
eoM0SIkOHAiHhjK
CwvoEp01cpy93K
YfPCgBYKNqSvdg
TIQTpvQCfijCFIw1
2mX7iAuF0RIbcUj
DFUPxVo2CACM6
qDng3g7CCVN8R
YEQysuMncbFJs2
lwazUOtBUD1r0Itb
QBLIJg3WEoDA09
NY0Mdq+oMqJEN
JgNWNWODTaqR
DXSw1qc62mBtZV
ROHW0AWUGfAn
CswFh/wyxsKWA
H6VhoQ2gMKxrK

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Lab Head / Pathologist

UwgQpRAvWIDFM
IHvWwAq1GblglU
AGwAHNgAOLAB
cGDDRtLI9otf6FN
YhOu58/n81p1b8c
sLX16Yz+etvVayQ/
fHbhAE2x9tC8ew4
bPh+HA8Phzfu39v
yQVgg0V4W54/9f2
pHz/o/Yf9P0Z/tL9v
JztMXkx6N3u9n3p
Jye7Xu48ePzKdE
C2F3YSn4fD58PK
Vy+6HbrPZnPow1S
d5qftEMguDBrw86
VztJ4Xw+P988v/3
Jtu5ksMF+Bg8H3
WvdzI7n4OBALO/
+0B08GYTvwtmr2
cVLF+PC6Z/T/
v3+4JeBP/Xbe23d
+QTQULiEt+VNXk4
YY8PR0J/67ofurTu
33rcUDRYEgf+P70
/949fH/Yd99djjN8f
MXSik8luyIA+3f76
9s7MTvguTktaV1v
7T/RvXbzDGWIMd
zY5c1w1DvsPJ2x
N2ytyGGzJeiJaiDs
z+no2ejsSSzrXO/u
P99y9O2ej5qPVdi
zHW3muPD8fDZ0
N/6g9+G4gCaUBL
UX8azNvyMN4Alo
CWAnDkH9pCbAA
AAAAAAMv5D9B
OMDxhUZtGAAAA
A5FTLQmQmCC
iVBORw0KGgoAA
AANSUheUgAAA
K8AAABkCAIAAA
B/3/dVAAAAA3NC
SVQICajb4U/gAA
AACXBIWXMAAB
LDAAASwwwFyLQT
KAAADMEIEQVR4
nO3YP0sbYRzA8a
fF4QIdbnDQzQwO
FzpU6CK0L6D6Gj
qU6BQ69D04Fafi1
GpfQMHxOgjJlpy
DYpaSdEuHwmU
QrmCHbNchJY9N
NKb6/
Pk98fuZjhOSJzzf/
J4zSgE3KcvS9xL
gzWNjr7Sg1IKxF4
Mlo9kQxVGe59IJl
p1mux92r95stprZa
bb3cW94M3mWNI
+b2UnWPG7Wt+tt+
1g0bRjXEi/
F5+3x4nR6l6y/WJ
2+uPV9TSnW6neE
FQjfTSZH380ql8s+
tSEWVKL/lk6dJnu
fts7aV1cGtaUf98tL
yzvudeDGurdZax6
3hzepKNf2aVqvVX
q/X/9mrvaz1w/pQ/
grrrps2G4ldxhOUw
WU0abxtq8Pdm70
dvc2OzltS637V1N/
Xisojj2MVKYd+0G
gaDQfusvfV66+DT
QfQkGvtr8buloj9
rZ0kydLKKs1Fwp

2101

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

This is a computer-generated report. No manual signature required.

Witnessed & Approved By: Steve Jerald

Date: 31 May 26 12:00

Lab Head / Pathologist

NrnyLr2lX9zlvDm8
VIMfwPlm2l8WKsl
Np4tdHpdtkjND1K
G+8avIYO8+7861M
UR5Pz4/q3uNsbw
D0Hv0WWBCGVu
d8iZ1NOXEAO1zV
AMmqAdt8a7vOY
wWEhxGgTmQ3Q
nNbAMBCO2QDN
cw1MC1GYDdCoA
Ro1QHNXw02PCD
w6yMFsgEYN0ET
UwGEhhlgaiAQ1Q
HNUw61nAYeFBM
wGaNQATVANHB
beCaoB3IEDNFK1
cFj45alG9jgUsmY
D/BJXA4PEI3E1w
COJNTAefJFYA3w
RWgPjwQuhNcAL
aoAmtwYOC/es18
CmBkTubIB7omtg
rjgmugY4Rg3QpN
fAYeGS9BrgEjVAC
6AGDgtnAqgBztit
wdTXmvHgBrMBG
jVAC6YGDgsHgqk
BDIAdtJBq4LCwL
aQaYJvFGmx8IRk
PVjEboIVXA+PBn
vBqgD1B1sB4sM
RWDWxYilKcDYra
7Ai1BtgQcA2MB+
MCrkERhGIWanC5
SQRhUNizYYggTJ
mHGhRBGDInNSi
CMMF8DR53paSJ
+5mf2TBCE3e24H
sBtoyCeORzFYEx
XIPAL+XVJVHGdC
ZlEQRmMKQc8H
ZnNS8HFLU05g0r
K0AAdBQDAWEAB
B3kDyAASYP6NC
SAQOghhALgAA
AACMBWYXhKAB
hDAASAAWBEIQR
KAAADJHEQVR4
nO3cvWrcQBRA4
UlwsaUWXOQR4t
KQI7BLGwxh3yOV
H8OkCLh0k97pXB
mUwiCVDiTgUulT
uFQKGylsvFrNaO
bOXM35Kv8kMKs
5e2dXCzYG2KVt2
9hLQDRvYy8ACdl
Zw6pYNU1Tfi+rurr
6cmUOXn54d3/X/5
ubrzflQ9k0TVVX5
UNZHBYCK4ac/
qQoDouqrrqv7/d
np6cbv2wV9VV8Y
4OImDSSVH/qHne
5+Bg5Her1er4w/F
6vT47Obv+fC22Js
QyVsO6WJ9fnD//e
d583Dz9ehJbE2IZ
q6H53Vx+uhRbCq
lbq+FVR++Pm6Sj
z8fNxebAEtCMmT
vPnGnKy3Ws8GH
dsfXb6QXgn/J34s
cmQeMisiEa9i73w
QRk2QNE3ealKJx
qcHphabV/8kliNQ
+MJaZDYk9aOyQ7

2102

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

This is a computer-generated report. No manual signature required.

Verified & Approved By: Steve Jerald

31 May 26 12:00

Lab Head / Pathologist

CfaBBSBQA3O+0
oQ0pKdDYgg8Ro
YD6JC18B2apL4b
DD0JCloDWykMu
nPBkNVYITUACFa
amA8SAhXA/unj5
bZYMhLgKlaEFyg
Ggl9jxkPYambDQ
ThrN179dTVglA01
sB4CCVEdeyWVh
pngyG4QJTWYAjC
0qTLpbcGQxDeqa
7BEIS9duStpvca5
Ldn/9toTKR9NvRo
woPF1NChiVkvWV
kOHJrZMvRp+a0h
qD5JajA6LnA09gr
Cz7BoMp4aVxdfQI
YhJMqnBEMQUH
mtl/3Knv8IQLB51P
rMB++VWQ57jYar
cajAEMcJXDbouM
W87X5fhbOjIEITd
Y8y5BsOQ2JJ5DR
2aeBHlr46naXI//9w
6cS81LO+JtbwyJu
Gk2Cujc4QaJlIXh
MuCqWE6dUFYow
YrWk4Nx0XOr0HF
1fFrsQ+Z2eAm5S
Dc10YNzrScGhao
YabUgpi1HmqYL5
0hMXcZM+9FJnlV
UtBfij3Lv1sBJ9Te
Bf0rvZWc56fjdQQI
MeB0Y5+6wevG2T
MfG0hdCLPmQ28
aLDIMCpELzlnRR
TdHo83EeHJxkkR
0a79jvaWldkQXUI
HrvNsSogxwBdO
CgyoAQNqwlAaM
KAGDKqBA4caeG

WBC	10.89	10^9/L	4.00-10.00
NEU%	84.0	%	50.0-70.0
LYM%	10.2	%	20.0-40.0
MON%	5.2	%	3.0-8.0
EOS%	0.3	%	0.5-5.0
BAS%	0.3	%	0.0-1.0
NEU#	9.15	10^9/L	2.00-7.00
LYM#	1.11	10^9/L	0.80-4.00
MON#	0.57	10^9/L	0.12-0.80
EOS#	0.03	10^9/L	0.02-0.50
BAS#	0.03	10^9/L	0.00-0.10

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Lab Head / Pathologist



Patient: hbsdh hh | Sample ID: LAB-20260531-0006 | 20 Y/Male

Observation	Result	Unit	Biological Ref. Interval
RBC	4.37	10^12/L	3.50-5.00
HGB	12.1	g/dL	11.0-15.0
MCV	81.5	fL	80.0-100.0
HCT	35.6	%	35.0-50.0
MCH	27.7	pg	27.0-34.0
MCHC	34.0	g/dL	32.0-36.0
RDW-SD	48.0	fL	35.0-56.0
RDW-CV	15.2	%	11.0-16.0
PLT	157	10^9/L	100-300
MPV	13.4	fL	7.0-13.0
PCT	0.210	%	0.100-0.280
PDW	23.7	fL	15.0-18.0
P-LCR	49.4	%	13.0-43.0
P-LCC	78	10^9/L	13-129

Remarks: Please correlate results clinically.

In case of any unexpected or alarming results, please contact us immediately for re-confirmation, clarifications, and rectifications, if needed.

Tested By: N/A

Date: 31 May 26 11:58

Lab Technician

Verified & Approved By: Steve Jerald

Date: 31 May 26 12:00

Lab Head / Pathologist