

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 13, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56				
					1957	1956	Median 1952-56																															
1	Chickenpox	255	305	420	26,167	25,372	27,689	..	..	..	3	..	..	14	31	28	..	..	..	26	31	44	129	188	191	13	31	20	..	..	..	..	..	..	70	24	52	1
2	Diphtheria	-	1	1	68	53	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
3	Dysentery: ⁴	9	5	23	362	329	329	-	-	-	-	-	-	-	-	-	-	-	-	1	3	..	1	1	1	6	-	-	-	-	-	-	-	-	1	1	6	3
4	(a) Amoebic	1	1	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	
5	(b) Bacillary	8	4	23	358	329	329	-	-	-	-	-	-	-	-	-	-	-	-	1	3	..	1	1	1	6	-	-	-	-	-	-	-	-	-	6	5	
6	Encephalitis, infectious	1	-	1	12	10	17	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	
7	Influenza, epidemic	38	46	69	2,876	8,183	8,183	..	..	..	31	15	-	5	30	25	..	..	..	-	..	..	-	-	-	2	1	1	-	-	-	..	..	..	-	-	-	7
8	Measles	541	534	618	43,515	39,012	41,633	-	-	1	..	..	..	6	23	10	..	..	..	66	39	160	55	141	242	159	102	11	..	..	..	161	155	36	94	74	60	8
9	Meningitis, meningococcal	3	3	5	180	175	175	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	-	-	-	-	..	..	..	1	1	-	9
10	Mumps	165	206	263	18,771	20,771	20,771	..	..	..	..	..	..	7	10	6	..	..	..	9	8	..	120	150	115	6	6	14	..	..	..	..	..	..	23	32	36	10
11	Poliomyelitis, epidemic: ⁴	11	4	44	69	83	189	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	-	9	1	-	2	-	1	4	-	3	2	1	-	11	
12	(a) With paralysis	8	3	15	43	53	116	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	1	-	2	-	1	2	-	3	3	2	-	12	
13	(b) Without paralysis	3	1	12	20	29	62	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	1	-	2	-	-	-	-	1	13	
14	Rubella	139	133	198	14,946	47,869	8,753	-	-	-	..	..	..	8	12	6	..	..	..	7	3	4	13	65	20	3	-	-	..	..	..	40	43	11	68	10	21	14
15	Scarlet fever, etc. ⁵	41	71	125	5,576	8,288	9,057	2	3	3	8	6	6	4	28	10	-	-	2	6	8	23	11	12	23	-	-	5	-	1	16	7	8	9	3	5	15	15
16	Smallpox	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
17	Tuberculosis: ⁴	98	138	190	4,711	4,998	5,675	1	8	10	-	-	2	-	3	7	8	12	27	42	48	15	18	24	8	10	14	4	4	19	8	22	15	28	26	23	17	
18	(a) Pulmonary	79	106	168	3,811	3,986	4,563	1	8	8	-	-	1	-	2	6	7	12	27	39	47	(6)	(6)	(6)	7	10	14	3	2	17	8	18	15	27	22	21	18	
19	(b) Non-pulmonary	4	14	9	290	274	288	-	-	-	-	-	-	-	1	1	-	-	-	3	2	(6)	(6)	(6)	1	-	-	1	2	2	-	4	-	1	4	2	19	
20	Typhoid and paratyphoid	3	3	4	160	225	225	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	
21	Undulant fever	9	1	4	73	77	68	-	1	-	-	-	-	-	-	-	-	-	-	6	..	..	1	-	-	2	-	-	-	-	..	..	..	-	-	-	21	
22	Venereal diseases:	307	291	334	8,901	8,445	9,059	6	11	11	2	-	1	20	14	7	11	2	4	49	59	60	44	58	42	19	26	27	30	18	39	56	35	52	70	68	78	22
23	(a) Syphilis, primary	3	4	3	76	55	87	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-	1	-	-	23	
24	(b) " secondary	2	-	-	28	22	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	24	
25	(c) " other	33	46	49	1,181	992	1,316	1	1	1	-	-	-	1	2	5	-	1	16	23	13	4	12	14	-	1	2	1	1	3	-	2	2	6	5	6	25	
26	(d) Gonorrhoea	269	241	285	7,612	7,374	7,604	5	9	10	2	-	1	20	13	5	6	2	2	33	36	44	38	46	32	17	23	26	28	17	34	56	33	51	64	62	70	26
27	(e) Other venereal diseases ⁷	-	-	-	4	2	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
28	Whooping cough	78	94	100	3,711	4,677	4,622	-	-	-	-	-	3	7	4	2	-	-	-	16	45	41	32	27	22	1	5	3	-	-	2	17	5	4	5	8	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 26 (5); Measles 6,281 (6,419); Meningitis, other 45 (45); Poliomyelitis, with paralysis 56 (50); Smallpox - (-); Undulant fever 22 (13); Encephalitis infectious 41 (49); Meningococcal infections 43 (33); Poliomyelitis, acute 186 (154); Poliomyelitis, without paralysis 103 (88); Typhoid fever 50 (26);

Since April 1, the beginning of the poliomyelitis disease year, a total of 1,217 cases has been reported. Of these, 456 or 37 per cent were paralytic and 614 or 50 per cent were nonparalytic. This is the first year since data by type became available 4 years ago that the paralytic cases have numbered less than the nonparalytic. For the corresponding period of 1956 the proportions were 51 and 33 per cent, respectively. In states with 10 or more cases the proportions with paralysis varied from 13 per cent in Wisconsin to 78 in Georgia. During the 15-week period of the current disease year only 4 of these states have reported significantly more paralytic than nonparalytic cases. These were in Texas with 179 paralytic cases compared with 145 nonparalytic; Georgia, 18 paralytic and 1 nonparalytic; South Carolina, 17 paralytic and 14 nonparalytic; and Kentucky, 6 paralytic and 2 nonparalytic. In 1956, many states reported more paralytic than nonparalytic only 10 states reported less paralytic.

EPIDEMIC REPORT: Influenza - Nfld. reports an epidemic in Belleoram.