

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended March 17, 1956, in comparison with the previous week¹, and the 5-year (1951-55) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.	
		Report Week	Previous Week	Median 1951-55	Cumulative Total ³			Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55					
					1956	1955	Median 1951-55																																
1	Chickenpox	1,135	1,111	1,031	13,395	12,408	14,545	1	3	2	-	-	6	30	39	17	-	-	1	276	244	230	579	621	503	29	18	26	-	-	21	-	-	56	220	186	145	1	
2	Diphtheria	8	2	3	36	32	38	-	-	-	-	-	-	-	-	-	-	-	-	8	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2		
3	Dysentery: ⁴	7	13	10	116	97	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	4	1	-	-	-	-	-	-	-	-	3	6	7	3	
4	(a) Amoebic	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
5	(b) Bacillary	7	13	10	116	97	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	5		
6	Encephalitis, infectious	1	-	-	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6		
7	Influenza, epidemic	2,230	167	284	4,953	18,776	3,020	-	-	-	65	27	-	63	46	107	-	-	1	-	-	-	26	74	24	1	2	1	-	8	-	-	-	-	2075	10	200	7	
8	Measles	1,323	1,697	1,866	18,629	18,066	19,850	4	16	9	14	15	3	44	103	42	-	-	-	235	390	314	857	949	668	58	39	100	-	16	51	10	39	133	101	130	184	8	
9	Meningitis, meningococcal	7	5	8	75	79	72	-	4	-	1	-	-	-	-	-	-	-	1	1	1	1	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	9
10	Mumps	1,139	820	941	10,264	9,575	12,383	-	-	1	6	2	4	9	3	39	-	-	-	202	216	220	623	369	381	78	35	35	-	-	76	-	-	19	221	195	119	10	
11	Poliomyelitis, epidemic: ⁴	2	4	2	32	36	36	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	11		
12	(a) With paralysis	2	3	2	20	28	28	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	12	
13	(b) Without paralysis	-	1	-	7	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	13	
14	Rubella	2,154	2,194	362	16,179	5,436	3,055	-	12	-	-	-	-	34	31	10	-	-	-	1027	1266	16	657	534	164	8	8	1	-	7	11	17	-	21	411	336	21	14	
15	Scarlet fever, etc. ⁵	415	401	459	3,724	2,754	4,343	1	2	-	16	18	7	26	32	9	1	-	19	104	89	100	205	204	68	5	14	15	1	-	10	36	24	42	20	18	57	15	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
17	Tuberculosis: ⁴	150	193	201	1,864	1,927	2,182	5	4	4	-	4	-	6	1	4	3	24	11	44	66	84	22	20	28	7	18	10	5	22	7	24	12	18	34	22	27	17	
18	(a) Pulmonary	117	150	163	1,528	1,548	1,782	5	4	3	-	2	-	6	1	4	3	23	11	42	58	80	(6)	(6)	(6)	6	18	10	3	14	6	19	12	16	33	18	25	18	
19	(b) Non-pulmonary	9	23	9	107	124	117	-	-	1	-	2	-	-	-	-	-	1	-	2	8	3	(6)	(6)	(6)	1	-	-	-	8	1	5	-	1	1	4	3	19	
20	Typhoid and paratyphoid	3	2	8	70	36	107	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	20	
21	Undulant fever	4	1	3	34	18	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	21	
22	Venereal diseases:	279	284	320	3,555	3,795	3,876	11	9	5	2	-	-	8	16	11	9	4	6	58	73	78	43	42	63	31	28	24	12	12	17	49	50	51	56	50	48	22	
23	(a) Syphilis, primary	1	3	2	29	28	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-	23	
24	(b) " secondary	-	1	4	13	8	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	24	
25	(c) " other	32	31	58	386	552	633	2	-	1	-	-	-	1	4	3	-	-	3	16	15	35	11	3	16	-	-	2	-	3	2	1	2	2	1	4	2	25	
26	(d) Gonorrhoea	246	249	240	3,127	3,200	3,108	9	9	3	2	-	-	7	12	8	9	4	3	42	58	56	32	39	41	30	28	22	12	9	17	48	44	48	55	46	44	26	
27	(e) Other venereal diseases ⁷	-	-	-	-	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
28	Whooping cough	157	140	132	1,869	3,878	2,063	6	8	-	9	15	2	2	9	3	1	1	-	78	67	54	18	7	39	7	4	2	1	7	3	7	15	10	28	7	11	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 39 (42); Measles 20,736 (20,330); Meningitis, other 37 (39); Poliomyelitis, with paralysis XX (31); Smallpox - (-); Undulant fever 15 (16); Encephalitis infectious 37 (31); Meningococcal infections 61 (67); Poliomyelitis, acute 65 (67); Poliomyelitis, without paralysis XX (16); Typhoid fever 15 (23);

The 39 cases of diphtheria reported for the current week exceed that for the corresponding week of last year by 13 cases. Of the total this week, 7 were in Indiana, 5 in Texas, 4 in Arkansas, 3 each in Alabama and Tennessee, and 2 each in 5 states located in various sections of the country.

For the first 11 weeks of the current year, 463 cases of diphtheria have been reported in the United States compared with 409 for the same period of 1955. The corresponding 5-year median is 522. Since January 1, 1956, more than half the reported cases have occurred in the East North Central (92), South Atlantic (88), and West South Central (108) Divisions.