

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 30, 1956, in comparison with the previous week¹, and the 5-year (1951-55) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1951-55	Cumulative Total ³			Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55				
					1956	1955	Median 1951-55																															
1	Chickenpox	377	632	609	24,967	22,956	29,323	1	4	2	8	6	5	23	27	31	..	..	1	33	93	65	205	343	265	20	33	29	1	..	45	..	..	6	86	126	103	1
2	Diphtheria	2	-	1	50	54	81	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	..	-	-	-	-	-	-	2	
3	Dysentery: ⁴	8	16	12	308	258	258	-	-	-	-	-	-	-	-	-	..	..	..	..	1	1	-	2	-	-	-	-	-	-	-	-	-	8	13	5	3	
4	(a) Amoebic	-	-	-	-	1	6	-	-	-	-	-	-	-	-	-	..	..	..	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
5	(b) Bacillary	8	16	12	308	257	257	-	-	-	-	-	-	-	-	-	..	..	..	..	1	1	-	2	-	-	-	-	-	-	-	-	8	13	5	5		
6	Encephalitis, infectious	1	1	1	10	11	16	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	..	..	-	-	-	1	1	-	-	-	-	-	-	-	6	
7	Influenza, epidemic	133	168	35	7,902	36,025	8,814	..	..	..	97	140	..	35	26	21	-	-	-	-	..	..	..	..	1	-	1	1	1	-	-	..	..	..	-	-	3	7
8	Measles	698	1,137	821	38,022	40,340	43,584	2	2	3	19	12	6	18	20	16	..	..	2	141	190	187	452	762	222	14	38	23	..	..	22	25	37	101	27	76	160	8
9	Meningitis, meningococcal	4	8	6	170	163	160	-	-	-	..	..	..	1	2	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	..	..	..	2	3	-	9
10	Mumps	295	417	314	20,386	18,707	26,769	-	-	1	10	8	-	-	3	4	..	..	..	23	45	36	193	259	130	9	21	15	..	..	24	..	..	11	60	81	67	10
11	Poliomyelitis, epidemic: ⁴	2	2	29	72	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	9	-	-	1	1	-	1	-	3	-	1	4	11	
12	(a) With paralysis	2	2	13	45	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	-	-	1	-	-	-	-	-	-	1	2	12	
13	(b) Without paralysis	-	-	13	21	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	2	13	
14	Rubella	566	974	172	47,524	16,777	8,474	-	1	-	..	..	..	12	38	8	..	..	..	70	152	12	208	497	57	2	1	-	..	..	2	19	19	10	255	266	34	14
15	Scarlet fever, etc. ⁵	172	170	200	8,030	5,731	8,862	1	1	6	21	7	3	66	34	-	-	-	1	6	16	38	58	85	30	1	3	8	1	3	9	4	10	24	14	11	21	15
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
17	Tuberculosis: ⁴	171	167	185	4,596	4,773	5,295	8	10	8	1	1	-	1	1	4	14	3	11	41	54	70	13	24	26	17	6	14	10	-	7	24	28	16	42	40	20	17
18	(a) Pulmonary	145	134	163	3,745	3,865	4,221	8	10	8	-	1	-	1	1	4	13	-	11	40	53	69	(6)	(6)	(6)	16	6	14	8	-	6	23	26	14	36	37	18	18
19	(b) Non-pulmonary	13	9	6	276	310	259	-	-	-	1	-	-	-	-	-	1	3	-	1	1	2	(6)	(6)	(6)	1	-	-	2	-	1	1	2	2	6	3	1	19
20	Typhoid and paratyphoid	6	11	4	203	127	224	1	2	-	-	-	-	-	-	-	1	-	-	1	5	1	1	1	-	-	-	1	-	-	-	-	-	-	1	3	-	20
21	Undulant fever	-	3	2	76	57	62	-	-	-	-	-	-	-	-	-	..	..	..	..	1	1	-	1	1	-	1	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	273	282	328	7,961	8,305	8,770	2	-	6	-	-	-	2	8	6	6	2	8	46	50	85	29	46	57	17	21	28	30	23	20	54	56	42	87	76	61	22
23	(a) Syphilis, primary	1	2	5	50	58	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	23	
24	(b) " secondary	1	1	1	23	20	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	24	
25	(c) " other	30	36	45	952	1,187	1,368	-	-	2	-	-	-	-	2	-	-	-	-	14	19	25	5	5	9	2	-	1	2	4	2	1	2	1	6	6	2	25
26	(d) Gonorrhoea	241	242	265	6,935	7,027	7,027	2	-	5	-	-	-	2	8	2	6	2	5	32	31	58	24	40	40	15	20	27	27	19	16	52	52	41	81	70	61	26
27	(e) Other venereal diseases ⁷	-	1	-	1	13	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	27	
28	Whooping cough	93	130	123	4,480	7,032	4,344	-	-	1	13	39	-	2	3	-	-	-	1	23	54	31	9	10	33	16	8	5	5	-	5	1	5	21	24	11	19	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 20 (17); Measles 13,304 (6,735); Meningitis, other 29 (35); Poliomyelitis, with paralysis 132 (94); Smallpox - (-); Undulant fever 23 (24); Encephalitis infectious 35 (32); Meningococcal infections 39 (49); Poliomyelitis, acute 256 (180); Poliomyelitis, without paralysis 84 (55); Typhoid fever 35 (46);

The communicable disease picture for the first half of 1956 is favorable in some respects and less so in others. A substantial decrease has occurred in the incidence of poliomyelitis. Reported cases for the first 6 months numbered 2,654 compared with 3,706 for the same period in 1955. Other diseases showing decreases in incidence during this period over that of last year are: undulant fever, from 606 cases to 506; meningococcal infections, from 2,161 to 1,671.

Increases were noted in 2 diseases of major health importance, namely, diphtheria and typhoid fever. The incidence of diphtheria began increasing during the latter half of 1955 and continued through the first 4 months of 1956. Since the first of the year 825 cases have been reported compared with 709 for the same period of 1955. The incidence of typhoid fever began increasing early this year and large numbers of cases are still being reported. To date 846 cases have been reported compared with 696 for the first 6 months of 1955. The number of encephalitis cases (770) is greater than that (681) for the first half of 1955. Measles also showed an increase of 543,686 as compared with 492,510 last year.