

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended July 21, 1956, in comparison with the previous week¹, and the 5-year (1951-55) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1951-55	Cumulative Total ³			Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55				
					1956	1955	Median 1951-55																															
1	Chickenpox	301	252	307	25,674	23,751	31,067	12	3	1	1	-	6	18	27	11	..	..	1	112	41	29	88	130	95	4	7	20	..	..	21	..	..	12	66	44	55	1
2	Diphtheria	4	1	2	56	60	85	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	
3	Dysentery: ⁴	20	23	18	357	316	316	-	-	-	-	-	-	-	-	-	..	..	..	..	..	3	2	1	2	-	-	-	3	14	-	1	-	-	14	8	11	3
4	(a) Amoebic	-	-	-	-	2	7	-	-	-	-	-	-	-	-	-	..	..	..	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
5	(b) Bacillary	20	23	18	357	314	314	-	-	-	-	-	-	-	-	-	..	..	..	..	..	3	2	1	2	-	-	-	3	14	-	1	-	-	14	8	11	5
6	Encephalitis, infectious	-	-	1	10	14	18	-	-	-	..	..	..	-	-	-	..	..	..	..	..	..	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	127	148	18	8,318	36,126	8,918	..	..	..	84	126	..	34	22	11	-	-	-	-	-	9	..	..	1	-	-	-	-	-	..	..	..	-	-	-	-	7
8	Measles	552	495	466	39,564	42,113	45,800	2	1	3	1	10	7	28	13	22	..	..	1	254	188	78	180	219	151	7	10	19	..	..	6	28	25	72	52	29	67	8
9	Meningitis, meningococcal	1	4	2	177	183	168	-	-	-	..	..	..	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	..	..	..	-	-	-	2	-	9
10	Mumps	138	198	186	20,909	19,205	27,491	-	-	1	4	7	1	-	1	12	..	..	..	24	45	23	77	91	80	4	4	13	2	1	9	..	..	16	27	49	22	10
11	Poliomyelitis, epidemic: ⁴	11	2	95	91	219	259	-	-	1	-	-	-	-	-	1	-	-	3	3	-	6	1	2	34	-	-	3	1	-	2	3	-	11	3	-	10	11
12	(a) With paralysis	6	-	25	55	127	127	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	-	-	5	-	-	1	(6)	-	1	3	-	-	-	3	12	
13	(b) Without paralysis	4	2	58	28	79	115	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	2	29	-	-	2	(6)	-	-	-	-	2	3	-	8	13
14	Rubella	251	242	58	48,333	17,122	8,796	-	1	-	..	..	..	8	6	1	..	..	..	111	91	5	49	52	30	-	-	-	..	1	3	16	11	11	67	80	9	14
15	Scarlet fever, etc. ⁵	117	112	110	8,405	6,025	9,139	3	1	1	25	10	2	12	22	6	21	1	1	16	17	14	29	20	12	1	1	14	1	24	2	3	7	8	6	9	14	15
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
17	Tuberculosis: ⁴	247	138	188	5,156	5,375	5,900	3	6	20	3	-	-	-	1	1	15	9	7	155	47	57	11	22	22	13	13	19	-	8	9	29	9	17	18	23	31	17
18	(a) Pulmonary	218	109	155	4,217	4,368	4,728	3	6	19	2	-	-	-	1	1	14	9	7	149	46	52	(6)	(6)	(6)	12	13	19	-	4	8	22	9	17	16	21	26	18
19	(b) Non-pulmonary	18	7	10	308	350	296	-	-	-	1	-	-	-	-	-	1	-	-	6	1	5	(6)	(6)	(6)	1	-	-	-	4	1	7	..	1	2	2	4	19
20	Typhoid and paratyphoid	1	7	7	219	152	232	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	1	5	-	20
21	Undulant fever	-	-	2	78	69	70	-	-	-	-	-	-	-	-	-	..	..	..	..	..	1	-	-	1	-	-	-	-	-	..	..	..	-	-	-	-	21
22	Venereal diseases:	258	334	345	8,822	9,288	9,817	11	11	7	1	-	-	5	5	11	5	10	7	85	75	81	(8)	34	65	18	17	30	36	41	32	57	58	57	40	83	56	22
23	(a) Syphilis, primary	4	5	4	59	60	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	3	4	-	1	-	-	23	
24	(b) " secondary	-	-	1	23	21	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	
25	(c) " other	34	26	56	1,039	1,360	1,520	-	-	1	1	-	-	5	2	4	-	-	-	18	13	29	-	2	14	1	2	2	-	-	1	5	-	4	4	7	6	25
26	(d) Gonorrhoea	220	302	282	7,699	7,833	7,833	11	11	5	-	-	-	-	3	8	5	10	7	67	62	48	-	31	49	17	15	28	36	40	29	49	54	52	35	76	50	26
27	(e) Other venereal diseases ⁷	-	1	-	2	14	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	27	
28	Whooping cough	112	91	127	4,789	7,515	4,692	-	-	-	1	9	1	-	-	4	-	-	-	67	41	37	14	22	43	6	7	4	3	-	6	2	3	15	19	9	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. (8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 15 (9); Measles 5,190 (7,402); Meningitis, other 44 (21); Poliomyelitis, with paralysis 279 (212); Smallpox - (-); Undulant fever 26 (18); Encephalitis infectious 39 (33); Meningococcal infections 45 (40); Poliomyelitis, acute 533 (435); Poliomyelitis, without paralysis 182 (159); Typhoid fever 49 (28).

From the beginning of the present poliomyelitis disease year on April 1, the incidence of poliomyelitis has followed the usual seasonal pattern of a gradual rise until late in June, and an acceleration in recent weeks. The pattern differs from that of recent years in that the incidence has been at a lower level than that for any year since 1947. The higher proportion of paralytic cases which was noted earlier in the year is being maintained.

Only a few states have reported more cases so far this year as compared with the 1955 period. These are Illinois, Missouri, Louisiana, Arizona and California. The high incidence in Illinois has been confined to Chicago. For the city as a whole the rate since April 1, is about 7 per 100,000 population. New Orleans has also reported a relatively large number of cases, but the rate is only about 5 and there is no indication of a rapid increase from week to week as in Chicago.

EPIDEMIC REPORTS: Rubella - Nfld. reports epidemic at Channel and Port-aux-Basques.