

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended August 4, 1956, in comparison with the previous week¹, and the 5-year (1951-55) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1951-55	Cumulative Total ³			Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55				
					1956	1955	Median 1951-55																															
1	Chickenpox	188	226	173	26,088	24,065	31,886	2	1	2	1	-	4	21	9	6	..	..	..	55	54	24	63	109	46	20	12	9	..	..	4	..	..	7	26	41	30	1
2	Diphtheria	1	3	2	60	63	87	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
3	Dysentery: ⁴	19	9	21	385	358	358	-	-	-	-	-	-	-	-	-	..	..	..	1	..	3	2	-	1	-	-	2	-	-	-	-	-	-	16	9	14	3
4	(a) Amoebic	-	-	-	-	2	7	-	-	-	-	-	-	-	-	-	..	..	..	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
5	(h) Bacillary	19	9	21	385	356	356	-	-	-	-	-	-	-	-	-	..	..	..	1	..	3	2	-	1	-	-	2	-	-	-	-	-	-	16	9	14	5
6	Encephalitis, infectious	1	1	-	12	14	19	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	1	1	..	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	90	64	17	8,472	36,266	8,956	..	..	..	66	61	..	21	2	14	-	-	-	..	..	..	2	1	2	1	-	2	-	-	-	..	..	..	-	-	-	7
8	Measles	247	396	259	40,209	42,790	46,631	-	3	2	-	-	2	12	33	5	..	..	1	59	73	53	125	184	53	10	18	10	..	..	15	14	37	53	27	48	37	8
9	Meningitis, meningococcal	7	4	2	189	188	172	-	1	-	..	..	..	-	-	-	3	1	-	2	-	-	2	2	1	-	-	-	-	-	..	..	..	-	-	-	9	
10	Mumps	128	150	147	21,187	19,510	27,836	1	-	3	-	-	1	-	1	2	..	..	..	20	17	24	64	110	65	4	4	8	..	..	9	..	..	9	39	18	34	10
11	Poliomyelitis, epidemic: ⁴	10	8	189	111	307	581	-	-	1	1	-	-	-	-	4	-	-	3	-	3	14	1	-	60	-	-	15	4	-	10	2	3	28	2	2	5	11
12	(a) With paralysis	4	5	82	66	164	206	-	-	1	-	-	-	-	-	2	-	-	1	-	3	11	1	-	12	-	-	9	1	-	5	-	1	-	2	1	3	12
13	(b) Without paralysis	5	3	105	36	122	230	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	48	-	-	6	2	-	3	2	2	2	-	1	3	13
14	Rubella	283	160	53	48,776	17,252	8,894	5	-	-	..	..	..	2	10	-	..	..	..	181	36	4	43	60	13	2	-	-	..	..	1	14	8	9	36	46	7	14
15	Scarlet fever, etc. ⁵	79	90	87	8,574	6,182	9,264	1	-	5	14	20	4	12	14	14	-	-	1	6	12	13	25	23	16	1	-	6	5	11	4	8	2	6	7	8	15	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
17	Tuberculosis: ⁴	162	194	211	5,512	5,715	6,289	10	24	4	1	1	2	-	-	-	13	12	12	51	83	60	19	17	18	26	11	11	1	7	11	13	17	17	28	22	21	17
18	(a) Pulmonary	129	165	173	4,511	4,644	5,067	10	23	4	-	1	1	-	-	-	9	11	12	50	77	56	(6)	(6)	(6)	23	9	11	-	7	7	11	16	16	26	21	21	18
19	(b) Non-pulmonary	14	12	7	334	378	322	-	1	-	1	-	1	-	-	-	4	1	-	1	6	2	(6)	(6)	(6)	3	2	-	1	-	2	2	1	1	2	1	2	19
20	Typhoid and paratyphoid	13	15	6	247	174	254	-	-	-	-	-	-	-	-	-	-	-	-	11	4	4	-	1	-	-	-	-	-	-	-	2	7	-	-	3	-	20
21	Undulant fever	13	4	1	95	72	77	-	-	-	-	-	-	-	-	-	..	..	..	11	..	..	2	3	-	-	1	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	314	313	380	9,490	10,022	10,532	10	8	14	-	2	1	6	4	5	6	7	10	58	70	101	(8)	35	51	25	20	26	29	32	32	62	56	58	118	79	72	22
23	(a) Syphilis, primary	-	-	3	59	65	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	
24	(b) " secondary	2	2	-	27	23	73	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	24	
25	(c) " other	24	29	41	1,104	1,432	1,606	1	-	3	-	-	-	-	-	-	-	-	1	14	20	17	-	3	10	2	1	-	3	1	2	3	-	1	1	4	4	25
26	(d) Gonorrhoea	288	282	316	8,298	8,488	8,510	9	8	11	-	2	-	6	4	5	6	7	9	43	49	79	-	32	43	23	18	26	26	31	30	58	56	52	117	75	64	26
27	(e) Other venereal diseases ⁷	-	-	-	2	14	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
28	Whooping cough	165	130	185	5,084	7,987	4,929	-	-	-	8	11	1	1	-	2	-	1	-	66	57	64	11	10	43	6	14	6	6	-	7	29	6	18	38	31	12	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. ... Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 14 (25); Measles 2,821 (3,416); Meningitis, other 17 (29); Poliomyelitis, with paralysis 328 (288); Smallpox - (-); Undulant fever 29 (20);
Encephalitis infectious 58 (52); Meningococcal infections 32 (30); Poliomyelitis, acute 753 (658); Poliomyelitis, without paralysis 298 (258); Typhoid fever 39 (52);

(8) Report not received

The number of poliomyelitis cases for the current week is 753. Figures for the same week of the previous 5 years are: 1,409 in 1955; 1,608 in 1954; 1,870 in 1953; 2,306 in 1952; and 1,200 in 1951. Only 2 states reported 50 or more cases for the current week and for the same week last year 6 reported. For the current week there were 147 cases in Chicago, of which number 90 were paralytic, and there were 2 deaths. The increase in incidence in Utah, first noted last week, is reported to have occurred in the Salt Lake City area. The disease made its appearance early in June and in addition to the 45 cases officially reported during the past 3 weeks, other suspect cases are under investigation. Type 1 virus has been isolated from specimens obtained from several cases.