

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 11, 1956, in comparison with the previous week¹, and the 5-year (1951-55) Median

DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
	Report Week	Previous Week	Median 1951-55	Cumulative Total ³			Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55	Report Week	Previous Week	Median 1951-55				
				1956	1955	Median 1951-55																															
measles	133	196	173	26,229	24,147	32,097	2	2	1	-	1	-	9	29	8	..	..	..	35	55	25	61	63	54	10	20	10	..	..	16	..	..	8	16	26	31	1
diphtheria	-	1	2	60	66	88	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
tetanus	14	19	19	399	377	377	-	-	-	-	-	-	-	-	-	..	..	..	..	1	..	2	2	1	-	-	-	-	-	3	-	-	-	12	16	8	3
botulism	-	-	-	-	2	7	-	-	-	-	-	-	-	-	-	..	..	..	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
erysipelas	14	19	19	399	375	375	-	-	-	-	-	-	-	-	-	..	..	..	..	1	..	2	2	1	-	-	-	-	-	3	-	-	-	12	16	8	5
scarlet fever	3	1	1	15	14	20	-	-	-	..	..	..	-	-	-	-	-	-	..	..	-	2	1	..	1	-	-	-	-	-	-	-	-	-	-	-	6
typhoid epidemic	84	92	26	8,558	36,375	8,958	..	..	..	79	66	..	5	23	22	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	..	..	..	-	-	-	7
typhus	423	248	240	40,633	43,078	46,789	4	-	2	-	-	2	30	13	12	..	..	..	172	59	57	118	125	40	3	10	9	7	..	9	18	14	54	71	27	33	8
dysentery, bacillary	2	7	2	191	195	195	-	-	-	..	..	..	-	-	-	-	3	-	-	2	-	1	2	1	-	-	-	1	-	-	..	..	..	-	-	-	9
shigellosis	134	131	116	21,324	19,605	27,971	1	1	-	-	-	2	1	3	3	..	..	..	34	20	23	67	64	47	9	4	8	..	..	9	..	..	3	22	39	13	10
typhus, epidemic: 4	24	12	204	137	372	794	-	-	-	-	1	1	-	-	4	-	-	3	5	-	14	5	3	64	-	-	15	2	4	12	5	2	20	7	2	11	11
paralysis	8	5	71	75	206	299	-	-	-	-	-	1	-	-	4	-	-	-	3	-	14	3	2	16	-	-	9	1	1	3	-	-	1	1	2	5	12
post-paralysis	15	6	121	52	143	341	-	-	-	-	1	-	-	-	-	-	-	3	2	-	1	2	1	48	-	-	6	-	2	5	5	2	7	6	-	8	13
polio, etc. 5	94	283	33	48,870	17,284	8,920	-	5	-	..	..	..	2	2	1	..	..	..	41	181	4	25	43	6	-	2	-	..	..	2	12	14	10	14	36	10	14
polio, etc.	71	90	59	8,659	6,243	9,306	-	1	1	12	14	3	26	23	8	-	-	1	6	6	16	16	25	9	2	1	3	-	5	7	3	8	6	6	7	8	15
polio, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
polio, etc.	176	163	226	5,689	6,040	6,534	10	10	14	2	1	1	1	1	2	13	13	6	48	51	105	26	19	17	25	26	23	22	1	11	-	13	11	29	28	28	17
polio, etc.	138	130	190	4,650	4,932	5,246	10	10	13	2	-	-	1	1	2	11	9	6	47	50	102	(6)	(6)	(6)	25	23	23	15	-	10	-	11	11	27	26	24	18
polio, etc.	12	14	11	346	398	326	-	-	-	-	1	-	-	-	-	2	4	-	1	1	3	(6)	(6)	(6)	-	3	-	7	1	3	..	2	..	2	2	3	19
polio, etc.	10	13	16	257	184	265	-	-	-	-	-	-	-	-	-	-	-	-	10	11	13	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	20
polio, etc.	2	13	6	97	74	78	-	-	-	-	-	-	-	-	-	..	..	..	1	11	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	21
polio, etc.	334	348	359	9,858	10,370	10,525	5	10	9	-	-	-	9	6	10	4	6	6	99	58	95	60	34	68	21	25	25	39	29	31	50	62	50	47	118	57	22
polio, etc.	3	-	3	62	65	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	23
polio, etc.	1	2	2	28	24	73	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	24
polio, etc.	23	27	52	1,130	1,487	1,487	-	1	1	-	-	-	1	-	1	-	-	1	13	14	22	6	3	14	-	2	2	1	3	1	1	3	1	1	1	4	25
polio, etc.	307	319	311	8,636	8,780	8,826	5	9	8	-	-	-	8	6	9	3	6	5	86	43	80	53	31	51	20	23	24	38	26	29	48	58	50	46	117	54	26
polio, etc.	-	-	1	2	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
polio, etc.	136	165	284	5,220	8,332	5,045	1	-	-	4	8	-	-	1	5	-	-	1	87	66	86	19	11	52	4	6	7	10	6	8	9	29	15	2	38	13	28

Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

NOTES: (1) IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

a. Measles 8 (14); Meningitis, other 1,932 (2,846); Poliomyelitis, with paralysis 360 (331); Smallpox - (-); Undulant fever 27 (29); Typhoid fever 45 (39); Meningococcal infections 31 (32); Poliomyelitis, acute 883 (759); Poliomyelitis, without paralysis 376 (298); Typhoid fever 45 (39);

Number of cases of poliomyelitis reported for the current week is 883 as compared with 1,785 for the same period last year. The median figure for the 5-year period 1951-55 is 1,904. From 759 for the week ended August 4 was general and no state or geographic division showed a marked increase over the previous week. A total of 166 cases, of which number 103 were reported in Chicago for the week ended August 11. Seven deaths were reported. The total number of cases reported since January 1 in Chicago is now 638. Proportion of paralytic cases for the country as a whole is gradually decreasing, but remains relatively high in certain states. The proportion of paralytic cases for 4 states (Illinois, Texas, and California) for the 4 weeks ended August 4 was about 59 per cent, whereas that for the remainder of the country was only 33 per cent. These states, except Texas, are higher total this year as compared with the same period of 1955, and in each of them a relatively high proportion of the total cases has been under 5 years of age.