




Analysis of components of food production for sustainability in Canada



Chris Bunio, Cuneyt Akcora.

S. Moraga ¹, E. Pacheco ², T. Pender ³, I. Vinícius ⁴, S. Yeal ⁵



¹Department of Mathematics. Simon Fraser University. Canada. ²Department of Mathematics and Statistics, University of Calgary.

³Department of Mathematics and Computer Science, University of Lethbridge. ⁴Department of . . . , University of . . .

⁵Department of . . . , University of . . .

August 26, 2021

Outline

1 Introduction

2 Problem

3 Why it matters

4 Results achieved

5 Data analysis

TheoryMesh and food sustainability challenges

A bit background

Co-founders:

- Chris Bunio (mentor), Paul Westdal, Sephanie Westdal, Anne Kirk.
- Started 2019.
- Increasing transparency in the food supply chain.

Vision and Goals

- 1 Provide the platform to integrate data from first inputs to consumer purchase, creating a traceable, efficient and intelligent supply chain.
- 2 Certification.
- 3 Traceability.
- 4 Sustainability.

Outline

1 Introduction

2 Problem

3 Why it matters

4 Results achieved

5 Data analysis

The problem proposed

Expectations


TheoryMesh's goals from the PIMS can be presented as:

- Model and predict the environmental impact from agricultural practices.
- Complement the current TheoryMesh system.
- Combine both systems to measure and predict sustainability levels of products and companies.

Outline

- 1 Introduction
- 2 Problem
- 3 Why it matters**
- 4 Results achieved
- 5 Data analysis

Impact on production and producers



- From data to information.
- Decisions driven by real time analysis.
- A plan of action based on accurate data.
- Identifying trends that could turn into profit.

Outline


- 1 Introduction
- 2 Problem
- 3 Why it matters
- 4 Results achieved**
- 5 Data analysis

Availability of information for producers



- Information is power.
- Currently, the relevant information resides in technical journals that is penetrable only for researchers and experts in the field.
- Needs to be available/intelligible to producers.
- The general sentiment conveyed by industry participants:
 - There needs to be a change in the way that information is disseminated.
 - It used to be that the when/where/how questions of crop production were passed by word of mouth: “Do this because it has always worked.”
 - This is no longer tenable with the rapidly changing climate/environmental conditions.
 - Over the coming decades that will span a contemporary producer’s career, they will invariably need to adjust their approaches.

What can be gleaned from the data?



- $K = K(x_1, x_2, \dots, x_n)$, where no x_i is a temporal variable.



Factors Affecting K



Outline


- 1 Introduction
- 2 Problem
- 3 Why it matters
- 4 Results achieved
- 5 Data analysis**

Environmental impact Canada: Amount of indicators from 1984-2017







Correlation between Greenhouse gases and farms



	CO2	CO	GHG	Nox	Sox	VOC	Beef	Pork	Sheep/Lamb	Poultry
CO2	1.00	-0.34	0.50	0.07	-0.19	-0.30	0.02	-0.00	0.59	0.60
CO	-0.34	1.00	0.63	0.89	0.97	1.00	0.90	0.84	-0.77	-0.88
GHG	0.50	0.63	1.00	0.89	0.71	0.66	0.80	0.79	-0.26	-0.29
Nox	0.07	0.89	0.89	1.00	0.91	0.91	0.93	0.91	-0.60	-0.65
Sox	-0.19	0.97	0.71	0.91	1.00	0.97	0.95	0.83	-0.64	-0.82
VOC	-0.30	1.00	0.66	0.91	0.97	1.00	0.91	0.85	-0.77	-0.88
Beef	0.02	0.90	0.80	0.93	0.95	0.91	1.00	0.82	-0.52	-0.72
Pork	-0.00	0.84	0.79	0.91	0.83	0.85	0.82	1.00	-0.53	-0.58
Sheep/Lamb	0.59	-0.77	-0.26	-0.60	-0.64	-0.77	-0.52	-0.53	1.00	0.87
Poultry	0.60	-0.88	-0.29	-0.65	-0.82	-0.88	-0.72	-0.58	0.87	1.00



Growth







References



DMCI STRATEGIES, D. McInnes (2003), Agri-food sustainability targets. A selected overview,



OECD PUBLISHING, K. Parris et-al. (2010), Sustainable management of water resources in agriculture.