



1) Message Logging

Added to my script js file to include Log info, warning, error, table, group, and custom. Tble is not explicitly shown here, however, it is shown in my later screenshot in number 4 which shows a table. Log shows the action chosen, warning is the yellow line, array is the table which is shown in the later screenshot, and custom is the blue line.




2) View messages logged by the browser

Just as I have done for Number 1, I made functions that intentionally cause a 404 network error, TypeError, and violation error. I have also updated the code in my script to reflect this. The screenshot below shows what specifically causes them. For 404 Network error, I made the system look for a nonexistent image. For TypeError, I tried to uppercase an undefined variable. For violation error, I caused a performance error.



3) Filter Messages

Here I use the console to filter out specific messages I am looking for. In this case, I typed error to look for error messages



4) Reproduce a bug + Get Familiar with the Sources UI + Pause the code with a breakpoint + Set a line-of-code breakpoint + Check variable values

Here I intentionally modified line 41 where it was `pet_info.weight += 1;` meaning it would increase the weight after play was chosen. I have then used the sources UI to make this intentional error which I then paused the debugger so it can

intentionally cause a breakpoint. However, I fixed the error in the same sources tab which is shown in the second image and it also shows the displayed table from number 1.

Paused in debugger

Princess the Pitbull

Very friendly pitbull!



Name: Princess

Weight: 10 pounds

Happiness: 12 tail wags (per min)

Energy: 4

Treat

Play

Exercise

Nap

Mood: Ecstatic

Pet Comment

Let's play fetch! I love fetch!

Recent Activity

script.js

jquery-2.2.1.min.js X

Line 3, Column 5524

Coverage: n/a

Debugger paused

Breakpoints

Pause on uncaught exceptions

Pause on caught exceptions

Call Stack

Global Listeners

Console

AI assistance

Filter

Default levels

No issues

Scope

Watch

Local

this: button.action-button.play-button

arguments: Arguments {PointerEvent, c

b: PointerEvent {trusted: true, poi

Closure (add)

Closure

Global

Window

[Princess] Play

[Princess] Action selected: Play

[Princess] Pet info was updated.

VM216 script.js:159

VM216 script.js:160

VM216 script.js:161

VM216 script.js:171

(index)

name

weight

happiness

energy

0

'Princess'

11

10

5

Array(1)

Princess the Pitbull

Very friendly pitbull!



Name: Princess

Weight: 11 pounds

Happiness: 10 tail wags (per min)

Energy: 5

Treat

Play

Exercise

Nap

Mood: Happy

Pet Comment

Let's play fetch! I love fetch!

Recent Activity

script.js X

Line 41, Column 20

Coverage: n/a

Not paused

Breakpoints

Pause on uncaught exceptions

Pause on caught exceptions

Call Stack

Global Listeners

Event Listener Breakpoints

Console

AI assistance

Filter

Default levels

No issues

Scope

Watch

[Princess] Play

[Princess] Action selected: Play

[Princess] Pet info was updated.

script.js:159

script.js:160

script.js:161

script.js:171

(index)

name

weight

happiness

energy

0

'Princess'

11

10

5

Array(1)