

COMANDOS DOCKER

Microsoft Windows [Versión 10.0.17763.1577]

(c) 2018 Microsoft Corporation. Todos los derechos reservados.

```
C:\Users\Administrador>docker --version
```

```
Docker version 20.10.8, build 3967b7d
```

```
C:\Users\Administrador>docker run hello-world
```

```
docker: Error response from daemon: open \\.\pipe\docker_engine_linux: El sistema no puede encontrar el archivo especificado.
```

```
See 'docker run --help'.
```

```
C:\Users\Administrador>docker run hello-world
```

```
Unable to find image 'hello-world:latest' locally
```

```
latest: Pulling from library/hello-world
```

```
2db29710123e: Pull complete
```

```
Digest: sha256:37a0b92b08d4919615c3ee023f7ddb068d12b8387475d64c622ac30f45c29c51
```

```
Status: Downloaded newer image for hello-world:latest
```

```
Hello from Docker!
```

```
This message shows that your installation appears to be working correctly.
```

To generate this message, Docker took the following steps:

1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
(amd64)
3. The Docker daemon created a new container from that image which runs the executable that produces the output you are currently reading.

4. The Docker daemon streamed that output to the Docker client, which sent it to your terminal.

To try something more ambitious, you can run an Ubuntu container with:

```
$ docker run -it ubuntu bash
```

Share images, automate workflows, and more with a free Docker ID:

<https://hub.docker.com/>

For more examples and ideas, visit:

<https://docs.docker.com/get-started/>

```
C:\Users\Administrador>docker pull busybox
```

Using default tag: latest

latest: Pulling from library/busybox

01c2cdc13739: Pull complete

Digest: sha256:15e927f78df2cc772b70713543d6b651e3cd8370abf86b2ea4644a9fba21107f

Status: Downloaded newer image for busybox:latest

[docker.io/library/busybox:latest](https://hub.docker.io/library/busybox:latest)

```
C:\Users\Administrador>docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
busybox	latest	cabb9f684f8b	3 days ago	1.24MB
hello-world	latest	feb5d9fea6a5	5 weeks ago	13.3kB

```
C:\Users\Administrador>docker run busybox
```

```
C:\Users\Administrador>docker run busybox echo "hello from busybox"
```

hello from busybox

C:\Users\Administrador>docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
--------------	-------	---------	---------	--------	-------	-------

C:\Users\Administrador>docker ps -a

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
7fa78f210ace	busybox	"echo 'hello from bu..."	31 seconds ago	Exited (0)	28 seconds ago	dazzling_khayyam
7be60513517f	busybox	"sh"	About a minute ago	Exited (0)	About a minute ago	festive_liskov
add54ad3d5dc	hello-world	"/hello"	4 minutes ago	Exited (0)	4 minutes ago	laughing_ritchie

C:\Users\Administrador>docker run -it busybox sh

/ # ls

bin dev etc home proc root sys tmp usr var

/ # uptime

00:16:51 up 13 min, 0 users, load average: 0.00, 0.01, 0.02

/ # cd home

/home # exit

C:\Users\Administrador>docker ps -a

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
7cf142c06728	busybox	"sh"	9 minutes ago	Exited (0)	13 seconds ago	pensive_wu
7fa78f210ace	busybox	"echo 'hello from bu..."	9 minutes ago	Exited (0)	9 minutes ago	dazzling_khayyam
7be60513517f	busybox	"sh"	10 minutes ago	Exited (0)	10 minutes ago	festive_liskov

add54ad3d5dc hello-world "/hello" 13 minutes ago Exited (0) 13 minutes ago
laughing_ritchie

C:\Users\Administrador>Microsoft Windows [Versión 10.0.17763.1577]

(c) 2018 Microsoft Corporation. Todos los derechos reservados.

C:\Users\Administrador>docker --version

Docker version 20.10.8, build 3967b7d

C:\Users\Administrador>docker run hello-world

docker: Error response from daemon: open \\.\pipe\docker_engine_linux: El sistema no puede encontrar el archivo especificado.

See 'docker run --help'.

C:\Users\Administrador>docker run hello-world

Unable to find image 'hello-world:latest' locally

latest: Pulling from library/hello-world

2db29710123e: Pull complete

Digest: sha256:37a0b92b08d4919615c3ee023f7ddb068d12b8387475d64c622ac30f45c29c51

Status: Downloaded newer image for hello-world:latest

Hello from Docker!

This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:

1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
(amd64)
3. The Docker daemon created a new container from that image which runs the executable that produces the output you are currently reading.

4. The Docker daemon streamed that output to the Docker client, which sent it to your terminal.

To try something more ambitious, you can run an Ubuntu container with:

```
$ docker run -it ubuntu bash
```

Share images, automate workflows, and more with a free Docker ID:

<https://hub.docker.com/>

For more examples and ideas, visit:

<https://docs.docker.com/get-started/>

```
C:\Users\Administrador>docker pull busybox
```

Using default tag: latest

latest: Pulling from library/busybox

01c2cdc13739: Pull complete

Digest: sha256:15e927f78df2cc772b70713543d6b651e3cd8370abf86b2ea4644a9fba21107f

Status: Downloaded newer image for busybox:latest

[docker.io/library/busybox:latest](https://hub.docker.io/library/busybox:latest)

```
C:\Users\Administrador>docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
busybox	latest	cabb9f684f8b	3 days ago	1.24MB
hello-world	latest	feb5d9fea6a5	5 weeks ago	13.3kB

```
C:\Users\Administrador>docker run busybox
```

```
C:\Users\Administrador>docker run busybox echo "hello from busybox"
```

hello from busybox

C:\Users\Administrador>docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
--------------	-------	---------	---------	--------	-------	-------

C:\Users\Administrador>docker ps -a

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
7fa78f210ace	busybox	"echo 'hello from bu..."	31 seconds ago	Exited (0)	28 seconds ago	dazzling_khayyam
7be60513517f	busybox	"sh"	About a minute ago	Exited (0)	About a minute ago	festive_liskov
add54ad3d5dc	hello-world	"/hello"	4 minutes ago	Exited (0)	4 minutes ago	laughing_ritchie

C:\Users\Administrador>docker run -it busybox sh

/ # ls

bin dev etc home proc root sys tmp usr var

/ # uptime

00:16:51 up 13 min, 0 users, load average: 0.00, 0.01, 0.02

/ # cd home

/home # exit

C:\Users\Administrador>docker ps -a

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
7cf142c06728	busybox	"sh"	9 minutes ago	Exited (0)	13 seconds ago	pensive_wu
7fa78f210ace	busybox	"echo 'hello from bu..."	9 minutes ago	Exited (0)	9 minutes ago	dazzling_khayyam
7be60513517f	busybox	"sh"	10 minutes ago	Exited (0)	10 minutes ago	festive_liskov

add54ad3d5dc hello-world "/hello"
laughing_ritchie

13 minutes ago Exited (0) 13 minutes ago

```
C:\Users\Administrador>docker rm 7cf142c06728  
7cf142c06728
```

```
C:\Users\Administrador>docker pull jupyter/base-notebook
```

Using default tag: latest

latest: Pulling from jupyter/base-notebook

7b1a6ab2e44d: Pull complete

aae7ac7ba423: Pull complete

ac5e015e0bca: Pull complete

d7ee77f7580c: Pull complete

a5db759ff9c8: Pull complete

c464ee64836c: Pull complete

ae5313d07705: Pull complete

0c52b58dd46b: Pull complete

6030cc7cf343: Pull complete

25203b1e1be1: Pull complete

464a3cf035e8: Pull complete

Digest: sha256:5876e42c22c5df950880518f13f9c8e08b2c8fd50d1072519887735c14ee63f7

Status: Downloaded newer image for jupyter/base-notebook:latest

docker.io/jupyter/base-notebook:latest

```
C:\Users\Administrador>docker run -p 8888:8888 jupyter/base-notebook
```

WARN: Jupyter Notebook deprecation notice <https://github.com/jupyter/docker-stacks#jupyter-notebook-deprecation-notice>.

Executing the command: jupyter notebook

[I 03:15:41.046 NotebookApp] Writing notebook server cookie secret to
/home/jovyan/.local/share/jupyter/runtime/notebook_cookie_secret

[W 2021-10-31 03:15:41.611 LabApp] 'ip' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

[W 2021-10-31 03:15:41.611 LabApp] 'port' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

[W 2021-10-31 03:15:41.612 LabApp] 'port' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

[W 2021-10-31 03:15:41.612 LabApp] 'port' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

[I 2021-10-31 03:15:41.620 LabApp] JupyterLab extension loaded from
/opt/conda/lib/python3.9/site-packages/jupyterlab

[I 2021-10-31 03:15:41.620 LabApp] JupyterLab application directory is
/opt/conda/share/jupyter/lab

[I 03:15:41.625 NotebookApp] Serving notebooks from local directory: /home/jovyan

[I 03:15:41.625 NotebookApp] Jupyter Notebook 6.4.5 is running at:

[I 03:15:41.625 NotebookApp]
<http://8a319cf6b2f6:8888/?token=546eab6027d7c7ffc330b07ca4cfa5978a9f0f5f35047611>

[I 03:15:41.625 NotebookApp] or
<http://127.0.0.1:8888/?token=546eab6027d7c7ffc330b07ca4cfa5978a9f0f5f35047611>

[I 03:15:41.625 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).

[C 03:15:41.630 NotebookApp]

To access the notebook, open this file in a browser:

file:///home/jovyan/.local/share/jupyter/runtime/nbserver-8-open.html

Or copy and paste one of these URLs:

<http://8a319cf6b2f6:8888/?token=546eab6027d7c7ffc330b07ca4cfa5978a9f0f5f35047611>

or <http://127.0.0.1:8888/?token=546eab6027d7c7ffc330b07ca4cfa5978a9f0f5f35047611>

[I 03:17:34.593 NotebookApp] 302 GET
/?token=546eab6027d7c7ffc330b07ca4cfa5978a9f0f5f35047611 (172.17.0.1) 1.640000ms

[I 03:18:14.830 NotebookApp] Creating new notebook in

[I 03:18:15.359 NotebookApp] Writing notebook-signing key to
/home/jovyan/.local/share/jupyter/notebook_secret

[W 03:18:16.675 NotebookApp] 404 GET
/nbextensions/widgets/notebook/js/extension.js?v=20211031031541 (172.17.0.1) 12.930000ms
referer=http://127.0.0.1:8888/notebooks/Untitled.ipynb?kernel_name=python3

Exception in callback <TaskWakeupMethWrapper object at 0x7fd0f91470a0>(<Future
finis...0254\r\n\r\n>)

handle: <Handle <TaskWakeupMethWrapper object at 0x7fd0f91470a0>(<Future
finis...0254\r\n\r\n>)>

Traceback (most recent call last):

File "/opt/conda/lib/python3.9/asyncio/events.py", line 80, in _run

self._context.run(self._callback, *self._args)

RuntimeError: Cannot enter into task <Task pending name='Task-10'
coro=<HTTP1ServerConnection._server_request_loop() running at /opt/conda/lib/python3.9/site-
packages/tornado/http1connection.py:823> wait_for=<Future finished result=b'GET
/api/co...50254\r\n\r\n> cb=[IOLoop.add_future.<locals>.<lambda>()] at
/opt/conda/lib/python3.9/site-packages/tornado/ioloop.py:688]> while another task <Task
pending name='Task-2' coro=<KernelManager._async_start_kernel() running at
/opt/conda/lib/python3.9/site-packages/jupyter_client/manager.py:332>> is being executed.

Exception in callback <TaskWakeupMethWrapper object at 0x7fd0f9108310>(<Future
finis...0254\r\n\r\n>)

handle: <Handle <TaskWakeupMethWrapper object at 0x7fd0f9108310>(<Future
finis...0254\r\n\r\n>)>

Traceback (most recent call last):

File "/opt/conda/lib/python3.9/asyncio/events.py", line 80, in _run

self._context.run(self._callback, *self._args)

RuntimeError: Cannot enter into task <Task pending name='Task-1'
coro=<HTTP1ServerConnection._server_request_loop() running at /opt/conda/lib/python3.9/site-
packages/tornado/http1connection.py:823> wait_for=<Future finished result=b'GET
/kernel...50254\r\n\r\n> cb=[IOLoop.add_future.<locals>.<lambda>()] at
/opt/conda/lib/python3.9/site-packages/tornado/ioloop.py:688]> while another task <Task
pending name='Task-2' coro=<KernelManager._async_start_kernel() running at
/opt/conda/lib/python3.9/site-packages/jupyter_client/manager.py:337>> is being executed.

[I 03:18:16.777 NotebookApp] Kernel started: 51ef87c0-f4fa-49ba-a34d-b37e68721820, name:
python3

[I 03:20:16.742 NotebookApp] Saving file at /Untitled.ipynb

C:\Users\Administrador>docker stop sad_nobel

sad_nobel

```
C:\Users\Administrador>docker network create --driver bridge my_test_network
```

1533dcfdd4a956e2c74c939abd6be2bc11b58ea2b2ed5c2d4d08abada87a50c4

```
C:\Users\Administrador>docker run -it --network my_test_network -e
"MYSQL_ROOT_PASSWORD=root123" -e "MYSQL_DATABASE=test" -e
"MYSQL_PASSWORD=test123" mysql:5.7.35
```

Unable to find image 'mysql:5.7.35' locally

5.7.35: Pulling from library/mysql

b380bbd43752: Pull complete

f23cbf2ecc5d: Pull complete

30cfc6c29c0a: Pull complete

b38609286cbe: Pull complete

8211d9e66cd6: Pull complete

2313f9eeca4a: Pull complete

7eb487d00da0: Pull complete

bb9cc5c700e7: Pull complete

88676eb32344: Pull complete

8fea0b38a348: Pull complete

3dc585bfc693: Pull complete

Digest: sha256:b8814059bbd9c80b78fe4b2b0b70cd70fe3772b3c5d8ee1edfa46791db3224f9

Status: Downloaded newer image for mysql:5.7.35

2021-10-31 03:44:10+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 5.7.35-1debian10 started.

2021-10-31 03:44:10+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'

2021-10-31 03:44:10+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 5.7.35-1debian10 started.

2021-10-31 03:44:10+00:00 [Warn] [Entrypoint]: MYSQL_PASSWORD specified, but missing MYSQL_USER; MYSQL_PASSWORD will be ignored

2021-10-31 03:44:10+00:00 [Note] [Entrypoint]: Initializing database files

2021-10-31T03:44:10.940990Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

2021-10-31T03:44:11.789659Z 0 [Warning] InnoDB: New log files created, LSN=45790

2021-10-31T03:44:12.251823Z 0 [Warning] InnoDB: Creating foreign key constraint system tables.

2021-10-31T03:44:12.502261Z 0 [Warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: cff37003-39fc-11ec-b725-0242ac120002.

2021-10-31T03:44:12.564145Z 0 [Warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened.

2021-10-31T03:44:13.190381Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:44:13.190412Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:44:13.190840Z 0 [Warning] CA certificate ca.pem is self signed.

2021-10-31T03:44:13.467096Z 1 [Warning] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.

2021-10-31 03:44:49+00:00 [Note] [Entrypoint]: Database files initialized

2021-10-31 03:44:49+00:00 [Note] [Entrypoint]: Starting temporary server

2021-10-31 03:44:49+00:00 [Note] [Entrypoint]: Waiting for server startup

2021-10-31T03:44:49.643625Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

2021-10-31T03:44:49.644894Z 0 [Note] mysqld (mysqld 5.7.35) starting as process 79 ...

2021-10-31T03:44:49.647412Z 0 [Note] InnoDB: PUNCH HOLE support available

2021-10-31T03:44:49.647461Z 0 [Note] InnoDB: Mutexes and rw_locks use GCC atomic builtins

2021-10-31T03:44:49.647467Z 0 [Note] InnoDB: Uses event mutexes

2021-10-31T03:44:49.647469Z 0 [Note] InnoDB: GCC builtin __atomic_thread_fence() is used for memory barrier

2021-10-31T03:44:49.647472Z 0 [Note] InnoDB: Compressed tables use zlib 1.2.11

2021-10-31T03:44:49.647474Z 0 [Note] InnoDB: Using Linux native AIO

2021-10-31T03:44:49.647729Z 0 [Note] InnoDB: Number of pools: 1

2021-10-31T03:44:49.647933Z 0 [Note] InnoDB: Using CPU crc32 instructions

2021-10-31T03:44:49.649891Z 0 [Note] InnoDB: Initializing buffer pool, total size = 128M, instances = 1, chunk size = 128M

2021-10-31T03:44:49.659466Z 0 [Note] InnoDB: Completed initialization of buffer pool

2021-10-31T03:44:49.662675Z 0 [Note] InnoDB: If the mysqld execution user is authorized, page cleaner thread priority can be changed. See the man page of setpriority().

2021-10-31T03:44:49.673901Z 0 [Note] InnoDB: Highest supported file format is Barracuda.

2021-10-31T03:44:49.946205Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables

2021-10-31T03:44:49.946291Z 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...

2021-10-31T03:44:50.026205Z 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.

2021-10-31T03:44:50.028481Z 0 [Note] InnoDB: 96 redo rollback segment(s) found. 96 redo rollback segment(s) are active.

2021-10-31T03:44:50.028584Z 0 [Note] InnoDB: 32 non-redo rollback segment(s) are active.

2021-10-31T03:44:50.029820Z 0 [Note] InnoDB: Waiting for purge to start

2021-10-31T03:44:50.080368Z 0 [Note] InnoDB: 5.7.35 started; log sequence number 2749524

2021-10-31T03:44:50.080652Z 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool

2021-10-31T03:44:50.080892Z 0 [Note] Plugin 'FEDERATED' is disabled.

2021-10-31T03:44:50.083097Z 0 [Note] InnoDB: Buffer pool(s) load completed at 211031 3:44:50

2021-10-31T03:44:50.089372Z 0 [Note] Found ca.pem, server-cert.pem and server-key.pem in data directory. Trying to enable SSL support using them.

2021-10-31T03:44:50.089423Z 0 [Note] Skipping generation of SSL certificates as certificate files are present in data directory.

2021-10-31T03:44:50.089431Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:44:50.089435Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:44:50.090631Z 0 [Warning] CA certificate ca.pem is self signed.

2021-10-31T03:44:50.090968Z 0 [Note] Skipping generation of RSA key pair as key files are present in data directory.

2021-10-31T03:44:50.241367Z 0 [Warning] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.

2021-10-31T03:44:50.266464Z 0 [Note] Event Scheduler: Loaded 0 events

2021-10-31T03:44:50.266922Z 0 [Note] mysqld: ready for connections.

Version: '5.7.35' socket: '/var/run/mysqld/mysqld.sock' port: 0 MySQL Community Server (GPL)

2021-10-31 03:44:50+00:00 [Note] [Entrypoint]: Temporary server started.

Warning: Unable to load '/usr/share/zoneinfo/iso3166.tab' as time zone. Skipping it.

Warning: Unable to load '/usr/share/zoneinfo/leap-seconds.list' as time zone. Skipping it.

Warning: Unable to load '/usr/share/zoneinfo/zone.tab' as time zone. Skipping it.

Warning: Unable to load '/usr/share/zoneinfo/zone1970.tab' as time zone. Skipping it.

2021-10-31 03:45:01+00:00 [Note] [Entrypoint]: Creating database test

2021-10-31 03:45:01+00:00 [Note] [Entrypoint]: Stopping temporary server

2021-10-31T03:45:01.385124Z 0 [Note] Giving 0 client threads a chance to die gracefully

2021-10-31T03:45:01.385161Z 0 [Note] Shutting down slave threads

2021-10-31T03:45:01.385166Z 0 [Note] Forcefully disconnecting 0 remaining clients

2021-10-31T03:45:01.385170Z 0 [Note] Event Scheduler: Purging the queue. 0 events

2021-10-31T03:45:01.385231Z 0 [Note] Binlog end

2021-10-31T03:45:01.385644Z 0 [Note] Shutting down plugin 'ngram'

2021-10-31T03:45:01.385686Z 0 [Note] Shutting down plugin 'partition'

2021-10-31T03:45:01.385692Z 0 [Note] Shutting down plugin 'BLACKHOLE'

2021-10-31T03:45:01.385716Z 0 [Note] Shutting down plugin 'ARCHIVE'

2021-10-31T03:45:01.385720Z 0 [Note] Shutting down plugin 'PERFORMANCE_SCHEMA'

2021-10-31T03:45:01.385749Z 0 [Note] Shutting down plugin 'MRG_MYISAM'

2021-10-31T03:45:01.385772Z 0 [Note] Shutting down plugin 'MyISAM'

2021-10-31T03:45:01.385813Z 0 [Note] Shutting down plugin 'INNODB_SYS_VIRTUAL'

2021-10-31T03:45:01.385822Z 0 [Note] Shutting down plugin 'INNODB_SYS_DATAFILES'

2021-10-31T03:45:01.385846Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLESPACES'

2021-10-31T03:45:01.385851Z 0 [Note] Shutting down plugin 'INNODB_SYS_FOREIGN_COLS'

2021-10-31T03:45:01.385854Z 0 [Note] Shutting down plugin 'INNODB_SYS_FOREIGN'

2021-10-31T03:45:01.385859Z 0 [Note] Shutting down plugin 'INNODB_SYS_FIELDS'

2021-10-31T03:45:01.385862Z 0 [Note] Shutting down plugin 'INNODB_SYS_COLUMNS'

2021-10-31T03:45:01.385882Z 0 [Note] Shutting down plugin 'INNODB_SYS_INDEXES'

2021-10-31T03:45:01.385888Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLESTATS'

2021-10-31T03:45:01.385891Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLES'

2021-10-31T03:45:01.385894Z 0 [Note] Shutting down plugin 'INNODB_FT_INDEX_TABLE'

2021-10-31T03:45:01.385896Z 0 [Note] Shutting down plugin 'INNODB_FT_INDEX_CACHE'

2021-10-31T03:45:01.385899Z 0 [Note] Shutting down plugin 'INNODB_FT_CONFIG'

2021-10-31T03:45:01.385902Z 0 [Note] Shutting down plugin 'INNODB_FT_BEING_DELETED'

2021-10-31T03:45:01.385906Z 0 [Note] Shutting down plugin 'INNODB_FT_DELETED'

2021-10-31T03:45:01.385909Z 0 [Note] Shutting down plugin 'INNODB_FT_DEFAULT_STOPWORD'

2021-10-31T03:45:01.385911Z 0 [Note] Shutting down plugin 'INNODB_METRICS'

2021-10-31T03:45:01.385914Z 0 [Note] Shutting down plugin 'INNODB_TEMP_TABLE_INFO'

2021-10-31T03:45:01.385917Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_POOL_STATS'

2021-10-31T03:45:01.385919Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_PAGE_LRU'

2021-10-31T03:45:01.385922Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_PAGE'

2021-10-31T03:45:01.385925Z 0 [Note] Shutting down plugin 'INNODB_CMP_PER_INDEX_RESET'

2021-10-31T03:45:01.385928Z 0 [Note] Shutting down plugin 'INNODB_CMP_PER_INDEX'

2021-10-31T03:45:01.385930Z 0 [Note] Shutting down plugin 'INNODB_CMPMEM_RESET'

2021-10-31T03:45:01.385932Z 0 [Note] Shutting down plugin 'INNODB_CMPMEM'

2021-10-31T03:45:01.385940Z 0 [Note] Shutting down plugin 'INNODB_CMP_RESET'

2021-10-31T03:45:01.385944Z 0 [Note] Shutting down plugin 'INNODB_CMP'

2021-10-31T03:45:01.385950Z 0 [Note] Shutting down plugin 'INNODB_LOCK_WAITS'

2021-10-31T03:45:01.385956Z 0 [Note] Shutting down plugin 'INNODB_LOCKS'

2021-10-31T03:45:01.385986Z 0 [Note] Shutting down plugin 'INNODB_TRX'

2021-10-31T03:45:01.385991Z 0 [Note] Shutting down plugin 'InnoDB'

2021-10-31T03:45:01.386072Z 0 [Note] InnoDB: FTS optimize thread exiting.

2021-10-31T03:45:01.386226Z 0 [Note] InnoDB: Starting shutdown...

2021-10-31T03:45:01.487343Z 0 [Note] InnoDB: Dumping buffer pool(s) to
/var/lib/mysql/ib_buffer_pool

2021-10-31T03:45:01.488443Z 0 [Note] InnoDB: Buffer pool(s) dump completed at 211031
3:45:01

2021-10-31T03:45:04.467111Z 0 [Note] InnoDB: Shutdown completed; log sequence number 12659999

2021-10-31T03:45:04.470546Z 0 [Note] InnoDB: Removed temporary tablespace data file: "ibtmp1"

2021-10-31T03:45:04.470603Z 0 [Note] Shutting down plugin 'MEMORY'

2021-10-31T03:45:04.470609Z 0 [Note] Shutting down plugin 'CSV'

2021-10-31T03:45:04.470613Z 0 [Note] Shutting down plugin 'sha256_password'

2021-10-31T03:45:04.470615Z 0 [Note] Shutting down plugin 'mysql_native_password'

2021-10-31T03:45:04.470713Z 0 [Note] Shutting down plugin 'binlog'

2021-10-31T03:45:04.475263Z 0 [Note] mysqld: Shutdown complete

2021-10-31 03:45:05+00:00 [Note] [Entrypoint]: Temporary server stopped

2021-10-31 03:45:05+00:00 [Note] [Entrypoint]: MySQL init process done. Ready for start up.

2021-10-31T03:45:05.569769Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

2021-10-31T03:45:05.570810Z 0 [Note] mysqld (mysqld 5.7.35) starting as process 1 ...

2021-10-31T03:45:05.573095Z 0 [Note] InnoDB: PUNCH HOLE support available

2021-10-31T03:45:05.573124Z 0 [Note] InnoDB: Mutexes and rw_locks use GCC atomic builtins

2021-10-31T03:45:05.573129Z 0 [Note] InnoDB: Uses event mutexes

2021-10-31T03:45:05.573132Z 0 [Note] InnoDB: GCC builtin __atomic_thread_fence() is used for memory barrier

2021-10-31T03:45:05.573134Z 0 [Note] InnoDB: Compressed tables use zlib 1.2.11

2021-10-31T03:45:05.573150Z 0 [Note] InnoDB: Using Linux native AIO

2021-10-31T03:45:05.573397Z 0 [Note] InnoDB: Number of pools: 1

2021-10-31T03:45:05.573501Z 0 [Note] InnoDB: Using CPU crc32 instructions

2021-10-31T03:45:05.575034Z 0 [Note] InnoDB: Initializing buffer pool, total size = 128M, instances = 1, chunk size = 128M

2021-10-31T03:45:05.582430Z 0 [Note] InnoDB: Completed initialization of buffer pool

2021-10-31T03:45:05.584666Z 0 [Note] InnoDB: If the mysqld execution user is authorized, page cleaner thread priority can be changed. See the man page of setpriority().

2021-10-31T03:45:05.595908Z 0 [Note] InnoDB: Highest supported file format is Barracuda.

2021-10-31T03:45:05.706752Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables

2021-10-31T03:45:05.706863Z 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...

2021-10-31T03:45:05.847497Z 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.

2021-10-31T03:45:05.850716Z 0 [Note] InnoDB: 96 redo rollback segment(s) found. 96 redo rollback segment(s) are active.

2021-10-31T03:45:05.850855Z 0 [Note] InnoDB: 32 non-redo rollback segment(s) are active.

2021-10-31T03:45:05.853488Z 0 [Note] InnoDB: 5.7.35 started; log sequence number 12659999

2021-10-31T03:45:05.853706Z 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool

2021-10-31T03:45:05.853966Z 0 [Note] Plugin 'FEDERATED' is disabled.

2021-10-31T03:45:05.857285Z 0 [Note] InnoDB: Buffer pool(s) load completed at 211031 3:45:05

2021-10-31T03:45:05.860276Z 0 [Note] Found ca.pem, server-cert.pem and server-key.pem in data directory. Trying to enable SSL support using them.

2021-10-31T03:45:05.860308Z 0 [Note] Skipping generation of SSL certificates as certificate files are present in data directory.

2021-10-31T03:45:05.860314Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:45:05.860316Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:45:05.860815Z 0 [Warning] CA certificate ca.pem is self signed.

2021-10-31T03:45:05.860880Z 0 [Note] Skipping generation of RSA key pair as key files are present in data directory.

2021-10-31T03:45:05.861451Z 0 [Note] Server hostname (bind-address): '*'; port: 3306

2021-10-31T03:45:05.861494Z 0 [Note] IPv6 is available.

2021-10-31T03:45:05.861523Z 0 [Note] - '::' resolves to '::';

2021-10-31T03:45:05.861571Z 0 [Note] Server socket created on IP: '::'.

2021-10-31T03:45:05.938207Z 0 [Warning] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.

2021-10-31T03:45:05.960668Z 0 [Note] Event Scheduler: Loaded 0 events

2021-10-31T03:45:05.961321Z 0 [Note] mysqld: ready for connections.

Version: '5.7.35' socket: '/var/run/mysqld/mysqld.sock' port: 3306 MySQL Community Server (GPL)

C:\Users\Administrador>docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS
1e8c77967651	mysql:5.7.35	"docker-entrypoint.s..."	2 minutes ago	Up	About a minute
		3306/tcp, 33060/tcp		beautiful_hoover	

C:\Users\Administrador>docker stop 1e8c77967651

1e8c77967651

C:\Users\Administrador>docker run -it --network my_test_network -e "MYSQL_ROOT_PASSWORD=root123" -e "MYSQL_DATABASE=test" -e "MYSQL_PASSWORD=test123" -p 3306:3306 mysql:5.7.35

2021-10-31 03:56:02+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 5.7.35-1debian10 started.

2021-10-31 03:56:02+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'

2021-10-31 03:56:02+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 5.7.35-1debian10 started.

2021-10-31 03:56:02+00:00 [Warn] [Entrypoint]: MYSQL_PASSWORD specified, but missing MYSQL_USER; MYSQL_PASSWORD will be ignored

2021-10-31 03:56:02+00:00 [Note] [Entrypoint]: Initializing database files

2021-10-31T03:56:02.194137Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

2021-10-31T03:56:03.005435Z 0 [Warning] InnoDB: New log files created, LSN=45790

2021-10-31T03:56:03.493353Z 0 [Warning] InnoDB: Creating foreign key constraint system tables.

2021-10-31T03:56:03.734980Z 0 [Warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: 77e0eddc-39fe-11ec-bd5c-0242ac120002.

2021-10-31T03:56:03.813411Z 0 [Warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened.

2021-10-31T03:56:04.490172Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:56:04.490201Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:56:04.490619Z 0 [Warning] CA certificate ca.pem is self signed.

2021-10-31T03:56:04.917644Z 1 [Warning] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.

2021-10-31 03:56:39+00:00 [Note] [Entrypoint]: Database files initialized

2021-10-31 03:56:39+00:00 [Note] [Entrypoint]: Starting temporary server

2021-10-31 03:56:39+00:00 [Note] [Entrypoint]: Waiting for server startup

2021-10-31T03:56:39.591150Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

2021-10-31T03:56:39.592298Z 0 [Note] mysqld (mysqld 5.7.35) starting as process 79 ...

2021-10-31T03:56:39.594645Z 0 [Note] InnoDB: PUNCH HOLE support available

2021-10-31T03:56:39.594686Z 0 [Note] InnoDB: Mutexes and rw_locks use GCC atomic builtins

2021-10-31T03:56:39.594692Z 0 [Note] InnoDB: Uses event mutexes

2021-10-31T03:56:39.594694Z 0 [Note] InnoDB: GCC builtin __atomic_thread_fence() is used for memory barrier

2021-10-31T03:56:39.594697Z 0 [Note] InnoDB: Compressed tables use zlib 1.2.11

2021-10-31T03:56:39.594700Z 0 [Note] InnoDB: Using Linux native AIO

2021-10-31T03:56:39.594894Z 0 [Note] InnoDB: Number of pools: 1

2021-10-31T03:56:39.595005Z 0 [Note] InnoDB: Using CPU crc32 instructions

2021-10-31T03:56:39.596991Z 0 [Note] InnoDB: Initializing buffer pool, total size = 128M, instances = 1, chunk size = 128M

2021-10-31T03:56:39.605127Z 0 [Note] InnoDB: Completed initialization of buffer pool

2021-10-31T03:56:39.607955Z 0 [Note] InnoDB: If the mysqld execution user is authorized, page cleaner thread priority can be changed. See the man page of setpriority().

2021-10-31T03:56:39.656359Z 0 [Note] InnoDB: Highest supported file format is Barracuda.

2021-10-31T03:56:39.809919Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables

2021-10-31T03:56:39.810027Z 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...

2021-10-31T03:56:39.913614Z 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.

2021-10-31T03:56:39.916389Z 0 [Note] InnoDB: 96 redo rollback segment(s) found. 96 redo rollback segment(s) are active.

2021-10-31T03:56:39.916519Z 0 [Note] InnoDB: 32 non-redo rollback segment(s) are active.

2021-10-31T03:56:39.917736Z 0 [Note] InnoDB: Waiting for purge to start

2021-10-31T03:56:39.968547Z 0 [Note] InnoDB: 5.7.35 started; log sequence number 2749244

2021-10-31T03:56:39.969369Z 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool

2021-10-31T03:56:39.969876Z 0 [Note] Plugin 'FEDERATED' is disabled.

2021-10-31T03:56:39.979554Z 0 [Note] InnoDB: Buffer pool(s) load completed at 211031 3:56:39

2021-10-31T03:56:39.991702Z 0 [Note] Found ca.pem, server-cert.pem and server-key.pem in data directory. Trying to enable SSL support using them.

2021-10-31T03:56:39.991777Z 0 [Note] Skipping generation of SSL certificates as certificate files are present in data directory.

2021-10-31T03:56:39.991791Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:56:39.991796Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:56:39.992714Z 0 [Warning] CA certificate ca.pem is self signed.

2021-10-31T03:56:39.992772Z 0 [Note] Skipping generation of RSA key pair as key files are present in data directory.

2021-10-31T03:56:40.061744Z 0 [Warning] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.

2021-10-31T03:56:40.071192Z 0 [Note] Event Scheduler: Loaded 0 events

2021-10-31T03:56:40.071602Z 0 [Note] mysqld: ready for connections.

Version: '5.7.35' socket: '/var/run/mysqld/mysqld.sock' port: 0 MySQL Community Server (GPL)

2021-10-31 03:56:40+00:00 [Note] [Entrypoint]: Temporary server started.

Warning: Unable to load '/usr/share/zoneinfo/iso3166.tab' as time zone. Skipping it.

Warning: Unable to load '/usr/share/zoneinfo/leap-seconds.list' as time zone. Skipping it.

Warning: Unable to load '/usr/share/zoneinfo/zone.tab' as time zone. Skipping it.

Warning: Unable to load '/usr/share/zoneinfo/zone1970.tab' as time zone. Skipping it.

2021-10-31 03:56:51+00:00 [Note] [Entrypoint]: Creating database test

2021-10-31 03:56:51+00:00 [Note] [Entrypoint]: Stopping temporary server

2021-10-31T03:56:51.151712Z 0 [Note] Giving 0 client threads a chance to die gracefully

2021-10-31T03:56:51.151754Z 0 [Note] Shutting down slave threads

2021-10-31T03:56:51.151791Z 0 [Note] Forcefully disconnecting 0 remaining clients

2021-10-31T03:56:51.151812Z 0 [Note] Event Scheduler: Purging the queue. 0 events

2021-10-31T03:56:51.151861Z 0 [Note] Binlog end

2021-10-31T03:56:51.152402Z 0 [Note] Shutting down plugin 'ngram'

2021-10-31T03:56:51.152424Z 0 [Note] Shutting down plugin 'partition'

2021-10-31T03:56:51.152429Z 0 [Note] Shutting down plugin 'BLACKHOLE'

2021-10-31T03:56:51.152432Z 0 [Note] Shutting down plugin 'ARCHIVE'

2021-10-31T03:56:51.152434Z 0 [Note] Shutting down plugin 'PERFORMANCE_SCHEMA'

2021-10-31T03:56:51.152451Z 0 [Note] Shutting down plugin 'MRG_MYISAM'

2021-10-31T03:56:51.152454Z 0 [Note] Shutting down plugin 'MyISAM'

2021-10-31T03:56:51.152459Z 0 [Note] Shutting down plugin 'INNODB_SYS_VIRTUAL'

2021-10-31T03:56:51.152461Z 0 [Note] Shutting down plugin 'INNODB_SYS_DATAFILES'

2021-10-31T03:56:51.152463Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLESPACES'

2021-10-31T03:56:51.152465Z 0 [Note] Shutting down plugin 'INNODB_SYS_FOREIGN_COLS'

2021-10-31T03:56:51.152467Z 0 [Note] Shutting down plugin 'INNODB_SYS_FOREIGN'

2021-10-31T03:56:51.152468Z 0 [Note] Shutting down plugin 'INNODB_SYS_FIELDS'

2021-10-31T03:56:51.152470Z 0 [Note] Shutting down plugin 'INNODB_SYS_COLUMNS'

2021-10-31T03:56:51.152490Z 0 [Note] Shutting down plugin 'INNODB_SYS_INDEXES'

2021-10-31T03:56:51.152494Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLESTATS'

2021-10-31T03:56:51.152496Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLES'

2021-10-31T03:56:51.152497Z 0 [Note] Shutting down plugin 'INNODB_FT_INDEX_TABLE'

2021-10-31T03:56:51.152515Z 0 [Note] Shutting down plugin 'INNODB_FT_INDEX_CACHE'

2021-10-31T03:56:51.152535Z 0 [Note] Shutting down plugin 'INNODB_FT_CONFIG'

2021-10-31T03:56:51.152554Z 0 [Note] Shutting down plugin 'INNODB_FT_BEING_DELETED'

2021-10-31T03:56:51.152576Z 0 [Note] Shutting down plugin 'INNODB_FT_DELETED'

2021-10-31T03:56:51.152587Z 0 [Note] Shutting down plugin 'INNODB_FT_DEFAULT_STOPWORD'

2021-10-31T03:56:51.152605Z 0 [Note] Shutting down plugin 'INNODB_METRICS'

2021-10-31T03:56:51.152609Z 0 [Note] Shutting down plugin 'INNODB_TEMP_TABLE_INFO'

2021-10-31T03:56:51.152611Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_POOL_STATS'

2021-10-31T03:56:51.152613Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_PAGE_LRU'

2021-10-31T03:56:51.152634Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_PAGE'

2021-10-31T03:56:51.152683Z 0 [Note] Shutting down plugin 'INNODB_CMP_PER_INDEX_RESET'

2021-10-31T03:56:51.152705Z 0 [Note] Shutting down plugin 'INNODB_CMP_PER_INDEX'

2021-10-31T03:56:51.152728Z 0 [Note] Shutting down plugin 'INNODB_CMPMEM_RESET'

2021-10-31T03:56:51.152733Z 0 [Note] Shutting down plugin 'INNODB_CMPMEM'

2021-10-31T03:56:51.152754Z 0 [Note] Shutting down plugin 'INNODB_CMP_RESET'

2021-10-31T03:56:51.152762Z 0 [Note] Shutting down plugin 'INNODB_CMP'

2021-10-31T03:56:51.152765Z 0 [Note] Shutting down plugin 'INNODB_LOCK_WAITS'

2021-10-31T03:56:51.152772Z 0 [Note] Shutting down plugin 'INNODB_LOCKS'

2021-10-31T03:56:51.152776Z 0 [Note] Shutting down plugin 'INNODB_TRX'

2021-10-31T03:56:51.152779Z 0 [Note] Shutting down plugin 'InnoDB'

2021-10-31T03:56:51.152871Z 0 [Note] InnoDB: FTS optimize thread exiting.

2021-10-31T03:56:51.153119Z 0 [Note] InnoDB: Starting shutdown...

2021-10-31T03:56:51.254378Z 0 [Note] InnoDB: Dumping buffer pool(s) to
/var/lib/mysql/ib_buffer_pool

2021-10-31T03:56:51.255797Z 0 [Note] InnoDB: Buffer pool(s) dump completed at 211031
3:56:51

2021-10-31T03:56:54.559639Z 0 [Note] InnoDB: Shutdown completed; log sequence number
12659735

2021-10-31T03:56:54.563348Z 0 [Note] InnoDB: Removed temporary tablespace data file:
"ibtmp1"

2021-10-31T03:56:54.563409Z 0 [Note] Shutting down plugin 'MEMORY'

2021-10-31T03:56:54.563416Z 0 [Note] Shutting down plugin 'CSV'

2021-10-31T03:56:54.563420Z 0 [Note] Shutting down plugin 'sha256_password'

2021-10-31T03:56:54.563423Z 0 [Note] Shutting down plugin 'mysql_native_password'

2021-10-31T03:56:54.563529Z 0 [Note] Shutting down plugin 'binlog'

2021-10-31T03:56:54.567820Z 0 [Note] mysqld: Shutdown complete

2021-10-31 03:56:55+00:00 [Note] [Entrypoint]: Temporary server stopped

2021-10-31 03:56:55+00:00 [Note] [Entrypoint]: MySQL init process done. Ready for start up.

2021-10-31T03:56:55.339813Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

2021-10-31T03:56:55.340884Z 0 [Note] mysqld (mysqld 5.7.35) starting as process 1 ...

2021-10-31T03:56:55.343087Z 0 [Note] InnoDB: PUNCH HOLE support available

2021-10-31T03:56:55.343117Z 0 [Note] InnoDB: Mutexes and rw_locks use GCC atomic builtins

2021-10-31T03:56:55.343122Z 0 [Note] InnoDB: Uses event mutexes

2021-10-31T03:56:55.343125Z 0 [Note] InnoDB: GCC builtin __atomic_thread_fence() is used for memory barrier

2021-10-31T03:56:55.343152Z 0 [Note] InnoDB: Compressed tables use zlib 1.2.11

2021-10-31T03:56:55.343178Z 0 [Note] InnoDB: Using Linux native AIO

2021-10-31T03:56:55.343466Z 0 [Note] InnoDB: Number of pools: 1

2021-10-31T03:56:55.343599Z 0 [Note] InnoDB: Using CPU crc32 instructions

2021-10-31T03:56:55.345311Z 0 [Note] InnoDB: Initializing buffer pool, total size = 128M, instances = 1, chunk size = 128M

2021-10-31T03:56:55.352465Z 0 [Note] InnoDB: Completed initialization of buffer pool

2021-10-31T03:56:55.354497Z 0 [Note] InnoDB: If the mysqld execution user is authorized, page cleaner thread priority can be changed. See the man page of setpriority().

2021-10-31T03:56:55.365853Z 0 [Note] InnoDB: Highest supported file format is Barracuda.

2021-10-31T03:56:55.489765Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables

2021-10-31T03:56:55.489922Z 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...

2021-10-31T03:56:55.577697Z 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.

2021-10-31T03:56:55.578863Z 0 [Note] InnoDB: 96 redo rollback segment(s) found. 96 redo rollback segment(s) are active.

2021-10-31T03:56:55.578972Z 0 [Note] InnoDB: 32 non-redo rollback segment(s) are active.

2021-10-31T03:56:55.580531Z 0 [Note] InnoDB: Waiting for purge to start

2021-10-31T03:56:55.631594Z 0 [Note] InnoDB: 5.7.35 started; log sequence number 12659735

2021-10-31T03:56:55.633179Z 0 [Note] InnoDB: Loading buffer pool(s) from
/var/lib/mysql/ib_buffer_pool

2021-10-31T03:56:55.636020Z 0 [Note] Plugin 'FEDERATED' is disabled.

2021-10-31T03:56:55.641495Z 0 [Note] InnoDB: Buffer pool(s) load completed at 211031 3:56:55

2021-10-31T03:56:55.644222Z 0 [Note] Found ca.pem, server-cert.pem and server-key.pem in data directory. Trying to enable SSL support using them.

2021-10-31T03:56:55.644263Z 0 [Note] Skipping generation of SSL certificates as certificate files are present in data directory.

2021-10-31T03:56:55.644270Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:56:55.644273Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

2021-10-31T03:56:55.645278Z 0 [Warning] CA certificate ca.pem is self signed.

2021-10-31T03:56:55.645354Z 0 [Note] Skipping generation of RSA key pair as key files are present in data directory.

2021-10-31T03:56:55.645919Z 0 [Note] Server hostname (bind-address): '*'; port: 3306

2021-10-31T03:56:55.645966Z 0 [Note] IPv6 is available.

2021-10-31T03:56:55.645977Z 0 [Note] - '::' resolves to '::';

2021-10-31T03:56:55.645986Z 0 [Note] Server socket created on IP: '::'.

2021-10-31T03:56:55.718037Z 0 [Warning] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.

2021-10-31T03:56:55.731997Z 0 [Note] Event Scheduler: Loaded 0 events

2021-10-31T03:56:55.732569Z 0 [Note] mysqld: ready for connections.

Version: '5.7.35' socket: '/var/run/mysqld/mysqld.sock' port: 3306 MySQL Community Server (GPL)

```
C:\Users\Administrador>docker run -p 8888:8888 --my_test_network jupyter/base-notebook
unknown flag: --my_test_network
See 'docker run --help'.
```

```
C:\Users\Administrador>docker run -p 8888:8888 --network my_test_network jupyter/base-notebook
```

WARN: Jupyter Notebook deprecation notice <https://github.com/jupyter/docker-stacks#jupyter-notebook-deprecation-notice>.

Executing the command: jupyter notebook

```
[I 04:01:26.462 NotebookApp] Writing notebook server cookie secret to
/home/jovyan/.local/share/jupyter/runtime/notebook_cookie_secret
```

```
[W 2021-10-31 04:01:29.277 LabApp] 'ip' has moved from NotebookApp to ServerApp. This config
will be passed to ServerApp. Be sure to update your config before our next release.
```

```
[W 2021-10-31 04:01:29.277 LabApp] 'port' has moved from NotebookApp to ServerApp. This
config will be passed to ServerApp. Be sure to update your config before our next release.
```

```
[W 2021-10-31 04:01:29.277 LabApp] 'port' has moved from NotebookApp to ServerApp. This
config will be passed to ServerApp. Be sure to update your config before our next release.
```

```
[W 2021-10-31 04:01:29.277 LabApp] 'port' has moved from NotebookApp to ServerApp. This
config will be passed to ServerApp. Be sure to update your config before our next release.
```

```
[I 2021-10-31 04:01:29.285 LabApp] JupyterLab extension loaded from
/opt/conda/lib/python3.9/site-packages/jupyterlab
```

```
[I 2021-10-31 04:01:29.285 LabApp] JupyterLab application directory is
/opt/conda/share/jupyter/lab
```

```
[I 04:01:29.290 NotebookApp] Serving notebooks from local directory: /home/jovyan
```

```
[I 04:01:29.290 NotebookApp] Jupyter Notebook 6.4.5 is running at:
```

```
[I 04:01:29.290 NotebookApp]
http://1a58958a501c:8888/?token=db70c229496342f81e19fcc65ddb72b43444c9da448bd49
```

```
[I 04:01:29.290 NotebookApp] or
http://127.0.0.1:8888/?token=db70c229496342f81e19fcc65ddb72b43444c9da448bd49
```

```
[I 04:01:29.290 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice
to skip confirmation).
```

```
[C 04:01:29.303 NotebookApp]
```


To access the notebook, open this file in a browser:

`file:///home/jovyan/.local/share/jupyter/runtime/nbserver-8-open.html`

Or copy and paste one of these URLs:

`http://1a58958a501c:8888/?token=db70c229496342f81e19fcc65ddb72b43444c9da448bd49`

or `http://127.0.0.1:8888/?token=db70c229496342f81e19fcc65ddb72b43444c9da448bd49`

[W 04:01:50.084 NotebookApp] Clearing invalid/expired login cookie username-127-0-0-1-8888

[W 04:01:50.085 NotebookApp] Forbidden

[W 04:01:50.085 NotebookApp] 403 GET /api/sessions?_=1635650255043 (172.18.0.1)
1.980000ms referer=http://127.0.0.1:8888/tree

[W 04:01:50.087 NotebookApp] Clearing invalid/expired login cookie username-127-0-0-1-8888

[W 04:01:50.088 NotebookApp] Forbidden

[W 04:01:50.089 NotebookApp] 403 GET /api/terminals?_=1635650255044 (172.18.0.1)
2.180000ms referer=http://127.0.0.1:8888/tree

[I 04:01:54.709 NotebookApp] 302 GET
/?token=db70c229496342f81e19fcc65ddb72b43444c9da448bd49 (172.18.0.1) 0.380000ms

[I 04:02:03.753 NotebookApp] Creating new notebook in

[I 04:02:04.124 NotebookApp] Writing notebook-signing key to
/home/jovyan/.local/share/jupyter/notebook_secret

[W 04:02:05.516 NotebookApp] 404 GET
/nbextensions/widgets/notebook/js/extension.js?v=20211031040126 (172.18.0.1) 26.100000ms
referer=http://127.0.0.1:8888/notebooks/Untitled.ipynb?kernel_name=python3

Exception in callback <TaskWakeupMethWrapper object at 0x7f1d134f7fa0>(<Future
finis...877"\r\n\r\n">)

handle: <Handle <TaskWakeupMethWrapper object at 0x7f1d134f7fa0>(<Future
finis...877"\r\n\r\n">)>

Traceback (most recent call last):

File "/opt/conda/lib/python3.9/asyncio/events.py", line 80, in _run

self._context.run(self._callback, *self._args)

RuntimeError: Cannot enter into task <Task pending name='Task-11'
coro=<HTTP1ServerConnection._server_request_loop() running at /opt/conda/lib/python3.9/site-
packages/tornado/http1connection.py:823> wait_for=<Future finished result=b'GET
/api/co...c877"\r\n\r\n"> cb=[IOLoop.add_future.<locals>.<lambda>()] at
/opt/conda/lib/python3.9/site-packages/tornado/ioloop.py:688]> while another task <Task

Downloading protobuf-3.19.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl
(1.1 MB)

Installing collected packages: protobuf, mysql-connector-python

```
$ pip install pandas
```

Downloading pandas-1.3.4-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl
(11.5 MB)

Requirement already satisfied: pytz>=2017.3 in /opt/conda/lib/python3.9/site-packages (from pandas) (2021.3)

Collecting numpy>=1.17.3

15.7 MB 6.6 MB/s

Installing collected packages: numpy, pandas

```
C:\Users\Administrador>docker inspect network my_test_network
```

 $\{$

```
"Driver": "bridge",
```

```
"EnableIPv6": false,
"IPAM": {
  "Driver": "default",
  "Options": {},
  "Config": [
    {
      "Subnet": "172.18.0.0/16",
      "Gateway": "172.18.0.1"
    }
  ]
},
"Internal": false,
"Attachable": false,
"Ingress": false,
"ConfigFrom": {
  "Network": ""
},
"ConfigOnly": false,
"Containers": {
  "1a58958a501c2310e62613f5867d4901fa0460e4739bb3426fc5454a22f5c95c": {
    "Name": "crazy_shannon",
    "EndpointID":
"62eb99a279a4d0b87922913ca8dc1e2e7897d301b1a0e02e6034f51f401c8514",
    "MacAddress": "02:42:ac:12:00:03",
    "IPv4Address": "172.18.0.3/16",
    "IPv6Address": ""
  },
  "8eachb1231c202c433a165a2003479139684579e1ef3e0511bf7b450e24f622a6": {
    "Name": "great_hodgkin",
```

```
        "EndpointID":  
"b21cff5d2f964054cb91e549c76befd3bbfea89c1ac844fb83713117fcfad638",  
        "MacAddress": "02:42:ac:12:00:02",  
        "IPv4Address": "172.18.0.2/16",  
        "IPv6Address": ""  
    }  
},  
    "Options": {},  
    "Labels": {}  
}  
]
```

Error: No such object: network

```
C:\Users\Administrador>docker-compose --version
```

Docker Compose version v2.0.0

```
C:\Users\Administrador>docker stop crazy_shannon
```

crazy_shannon

```
C:\Users\Administrador>docker stop great_hodgkin
```

great_hodgkin

DOCKER COMPOSE

Microsoft Windows [Versión 10.0.17763.1577]

(c) 2018 Microsoft Corporation. Todos los derechos reservados.

```
C:\Users\Administrador>cd..
```

```
C:\Users>cd..
```

```
C:\>cd docker
```

```
C:\docker>docker-compose up
```

```
[+] Running 4/4
```

- Network docker_default	Created	0.4s
- Volume "docker_db_data"	Created	0.1s
- Container docker-mydb-1	Created	2.2s
- Container docker-jupyter-1	Created	2.1s

```
Attaching to docker-jupyter-1, docker-mydb-1
```

```
docker-jupyter-1 | WARN: Jupyter Notebook deprecation notice  
https://github.com/jupyter/docker-stacks#jupyter-notebook-deprecation-notice.
```

```
docker-mydb-1 | 2021-10-31 05:05:46+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL  
Server 5.7.35-1debian10 started.
```

```
docker-jupyter-1 | Executing the command: jupyter notebook
```

```
docker-mydb-1 | 2021-10-31 05:05:46+00:00 [Note] [Entrypoint]: Switching to dedicated user  
'mysql'
```

```
docker-mydb-1 | 2021-10-31 05:05:46+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL  
Server 5.7.35-1debian10 started.
```

```
docker-mydb-1 | 2021-10-31 05:05:46+00:00 [Warn] [Entrypoint]: MYSQL_USER specified, but  
missing MYSQL_PASSWORD; MYSQL_USER will not be created
```

```
docker-mydb-1 | 2021-10-31 05:05:46+00:00 [Note] [Entrypoint]: Initializing database files
```

```
docker-mydb-1 | 2021-10-31T05:05:46.612319Z 0 [Warning] TIMESTAMP with implicit DEFAULT  
value is deprecated. Please use --explicit_defaults_for_timestamp server option (see  
documentation for more details).
```

```
docker-jupyter-1 | [I 05:05:47.768 NotebookApp] Writing notebook server cookie secret to  
/home/jovyan/.local/share/jupyter/runtime/notebook_cookie_secret
```

```
docker-mydb-1 | 2021-10-31T05:05:48.099010Z 0 [Warning] InnoDB: New log files created,  
LSN=45790
```

docker-mysdb-1 | 2021-10-31T05:05:48.594532Z 0 [Warning] InnoDB: Creating foreign key constraint system tables.

docker-mysdb-1 | 2021-10-31T05:05:48.957609Z 0 [Warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: 36773c41-3a08-11ec-8537-0242ac130003.

docker-mysdb-1 | 2021-10-31T05:05:49.026035Z 0 [Warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened.

docker-jupyter-1 | [W 2021-10-31 05:05:49.556 LabApp] 'ip' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

docker-jupyter-1 | [W 2021-10-31 05:05:49.556 LabApp] 'port' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

docker-jupyter-1 | [W 2021-10-31 05:05:49.556 LabApp] 'port' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

docker-jupyter-1 | [W 2021-10-31 05:05:49.556 LabApp] 'port' has moved from NotebookApp to ServerApp. This config will be passed to ServerApp. Be sure to update your config before our next release.

docker-jupyter-1 | [I 2021-10-31 05:05:49.564 LabApp] JupyterLab extension loaded from /opt/conda/lib/python3.9/site-packages/jupyterlab

docker-jupyter-1 | [I 2021-10-31 05:05:49.564 LabApp] JupyterLab application directory is /opt/conda/share/jupyter/lab

docker-jupyter-1 | [I 05:05:49.569 NotebookApp] Serving notebooks from local directory: /home/jovyan

docker-jupyter-1 | [I 05:05:49.569 NotebookApp] Jupyter Notebook 6.4.5 is running at:

docker-jupyter-1 | [I 05:05:49.569 NotebookApp]
<http://044c1f16c569:8888/?token=d0f6444eddf75e69ac570b6a6eb2ade6c8c17da425da742d>

docker-jupyter-1 | [I 05:05:49.569 NotebookApp] or
<http://127.0.0.1:8888/?token=d0f6444eddf75e69ac570b6a6eb2ade6c8c17da425da742d>

docker-jupyter-1 | [I 05:05:49.569 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).

docker-jupyter-1 | [C 05:05:49.574 NotebookApp]

docker-jupyter-1 |

docker-jupyter-1 | To access the notebook, open this file in a browser:

docker-jupyter-1 | file:///home/jovyan/.local/share/jupyter/runtime/nbserver-9-open.html

docker-jupyter-1 | Or copy and paste one of these URLs:

docker-jupyter-1 |

http://044c1f16c569:8888/?token=d0f6444eddf75e69ac570b6a6eb2ade6c8c17da425da742d

docker-jupyter-1 | or

http://127.0.0.1:8888/?token=d0f6444eddf75e69ac570b6a6eb2ade6c8c17da425da742d

docker-mysdb-1 | 2021-10-31T05:05:49.768278Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

docker-mysdb-1 | 2021-10-31T05:05:49.768305Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

docker-mysdb-1 | 2021-10-31T05:05:49.768727Z 0 [Warning] CA certificate ca.pem is self signed.

docker-mysdb-1 | 2021-10-31T05:05:49.837291Z 1 [Warning] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.

docker-mysdb-1 | 2021-10-31 05:06:26+00:00 [Note] [Entrypoint]: Database files initialized

docker-mysdb-1 | 2021-10-31 05:06:26+00:00 [Note] [Entrypoint]: Starting temporary server

docker-mysdb-1 | 2021-10-31 05:06:26+00:00 [Note] [Entrypoint]: Waiting for server startup

docker-mysdb-1 | 2021-10-31T05:06:26.228438Z 0 [Warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details).

docker-mysdb-1 | 2021-10-31T05:06:26.229613Z 0 [Note] mysqld (mysqld 5.7.35) starting as process 79 ...

docker-mysdb-1 | 2021-10-31T05:06:26.231968Z 0 [Note] InnoDB: PUNCH HOLE support available

docker-mysdb-1 | 2021-10-31T05:06:26.231997Z 0 [Note] InnoDB: Mutexes and rw_locks use GCC atomic builtins

docker-mysdb-1 | 2021-10-31T05:06:26.232002Z 0 [Note] InnoDB: Uses event mutexes

docker-mysdb-1 | 2021-10-31T05:06:26.232004Z 0 [Note] InnoDB: GCC builtin __atomic_thread_fence() is used for memory barrier

docker-mysdb-1 | 2021-10-31T05:06:26.232005Z 0 [Note] InnoDB: Compressed tables use zlib 1.2.11

docker-mysdb-1 | 2021-10-31T05:06:26.232007Z 0 [Note] InnoDB: Using Linux native AIO

docker-mysdb-1 | 2021-10-31T05:06:26.232222Z 0 [Note] InnoDB: Number of pools: 1

docker-mysdb-1 | 2021-10-31T05:06:26.232325Z 0 [Note] InnoDB: Using CPU crc32 instructions

docker-mydb-1 | 2021-10-31T05:06:26.234107Z 0 [Note] InnoDB: Initializing buffer pool, total size = 128M, instances = 1, chunk size = 128M

docker-mydb-1 | 2021-10-31T05:06:26.242577Z 0 [Note] InnoDB: Completed initialization of buffer pool

docker-mydb-1 | 2021-10-31T05:06:26.245845Z 0 [Note] InnoDB: If the mysqld execution user is authorized, page cleaner thread priority can be changed. See the man page of setpriority().

docker-mydb-1 | 2021-10-31T05:06:26.257146Z 0 [Note] InnoDB: Highest supported file format is Barracuda.

docker-mydb-1 | 2021-10-31T05:06:26.343231Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables

docker-mydb-1 | 2021-10-31T05:06:26.343410Z 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...

docker-mydb-1 | 2021-10-31T05:06:26.442403Z 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.

docker-mydb-1 | 2021-10-31T05:06:26.443565Z 0 [Note] InnoDB: 96 redo rollback segment(s) found. 96 redo rollback segment(s) are active.

docker-mydb-1 | 2021-10-31T05:06:26.443619Z 0 [Note] InnoDB: 32 non-redo rollback segment(s) are active.

docker-mydb-1 | 2021-10-31T05:06:26.444163Z 0 [Note] InnoDB: Waiting for purge to start

docker-mydb-1 | 2021-10-31T05:06:26.494767Z 0 [Note] InnoDB: 5.7.35 started; log sequence number 2749150

docker-mydb-1 | 2021-10-31T05:06:26.495288Z 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool

docker-mydb-1 | 2021-10-31T05:06:26.495948Z 0 [Note] Plugin 'FEDERATED' is disabled.

docker-mydb-1 | 2021-10-31T05:06:26.499984Z 0 [Note] InnoDB: Buffer pool(s) load completed at 211031 5:06:26

docker-mydb-1 | 2021-10-31T05:06:26.507880Z 0 [Note] Found ca.pem, server-cert.pem and server-key.pem in data directory. Trying to enable SSL support using them.

docker-mydb-1 | 2021-10-31T05:06:26.507925Z 0 [Note] Skipping generation of SSL certificates as certificate files are present in data directory.

docker-mydb-1 | 2021-10-31T05:06:26.507932Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

docker-mydb-1 | 2021-10-31T05:06:26.507934Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

docker-mydb-1 | 2021-10-31T05:06:26.508863Z 0 [Warning] CA certificate ca.pem is self signed.

docker-mydb-1 | 2021-10-31T05:06:26.508959Z 0 [Note] Skipping generation of RSA key pair as key files are present in data directory.

docker-mydb-1 | 2021-10-31T05:06:26.566556Z 0 [Warning] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.

docker-mydb-1 | 2021-10-31T05:06:26.580794Z 0 [Note] Event Scheduler: Loaded 0 events

docker-mydb-1 | 2021-10-31T05:06:26.581311Z 0 [Note] mysqld: ready for connections.

docker-mydb-1 | Version: '5.7.35' socket: '/var/run/mysqld/mysqld.sock' port: 0 MySQL Community Server (GPL)

docker-mydb-1 | 2021-10-31 05:06:27+00:00 [Note] [Entrypoint]: Temporary server started.

docker-mydb-1 | Warning: Unable to load '/usr/share/zoneinfo/iso3166.tab' as time zone. Skipping it.

docker-mydb-1 | Warning: Unable to load '/usr/share/zoneinfo/leap-seconds.list' as time zone. Skipping it.

docker-jupyter-1 | [W 05:06:34.547 NotebookApp] Clearing invalid/expired login cookie username-127-0-0-1-8888

docker-jupyter-1 | [W 05:06:34.548 NotebookApp] Forbidden

docker-jupyter-1 | [W 05:06:34.550 NotebookApp] 403 DELETE /api/sessions/4f8198ec-26f6-489e-8204-302d178f0791 (172.19.0.1) 4.150000ms referer=http://127.0.0.1:8888/notebooks/Untitled.ipynb?kernel_name=python3

docker-jupyter-1 | [W 05:06:34.562 NotebookApp] Forbidden

docker-jupyter-1 | [W 05:06:34.563 NotebookApp] 403 POST /api/sessions (172.19.0.1) 1.180000ms referer=http://127.0.0.1:8888/notebooks/Untitled.ipynb?kernel_name=python3

docker-mydb-1 | Warning: Unable to load '/usr/share/zoneinfo/zone.tab' as time zone. Skipping it.

docker-mydb-1 | Warning: Unable to load '/usr/share/zoneinfo/zone1970.tab' as time zone. Skipping it.

docker-mydb-1 |

docker-mydb-1 | 2021-10-31 05:06:38+00:00 [Note] [Entrypoint]: Stopping temporary server

docker-mydb-1 | 2021-10-31T05:06:38.961412Z 0 [Note] Giving 0 client threads a chance to die gracefully

docker-mydb-1 | 2021-10-31T05:06:38.961445Z 0 [Note] Shutting down slave threads

docker-mydb-1 | 2021-10-31T05:06:38.961449Z 0 [Note] Forcefully disconnecting 0 remaining clients

docker-mysdb-1 | 2021-10-31T05:06:38.961453Z 0 [Note] Event Scheduler: Purging the queue. 0 events

docker-mysdb-1 | 2021-10-31T05:06:38.961540Z 0 [Note] Binlog end

docker-mysdb-1 | 2021-10-31T05:06:38.961876Z 0 [Note] Shutting down plugin 'ngram'

docker-mysdb-1 | 2021-10-31T05:06:38.961901Z 0 [Note] Shutting down plugin 'partition'

docker-mysdb-1 | 2021-10-31T05:06:38.961905Z 0 [Note] Shutting down plugin 'BLACKHOLE'

docker-mysdb-1 | 2021-10-31T05:06:38.961907Z 0 [Note] Shutting down plugin 'ARCHIVE'

docker-mysdb-1 | 2021-10-31T05:06:38.961908Z 0 [Note] Shutting down plugin 'PERFORMANCE_SCHEMA'

docker-mysdb-1 | 2021-10-31T05:06:38.961925Z 0 [Note] Shutting down plugin 'MRG_MYISAM'

docker-mysdb-1 | 2021-10-31T05:06:38.961927Z 0 [Note] Shutting down plugin 'MyISAM'

docker-mysdb-1 | 2021-10-31T05:06:38.961931Z 0 [Note] Shutting down plugin 'INNODB_SYS_VIRTUAL'

docker-mysdb-1 | 2021-10-31T05:06:38.961933Z 0 [Note] Shutting down plugin 'INNODB_SYS_DATAFILES'

docker-mysdb-1 | 2021-10-31T05:06:38.961935Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLESPACES'

docker-mysdb-1 | 2021-10-31T05:06:38.961936Z 0 [Note] Shutting down plugin 'INNODB_SYS_FOREIGN_COLS'

docker-mysdb-1 | 2021-10-31T05:06:38.961937Z 0 [Note] Shutting down plugin 'INNODB_SYS_FOREIGN'

docker-mysdb-1 | 2021-10-31T05:06:38.961938Z 0 [Note] Shutting down plugin 'INNODB_SYS_FIELDS'

docker-mysdb-1 | 2021-10-31T05:06:38.961939Z 0 [Note] Shutting down plugin 'INNODB_SYS_COLUMNS'

docker-mysdb-1 | 2021-10-31T05:06:38.961940Z 0 [Note] Shutting down plugin 'INNODB_SYS_INDEXES'

docker-mysdb-1 | 2021-10-31T05:06:38.961941Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLESTATS'

docker-mysdb-1 | 2021-10-31T05:06:38.961943Z 0 [Note] Shutting down plugin 'INNODB_SYS_TABLES'

docker-mysdb-1 | 2021-10-31T05:06:38.961944Z 0 [Note] Shutting down plugin 'INNODB_FT_INDEX_TABLE'

docker-mydb-1 | 2021-10-31T05:06:38.961945Z 0 [Note] Shutting down plugin 'INNODB_FT_INDEX_CACHE'

docker-mydb-1 | 2021-10-31T05:06:38.961957Z 0 [Note] Shutting down plugin 'INNODB_FT_CONFIG'

docker-mydb-1 | 2021-10-31T05:06:38.961961Z 0 [Note] Shutting down plugin 'INNODB_FT_BEING_DELETED'

docker-mydb-1 | 2021-10-31T05:06:38.961962Z 0 [Note] Shutting down plugin 'INNODB_FT_DELETED'

docker-mydb-1 | 2021-10-31T05:06:38.961964Z 0 [Note] Shutting down plugin 'INNODB_FT_DEFAULT_STOPWORD'

docker-mydb-1 | 2021-10-31T05:06:38.961966Z 0 [Note] Shutting down plugin 'INNODB_METRICS'

docker-mydb-1 | 2021-10-31T05:06:38.961967Z 0 [Note] Shutting down plugin 'INNODB_TEMP_TABLE_INFO'

docker-mydb-1 | 2021-10-31T05:06:38.961968Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_POOL_STATS'

docker-mydb-1 | 2021-10-31T05:06:38.961969Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_PAGE_LRU'

docker-mydb-1 | 2021-10-31T05:06:38.961970Z 0 [Note] Shutting down plugin 'INNODB_BUFFER_PAGE'

docker-mydb-1 | 2021-10-31T05:06:38.961971Z 0 [Note] Shutting down plugin 'INNODB_CMP_PER_INDEX_RESET'

docker-mydb-1 | 2021-10-31T05:06:38.961972Z 0 [Note] Shutting down plugin 'INNODB_CMP_PER_INDEX'

docker-mydb-1 | 2021-10-31T05:06:38.961973Z 0 [Note] Shutting down plugin 'INNODB_CMPMEM_RESET'

docker-mydb-1 | 2021-10-31T05:06:38.961974Z 0 [Note] Shutting down plugin 'INNODB_CMPMEM'

docker-mydb-1 | 2021-10-31T05:06:38.961976Z 0 [Note] Shutting down plugin 'INNODB_CMP_RESET'

docker-mydb-1 | 2021-10-31T05:06:38.961977Z 0 [Note] Shutting down plugin 'INNODB_CMP'

docker-mydb-1 | 2021-10-31T05:06:38.961978Z 0 [Note] Shutting down plugin 'INNODB_LOCK_WAITS'

docker-mydb-1 | 2021-10-31T05:06:38.961979Z 0 [Note] Shutting down plugin 'INNODB_LOCKS'

docker-mydb-1 | 2021-10-31T05:06:38.961980Z 0 [Note] Shutting down plugin 'INNODB_TRX'

docker-mydb-1 | 2021-10-31T05:06:38.961982Z 0 [Note] Shutting down plugin 'InnoDB'

docker-mydb-1 | 2021-10-31T05:06:38.962048Z 0 [Note] InnoDB: FTS optimize thread exiting.

docker-mydb-1 | 2021-10-31T05:06:38.962201Z 0 [Note] InnoDB: Starting shutdown...

docker-mydb-1 | 2021-10-31T05:06:39.062736Z 0 [Note] InnoDB: Dumping buffer pool(s) to
/var/lib/mysql/ib_buffer_pool

docker-mydb-1 | 2021-10-31T05:06:39.063398Z 0 [Note] InnoDB: Buffer pool(s) dump
completed at 211031 5:06:39

docker-mydb-1 | 2021-10-31T05:06:42.211764Z 0 [Note] InnoDB: Shutdown completed; log
sequence number 12659625

docker-mydb-1 | 2021-10-31T05:06:42.215236Z 0 [Note] InnoDB: Removed temporary
tablespace data file: "ibtmp1"

docker-mydb-1 | 2021-10-31T05:06:42.215315Z 0 [Note] Shutting down plugin 'MEMORY'

docker-mydb-1 | 2021-10-31T05:06:42.215324Z 0 [Note] Shutting down plugin 'CSV'

docker-mydb-1 | 2021-10-31T05:06:42.215328Z 0 [Note] Shutting down plugin
'sha256_password'

docker-mydb-1 | 2021-10-31T05:06:42.215330Z 0 [Note] Shutting down plugin
'mysql_native_password'

docker-mydb-1 | 2021-10-31T05:06:42.215503Z 0 [Note] Shutting down plugin 'binlog'

docker-mydb-1 | 2021-10-31T05:06:42.219707Z 0 [Note] mysqld: Shutdown complete

docker-mydb-1 |

docker-mydb-1 | 2021-10-31 05:06:42+00:00 [Note] [Entrypoint]: Temporary server stopped

docker-mydb-1 |

docker-mydb-1 | 2021-10-31 05:06:42+00:00 [Note] [Entrypoint]: MySQL init process done.
Ready for start up.

docker-mydb-1 |

docker-mydb-1 | 2021-10-31T05:06:43.174790Z 0 [Warning] TIMESTAMP with implicit DEFAULT
value is deprecated. Please use --explicit_defaults_for_timestamp server option (see
documentation for more details).

docker-mydb-1 | 2021-10-31T05:06:43.175851Z 0 [Note] mysqld (mysqld 5.7.35) starting as
process 1 ...

docker-mydb-1 | 2021-10-31T05:06:43.178098Z 0 [Note] InnoDB: PUNCH HOLE support
available

docker-mydb-1 | 2021-10-31T05:06:43.178134Z 0 [Note] InnoDB: Mutexes and rw_locks use GCC atomic builtins

docker-mydb-1 | 2021-10-31T05:06:43.178138Z 0 [Note] InnoDB: Uses event mutexes

docker-mydb-1 | 2021-10-31T05:06:43.178140Z 0 [Note] InnoDB: GCC builtin __atomic_thread_fence() is used for memory barrier

docker-mydb-1 | 2021-10-31T05:06:43.178142Z 0 [Note] InnoDB: Compressed tables use zlib 1.2.11

docker-mydb-1 | 2021-10-31T05:06:43.178143Z 0 [Note] InnoDB: Using Linux native AIO

docker-mydb-1 | 2021-10-31T05:06:43.178368Z 0 [Note] InnoDB: Number of pools: 1

docker-mydb-1 | 2021-10-31T05:06:43.178481Z 0 [Note] InnoDB: Using CPU crc32 instructions

docker-mydb-1 | 2021-10-31T05:06:43.180214Z 0 [Note] InnoDB: Initializing buffer pool, total size = 128M, instances = 1, chunk size = 128M

docker-mydb-1 | 2021-10-31T05:06:43.187957Z 0 [Note] InnoDB: Completed initialization of buffer pool

docker-mydb-1 | 2021-10-31T05:06:43.190137Z 0 [Note] InnoDB: If the mysqld execution user is authorized, page cleaner thread priority can be changed. See the man page of setpriority().

docker-mydb-1 | 2021-10-31T05:06:43.217915Z 0 [Note] InnoDB: Highest supported file format is Barracuda.

docker-mydb-1 | 2021-10-31T05:06:43.345837Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables

docker-mydb-1 | 2021-10-31T05:06:43.345963Z 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...

docker-mydb-1 | 2021-10-31T05:06:43.425991Z 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.

docker-mydb-1 | 2021-10-31T05:06:43.427174Z 0 [Note] InnoDB: 96 redo rollback segment(s) found. 96 redo rollback segment(s) are active.

docker-mydb-1 | 2021-10-31T05:06:43.427241Z 0 [Note] InnoDB: 32 non-redo rollback segment(s) are active.

docker-mydb-1 | 2021-10-31T05:06:43.428017Z 0 [Note] InnoDB: 5.7.35 started; log sequence number 12659625

docker-mydb-1 | 2021-10-31T05:06:43.428485Z 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool

docker-mydb-1 | 2021-10-31T05:06:43.428709Z 0 [Note] Plugin 'FEDERATED' is disabled.

docker-mydb-1 | 2021-10-31T05:06:43.433640Z 0 [Note] InnoDB: Buffer pool(s) load completed at 211031 5:06:43

docker-mydb-1 | 2021-10-31T05:06:43.437893Z 0 [Note] Found ca.pem, server-cert.pem and server-key.pem in data directory. Trying to enable SSL support using them.

docker-mydb-1 | 2021-10-31T05:06:43.437933Z 0 [Note] Skipping generation of SSL certificates as certificate files are present in data directory.

docker-mydb-1 | 2021-10-31T05:06:43.437941Z 0 [Warning] A deprecated TLS version TLSv1 is enabled. Please use TLSv1.2 or higher.

docker-mydb-1 | 2021-10-31T05:06:43.437944Z 0 [Warning] A deprecated TLS version TLSv1.1 is enabled. Please use TLSv1.2 or higher.

docker-mydb-1 | 2021-10-31T05:06:43.438658Z 0 [Warning] CA certificate ca.pem is self signed.

docker-mydb-1 | 2021-10-31T05:06:43.438742Z 0 [Note] Skipping generation of RSA key pair as key files are present in data directory.

docker-mydb-1 | 2021-10-31T05:06:43.439605Z 0 [Note] Server hostname (bind-address): '*'; port: 3306

docker-mydb-1 | 2021-10-31T05:06:43.439666Z 0 [Note] IPv6 is available.

docker-mydb-1 | 2021-10-31T05:06:43.439679Z 0 [Note] - '::' resolves to '::';

docker-mydb-1 | 2021-10-31T05:06:43.439693Z 0 [Note] Server socket created on IP: '::'.

docker-mydb-1 | 2021-10-31T05:06:43.508888Z 0 [Warning] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a different directory.

docker-mydb-1 | 2021-10-31T05:06:43.522251Z 0 [Note] Event Scheduler: Loaded 0 events

docker-mydb-1 | 2021-10-31T05:06:43.522857Z 0 [Note] mysqld: ready for connections.

docker-mydb-1 | Version: '5.7.35' socket: '/var/run/mysqld/mysqld.sock' port: 3306 MySQL Community Server (GPL)