

UNIVERSIDAD AUTÓNOMA DE AGUASCALIENTES

CENTRO DE CIENCIAS BASICAS

NOMBRE DE LA MATERIA: PROGRAMACION DE SISTEMAS WEB


NOMBRE DEL PROFESOR: FRANK ELGAR DELGADO ARAIZA


NOMBRE DEL ALUMNO: ANGEL EDOARDO HERNANDEZ DE CARLO


Actividad: Server with MySQL2 TS


ISC. 4ºA


07/10/26



Administrador: Windows PowerShell
PS C:\Windows\system32> Get-Service *mysql*
Status Name DisplayName
Running MySQL80 MySQL80
PS C:\Windows\system32> node -v
v24.19.0
PS C:\Windows\system32> npm -v
11.17.0
PS C:\Windows\system32>



products_db
Tables
products
Columns
Indexes
Foreign Keys
Triggers
Views
Stored Procedures
Functions
sakila
sys
tienda
world
Administration
Schemas
Information
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap C
id name price stock description brand img active
1 Laptop Asus Zenbook 14 18999.90 10 Laptop de 14 pulgadas Asus NULL 1
2 Mouse inalambrico 249.50 50 Mouse ergonomico Logi NULL 1
Result Grid
Form Editor
Field Types



Explorer
api-productos-mysql2
node_modules
package-lock.json
package.json
tsconfig.json
tsconfig.json
package.json
package.json > { } scripts
Debug
{
"name": "api-productos-mysql2",
"version": "1.0.0",
"description": "",
"main": "index.js",
"scripts": {
"dev": "nodemon --exec tsx src/app.ts",
"build": "tsc",
"start": "node dist/app.js"
},
"keywords": [],
"author": "",
"license": "ISC",
"type": "commonjs",
"dependencies": {
"dotenv": "^18.0.6",
"express": "^5.2.1",
"mysql2": "^3.24.5"
},
"devDependencies": {
"@types/node": "^26.6.4",
"nodemon": "^3.1.14",
"tsx": "^4.23.15",
"typescript": "^7.0.2"
}
}



File Edit Selection View Go Run
api-productos-mysql2
Explorer
api-productos-mysql2
node_modules
package-lock.json
package.json
tsconfig.json
Problems Output Debug Console Terminal Ports Azure
powershell
PS C:\Users\angel\Documents\api-productos-mysql2> npm i dotenv express mysql12
PS C:\Users\angel\Documents\api-productos-mysql2> npm i dotenv express mysql2
added 79 packages, and audited 80 packages in 2s
31 packages are looking for funding
run `npm fund` for details
found 0 vulnerabilities
PS C:\Users\angel\Documents\api-productos-mysql2> npm i -D @types/node nodemon tsx typescript
added 31 packages, and audited 111 packages in 4s
36 packages are looking for funding
run `npm fund` for details
3 high severity vulnerabilities
To address all issues, run:
npm audit fix
Run `npm audit` for details.
npm warn allow-scripts 1 package has install scripts not yet covered by allowScripts:
npm warn allow-scripts esbuild@0.28.2 (postinstall: node install.js)
npm warn allow-scripts
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
PS C:\Users\angel\Documents\api-productos-mysql2> npx tsc --init
Created a new tsconfig.json
You can learn more at https://aka.ms/tsconfig
PS C:\Users\angel\Documents\api-productos-mysql2>
Outline
Timeline
Hexadecimal Calculator
Azure Project
Ln 8, Col 18 Spaces: 2 UTF-8 LF { } JSON Go Live



File Edit Selection View Go Run
api-productos-mysql2
Explorer
api-productos-mysql2
node_modules
src
conf
dbConnection.ts
controllers
products.controller.ts
routes
index.ts
products.routes.ts
app.ts
server.ts
.env
.env.example
.gitignore
package-lock.json
package.json
tsconfig.json
tsconfig.json
package.json
.gitignore
.env.example
.env
dbConnection.ts
src > conf > dbConnection.ts > ...
import "dotenv/config";
import mysql from "mysql2/promise";
export const pool = mysql.createPool({
host: process.env.DB_HOST,
port: Number(process.env.DB_PORT),
user: process.env.DB_USER,
password: process.env.DB_PASSWORD,
database: process.env.DB_NAME,
waitForConnections: true,
connectionLimit: 10,
});
Outline
Timeline
Hexadecimal Calculator
Azure Project
Ln 12, Col 4
Spaces: 4
UTF-8
CRLF
TypeScript
Go Live



File Edit Selection View Go Run
api-productos-mysql2
Explorer
api-productos-mysql2
node_modules
src
conf
dbConnection.ts
controllers
products.controller.ts
routes
index.ts
products.routes.ts
app.ts
server.ts
.env
.env.example
.gitignore
package-lock.json
package.json
tsconfig.json
.env.example
.env
dbConnection.ts
server.ts
index.ts
products.routes.ts
app.ts
src > server.ts > Server > middlewares
import express, { Application } from "express";
import routes from "./routes";
export class Server {
private app: Application;
private port: number;
constructor() {
this.app = express();
this.port = Number(process.env.PORT) || 3000;
this.middlewares();
this.routes();
}
private middlewares(): void {
this.app.use(express.json());
}
private routes(): void {
this.app.use("/api/v1", routes);
}
listen(): void {
this.app.listen(this.port, () => {
Problems
Output
Debug Console
Terminal
Ports
Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Outline
Timeline
Hexadecimal Calculator
Azure Project
Ln 16, Col 34
Spaces: 4
UTF-8
CRLF
TypeScript
Go Live



File Edit Selection View Go Run
api-productos-mysql2
Explorer
api-productos-mysql2
node_modules
src
conf
dbConnection.ts
controllers
products.controller.ts
routes
index.ts
products.routes.ts
app.ts
server.ts
.env
.env.example
.gitignore
package-lock.json
package.json
tsconfig.json
.env.example
dbConnection.ts
server.ts
index.ts
products.routes.ts
app.ts
src > app.ts > ...
import "dotenv/config";
import { pool } from "./conf/dbConnection";
import { Server } from "./server";
async function main(): Promise<void> {
try {
const conn = await pool.getConnection();
conn.release();
console.log("Conexión a MySQL exitosa");
new Server().listen();
} catch (error) {
console.error("No se pudo conectar a la base de datos");
process.exit(1);
}
}
main();
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Outline
Timeline
Hexadecimal Calculator
Azure Project
Ln 17, Col 8 Spaces: 4 UTF-8 CRLF TypeScript Go Live



File Edit Selection View Go Run
api-productos-mysql2
Explorer
api-productos-mysql2
node_modules
src
conf
dbConnection.ts
controllers
products.controller.ts
routes
index.ts
products.routes.ts
app.ts
server.ts
.env
.env.example
.gitignore
package-lock.json
package.json
tsconfig.json
.env
dbConnection.ts
server.ts
index.ts
products.routes.ts
products.controller.ts
src > controllers > products.controller.ts > parsePrice
import { ResultSetHeader, RowDataPacket } from "mysql2/promise";
import { pool } from "../conf/dbConnection";
const SERVER_ERROR = { ok: false, message: "Error interno del servidor" };
function parseId(value: unknown): number | null {
const text = String(value);
if (!/^\d+$/.test(text)) return null;
const id = Number(text);
return id > 0 ? id : null;
}
function parsePrice(value: unknown): number | null {
if (typeof value !== "number" && typeof value !== "string") return null;
if (typeof value === "string" && value.trim() === "") return null;
const price = Number(value);
if (!Number.isFinite(price) || price <= 0) return null;
if (price > 99999999.99) return null;
if (Math.round(price * 100) / 100 !== price) return null;
return price;
}
function parseProductBody(body: Record<string, unknown>) {
const { name, price, stock, description, brand, img } = body ?? {};
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Outline
Timeline
Hexadecimal Calculator
Azure Project
Ln 20, Col 61 Spaces: 4 UTF-8 CRLF TypeScript Go Live



File Edit Selection View Go Run
api-productos-mysql2
Explorer
api-productos-mysql2
node_modules
src
conf
dbConnection.ts
controllers
products.controller.ts
routes
index.ts
products.routes.ts
app.ts
server.ts
.env
.env.example
.gitignore
package-lock.json
package.json
tsconfig.json
.env
dbConnection.ts
server.ts
index.ts
products.routes.ts
products.controller.ts
src > routes > products.routes.ts > default
1 import { Router } from "express";
2 import { getAll, getById, create, update, remove, changePrice } from "../controllers/products.contro
3
4 const router = Router();
5
6 router.get("/getAll", getAll);
7 router.get("/getById/:id", getById);
8 router.post("/create", create);
9 router.put("/update/:id", update);
10 router.delete("/delete/:id", remove);
11 router.patch("/change-price/:id", changePrice);
12
13 export default router;
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Outline
Timeline
Hexadecimal Calculator
Azure Project
Ln 13, Col 23 Spaces: 4 UTF-8 CRLF TypeScript Go Live



File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity
Collections
Env
filter activity
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
.env
dbConnection.ts
server.ts
index.ts
products.routes.ts
New Request
product
GET
http://localhost:3000/api/v1/products/getAll
Send
Status: 200 OK
Size: 300 Bytes
Time: 24 ms
Query
Headers 2
Auth
Body
Tests
Pre Run
Query Parameters
parameter
value
Response
Headers 6
Cookies
Results
Docs
{
"ok": true,
"data": [
{
"id": 1,
"name": "Laptop Asus Zenbook 14",
"price": "18999.90",
"stock": 10,
"description": "Laptop de 14 pulgadas",
"brand": "Asus",
"img": null,
"active": 1
},
{
"id": 2,
"name": "Mouse inalambrico",
"price": "249.50",
"stock": 50,
Response
Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live



File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity Collections Env
filter activity
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
dbConnection.ts
server.ts
index.ts
products.routes.ts
New Request
New Request
GET http://localhost:3000/api/v1/products/getById/1
Send
Status: 200 OK Size: 164 Bytes Time: 8 ms
Query Headers 2 Auth Body Tests Pre Run
Query Parameters
parameter value
Response Headers 6 Cookies Results Docs
Copy
{
"ok": true,
"data": {
"id": 1,
"name": "Laptop Asus Zenbook 14",
"price": "18999.90",
"stock": 10,
"description": "Laptop de 14 pulgadas",
"brand": "Asus",
"img": null,
"active": 1
}
}
Response Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live



File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity Collections Env
filter activity
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
products.routes.ts
New Request
New Request
New Request
products.controller.ts
app.ts
POST http://localhost:3000/api/v1/products/create
Send
Status: 201 Created Size: 46 Bytes Time: 17 ms
Query Headers 2 Auth Body 1 Tests Pre Run
JSON XML Text Form Form-encode GraphQL Binary
JSON Content
Format
{
"name": "Teclado mecánico",
"price": 899.99,
"stock": 20,
"description": "Teclado mecánico retroiluminado",
"brand": "Redragon",
"img": "teclado.jpg"
}
Response Headers 6 Cookies Results Docs
{
"ok": true,
"message": "Producto creado",
"id": 3
}
Response Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live



Thunder Client
New Request
Activity
Collections
Env
PUT localhost:3000/api/v1/products/update/3
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
PUT http://localhost:3000/api/v1/products/update/3
Send
Status: 200 OK
Size: 44 Bytes
Time: 16 ms
Query
Headers 2
Auth
Body 1
Tests
Pre Run
Response
Headers 6
Cookies
Results
Docs
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
{
"name": "Teclado mecánico RGB",
"price": 999.99,
"stock": 15,
"description": "Teclado mecánico RGB switches rojos",
"brand": "Redragon",
"img": "teclado-rgb.jpg"
}
{
"ok": true,
"message": "Producto actualizado"
}
Response
Chart
Problems
Output
Debug Console
Terminal
Ports
Azure
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000



Thunder Client
New Request
Activity
Collections
Env
PATCH localhost:3000/api/v1/products/chan...
just now
PUT localhost:3000/api/v1/products/update/3
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
PATCH http://localhost:3000/api/v1/products/change-p
Send
Status: 200 OK
Size: 42 Bytes
Time: 13 ms
Query
Headers 2
Auth
Body 1
Tests
Pre Run
Response
Headers 6
Cookies
Results
Docs
JSON
XML
Text
Form
Form-encode
GraphQL
Binary
JSON Content
Format
{ "price": 1099.50 }
{
"ok": true,
"message": "Precio actualizado"
}
Response
Chart
Problems
Output
Debug Console
Terminal
Ports
Azure
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000



File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity
Collections
Env
filter activity
GET localhost:3000/api/v1/products/getById...
just now
PATCH localhost:3000/api/v1/products/chan...
just now
PUT localhost:3000/api/v1/products/update/3
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
New Request
New Request
New Request
New Request
New Request
New Request
GET
http://localhost:3000/api/v1/products/getById/3
Send
Query
Headers 2
Auth
Body
Tests
Pre Run
Query Parameters
parameter
value
Status: 200 OK
Size: 194 Bytes
Time: 11 ms
Response
Headers 6
Cookies
Results
Docs
{
"ok": true,
"data": {
"id": 3,
"name": "Teclado mecánico RGB",
"price": "1099.50",
"stock": 15,
"description": "Teclado mecánico RGB switches rojos",
"brand": "Redragon",
"img": "teclado-rgb.jpg",
"active": 1
}
}
Response
Chart
Problems
Output
Debug Console
Terminal
Ports
Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live



File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity Collections Env
filter activity
DEL localhost:3000/api/v1/products/delete/3
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getById...
just now
PATCH localhost:3000/api/v1/products/chan...
just now
PUT localhost:3000/api/v1/products/update/3
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
New Request
GET http://localhost:3000/api/v1/products/getById/3
Send
Query Headers 2 Auth Body Tests Pre Run
Query Parameters
parameter value
Status: 404 Not Found Size: 47 Bytes Time: 6 ms
Response Headers 6 Cookies Results Docs
Copy
{
"ok": false,
"message": "Producto no encontrado"
}
Response Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live



File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity Collections Env
filter activity
DEL localhost:3000/api/v1/products/delete/3
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getById...
just now
PATCH localhost:3000/api/v1/products/chan...
just now
PUT localhost:3000/api/v1/products/update/3
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
New Request
GET http://localhost:3000/api/v1/products/getAll
Send
Query Headers 2 Auth Body Tests Pre Run
Query Parameters
parameter value
Status: 200 OK Size: 300 Bytes Time: 7 ms
Response Headers 6 Cookies Results Docs
Copy
"active": 1
},
{
"id": 2,
"name": "Mouse inalambrico",
"price": "249.50",
"stock": 50,
"description": "Mouse ergonomico",
"brand": "Logi",
"img": null,
"active": 1
}
]
}
Response Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live


Navigator
SCHEMAS
Filter objects
products_db
Tables
products
Columns
Indexes
Foreign Keys
Triggers
Views
Stored Procedures
Functions
sakila
sys
tienda
world
Administration
Schemas
Information
SQL File 3*
Limit to 1000 rows
1 USE products_db;
2 SELECT * FROM products;
Result Grid
Filter Rows:
Edit:
Export/Import:
id name price stock description brand
1 Laptop Asus Zenbook 14 18999.90 10 Laptop de 14 pulgadas Asus
2 Mouse inalambrico 249.50 50 Mouse ergonomico Logi
3 Teclado mecánico RGB 1099.50 15 Teclado mecánico RGB switches rojos Redragor
NULL NULL NULL NULL NULL NULL
Result Grid
Form Editor
Field Types
products 1
Apply
Revert


Form Editor
Navigate:
3 / 4
Edit:
Id: 3
Name: Teclado mecánico RGB
Price: 1099.50
Stock: 15
Description: Teclado mecánico RGB switches rojos
Description:
Brand: Redragon
Img: teclado-rgb.jpg
Active: 0


File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity Collections Env
filter activity
GET localhost:3000/api/v1/products/getById...
just now
DEL localhost:3000/api/v1/products/delete/3
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getById...
just now
PATCH localhost:3000/api/v1/products/chan...
just now
PUT localhost:3000/api/v1/products/update/3
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getById...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
2 months ago
New Request
GET http://localhost:3000/api/v1/products/getById/9999 Send
Query Headers 2 Auth Body Tests Pre Run
Query Parameters
parameter value
Status: 404 Not Found Size: 47 Bytes Time: 10 ms
Response Headers 6 Cookies Results Docs
{
"ok": false,
"message": "Producto no encontrado"
}
Copy
Response Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live


File Edit Selection View Go Run
api-productos-mysql2
Thunder Client
New Request
Activity Collections Env
filter activity
PATCH localhost:3000/api/v1/products/cha...
just now
GET localhost:3000/api/v1/products/getBy...
just now
DEL localhost:3000/api/v1/products/delet...
just now
GET localhost:3000/api/v1/products/getBy...
just now
GET localhost:3000/api/v1/products/getBy...
just now
PATCH localhost:3000/api/v1/products/cha...
just now
PUT localhost:3000/api/v1/products/updat...
just now
POST localhost:3000/api/v1/products/create
just now
GET localhost:3000/api/v1/products/getBy...
just now
GET localhost:3000/api/v1/products/getAll
just now
GET github.com/
New Request
PATCH http://localhost:3000/api/v1/products/change-p Send
Query Headers 2 Auth Body 1 Tests Pre Run
JSON XML Text Form Form-encode GraphQL Binary
JSON Content Format
{ "price": -5 }
Status: 400 Bad Request Size: 95 Bytes Time: 7 ms
Response Headers 6 Cookies Results Docs
{
"ok": false,
"message": "El cuerpo debe contener solo un price válido (> 0, máx. 2 decimales)"
}
Copy
Response Chart
Problems Output Debug Console Terminal Ports Azure
esbuild
PS C:\Users\angel\Documents\api-productos-mysql2> npm run dev
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
[nodemon] restarting due to changes...
[nodemon] starting `tsx src/app.ts`
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live


File Edit Selection View Go Run
api-productos-mysql2
Update
Explorer
api-productos-mysql2
dist
conf
dbConnection.js
controllers
products.controller.js
routes
index.js
products.routes.js
app.js
server.js
node_modules
src
conf
dbConnection.ts
controllers
products.controller.ts
routes
index.ts
products.routes.ts
app.ts
server.ts
.env
.env.example
.gitignore
package-lock.json
Outline
Timeline
Hexadecimal Calculator
Azure Project
Problems Output Debug Console Terminal Ports Azure
node
PS C:\Users\angel\Documents\api-productos-mysql2> npm run build
PS C:\Users\angel\Documents\api-productos-mysql2> npm start
> api-productos-mysql2@1.0.0 start
> node dist/app.js
Conexión a MySQL exitosa
Servidor corriendo en http://localhost:3000
Go Live