
Understanding Comprehensions in Python

A powerful and concise way to create collections

ISTITUTO TECNOLOGICO SUPERIORE ACADEMY – INFORMATION AND COMMUNICATIONS TECHNOLOGY
its
ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

What is a Comprehension?

- A **compact syntax** for creating sequences (lists, sets, dictionaries).
- Improves **readability** and **conciseness**.
- **Replaces multiple lines** of loop-based code.



ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

List Comprehensions - Syntax

Syntax:

```
[expression for item in iterable if condition]
```

Example:

- **Traditional loop:**

```
Squares:list[int] = []
for x in range(10):
  if x % 2 == 0:
        squares.append(x**2)
```

- **Comprehension:**

```
squares:list[int] = [x**2 for x in range(10) if x % 2 == 0]
```

ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

List Comprehensions – More Examples

```
# Convert strings to uppercase
names:list[str] = ["alice", "bob", "carol"]
uppercase_names:list[str] = [name.upper() for name in names]
```

Output -> `["ALICE", "BOB", "CAROL"]`

```
# Flatten a list of lists
matrix:list[list[int]] = [[1, 2], [3, 4]]
flat:list[int] = [num for row in matrix for num in row]
```

Output -> `[1, 2, 3, 4]`

ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

Set and Dictionary Comprehensions

Syntax:

```
{expression for item in iterable if condition}
```

```
# Set comprehension
words:list[int] = ["hi", "hello", "hey", "hi"]
unique_lengths:set[int] = {len(word) for word in words}
```

Output -> `{2, 3, 5}`

```
# Dictionary comprehension
squares_dict:dict[int,int] = {x: x**2 for x in range(5)}
```

Output -> `{0: 0, 1: 1, 2: 4, 3: 9, 4: 16}`

ISTITUTO TECNOLOGICO SUPERIORE ACADEMY - INFORMATION AND COMMUNICATIONS TECHNOLOGY
its ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

When Not to Use Comprehensions

- Avoid overuse: **readability first**!
- **Don’t use for side-effects** (e.g., printing or modifying external state).
- **Nested comprehensions** can become **hard to read**.

ISTITUTO TECNOLOGICO SUPERIORE ACADEMY – INFORMATION AND COMMUNICATIONS TECHNOLOGY
its ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

Quick Quiz

Comprehension:

```
[[x * y for y in range(1, 4)] for x in range(1, 4)]
```

Options:

A) `[[1, 2, 3], [2, 4, 6], [3, 6, 9]]`

B) `[[1, 2, 3], [1, 4, 9], [1, 8, 27]]`

C) `[[1, 2, 3, 4], [2, 4, 6, 8], [3, 6, 9, 12]]`

D) `[(1, 1), (2, 2), (3, 3)]`

ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

Quick Quiz – Correct Answer

Comprehension:

```
[[x * y for y in range(1, 4)] for x in range(1, 4)]
```

Options:

✅ A) `[[1, 2, 3], [2, 4, 6], [3, 6, 9]]`

❌ B) `[[1, 2, 3], [1, 4, 9], [1, 8, 27]]`

❌ C) `[[1, 2, 3, 4], [2, 4, 6, 8], [3, 6, 9, 12]]`

❌ D) `[(1, 1), (2, 2), (3, 3)]`

ITS ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY

Quick Quiz - Explanation

Comprehension:

```
result:list[list[int]] = [[x * y for y in range(1, 4)] for x in range(1, 4)]
```

Equivalent traditional loop:

```
result:list[list[int]] = []
for x in range(1, 4):
  inner_list = []
  for y in range(1, 4): y=1
        inner_list.append(x * y)
  result.append(inner_list)
```

ICTAcademy
INFORMATION AND COMMUNICATIONS TECHNOLOGY