

Advanced Introductory Reading List: Missing Data Analysis

Compiled by Kyle M. Lang

September 17, 2019

References

- Allison, P. D. (1987). Estimation of linear models with incomplete data. *Sociological Methodology*, 17(1), 71–103.
- Anderson, T. W. (1957). Maximum likelihood estimates for a multivariate normal distribution when some observations are missing. *Journal of the American Statistical Association*, 52(278), 200–203.
- Andridge, R. R., & Little, R. J. A. (2010). A review of hot deck imputation for survey non-response. *International Statistical Review*, 78(1), 40–64.
- Collins, L. M., Schafer, J. L., & Kam, C. (2001). A comparison of inclusive and restrictive strategies in modern missing data procedures. *Psychological Methods*, 6(4), 330–351. doi: 10.1037//1082-989X.6.4.330
- Dempster, A. P., Laird, N. M., & Rubin, D. B. (1977). Maximum likelihood from incomplete data via the em algorithm. *Journal of the Royal Statistical Society. Series B (Methodological)*, 1–38. doi: 10.2307/2984875
- Graham, J. W. (2003). Adding missing-data-relevant variables to fiml-based structural equation models. *Structural Equation Modeling: A Multidisciplinary Journal*, 10(1), 80–100. doi: 10.1207/S15328007SEM1001_4
- Honaker, J., & King, G. (2010). What to do about missing values in time-series cross-section data. *American Journal of Political Science*, 54(2), 561–581. doi: 10.1111/j.1540-5907.2010.00447.x
- Little, R. J. A. (1988). Missing-data adjustments in large surveys. *Journal of Business & Economic Statistics*, 6(3), 287–296.
- Orchard, T., & Woodbury, M. A. (1972). A missing information principle: Theory and applications. In *Proceedings of the sixth berkeley symposium on mathematical statistics and probability, volume 1: Theory of statistics*.
- Raghunathan, T. E., Lepkowski, J. M., Van Hoewyk, J., & Solenberger, P. (2001). A multivariate technique for multiply imputing missing values using a sequence of regression models. *Survey Methodology*, 27(1), 85–96.
- Rubin, D. B. (1976). Inference and missing data. *Biometrika*, 63(3), 581–592.

- Rubin, D. B. (1978). Multiple imputations in sample surveys – A phenomenological Bayesian approach to nonresponse. In *Proceedings of the survey research methods section of the American Statistical Association* (Vol. 1, pp. 20–34).
- Rubin, D. B. (1996). Multiple imputation after 18+ years. *Journal of the American Statistical Association*, 91(434), 473–489.
- Savalei, V., & Rhemtulla, M. (2012). On obtaining estimates of the fraction of missing information from full information maximum likelihood. *Structural Equation Modeling: A Multidisciplinary Journal*, 19(3), 477–494.
- Sterne, J. A., White, I. R., Carlin, J. B., Spratt, M., Royston, P., Kenward, M. G., ... Carpenter, J. R. (2009). Multiple imputation for missing data in epidemiological and clinical research: Potential and pitfalls. *BMJ*, 338, b2393.
- Tanner, M. A., & Wong, W. H. (1987). The calculation of posterior distributions by data augmentation. *Journal of the American Statistical Association*, 82(398), 528–540.
- van Buuren, S., Brand, J. P. L., Groothuis-Oudshoorn, C. G. M., & Rubin, D. B. (2006). Fully conditional specification in multivariate imputation. *Journal of Statistical Computation and Simulation*, 76(12), 1049–1064.
- Von Hippel, P. T. (2009). How to impute interactions, squares, and other transformed variables. *Sociological Methodology*, 39(1), 265–291.
- White, I. R., Royston, P., & Wood, A. M. (2011). Multiple imputation using chained equations: Issues and guidance for practice. *Statistics in Medicine*, 30(4), 377–399.