




EDRA+

ESG Data Readiness Assessment

A scored, codified diagnostic of portfolio data integrity across energy, water, and waste — benchmarked against framework thresholds and certification eligibility.

ASSETS

23

Multifamily portfolio

TOTAL GFA

5.76M

Square feet

REPORTING YEAR

2025

Calendar year

ENGAGEMENT

Tier 1

Free Diagnosis

PREPARED FOR

Sample Portfolio Holdings
[Anonymised — illustrative client]

PREPARED BY

EDRA · A product of Outsourcing Hub India
edraindex.com


Know it. Fix it. Report it.

edraindex.com

01 · SCORE SUMMARY

Portfolio readiness at a glance.


A weighted, GFA-confidence-adjusted readiness score across 23 multifamily assets. The score sits in the **Transition Mode** band — usable for internal review, not yet ready for certification submission.



02 · PERFORMANCE DISTRIBUTION

Where the portfolio sits, asset by asset.

Energy performance band distribution across 23 assets. Bands are applied uniformly across utilities, with thresholds inherited from Energy Star quintile logic.



FRAMEWORK ALIGNMENT · WHERE THIS PORTFOLIO STANDS TODAY

GRESB
Real Estate Assessment · **Submission viable but not optimal.** Energy strong; water and waste require remediation.

BREEAM In-Use
Submission feasible after water and waste remediation; **4–8 weeks of work.**

ENERGY STAR
Portfolio Manager · **17 of 23 assets eligible** for performance scoring today.

CDP Climate
Energy data sufficient for current cycle. **Assured-ready** after EDRA+ engagement.

LEED O+M / EBOM
Existing Buildings · **Not ready.** Waste tracking falls below minimum thresholds.

Audit / Assurance
Audit trail incomplete. **Recoverable** through Phase 2 (Fix It) of EDRA+.

Multifamily						23 assets · 5.76M sqft · Avg 250K sqft					
ENERGY		WATER		WASTE							
EDRA AVG	TRACKED	EDRA AVG	TRACKED	EDRA AVG	TRACKED						
65.0	17/23	59.1	22/23	42.3	20/23						
B-SCORE	C-SCORE	B-SCORE	C-SCORE	B-SCORE	C-SCORE						
75.6	50.4	78.2	30.4	64.3	0.0						

03 · UTILITY-SPECIFIC ANALYSIS

Each track scored independently.

EDRA scores each utility against its own gating logic. A portfolio can be reporting-ready in one track and blocked in another — the breakdown below shows where remediation effort delivers the most value.

UTILITY TRACK

Energy

Gated by B1 (completeness) ≥ 75% and B2 (coverage) ≥ 75%.

PORTFOLIO

68.0

vs. avg 65.0

ELIGIBLE

17/23

73.9% of portfolio

TOP BLOCKERS

6 assets blocked on completeness

All under 60% data months

WHY SOME ASSETS FALL OUT

Energy completeness varies dramatically — from 0% (Sunset Ridge, Greenview) to 100% (top quartile). The six blocked assets share a common pattern: **ENERGY_COMPLETENESS_LT_75** — fewer than 9 months of utility billing data on file. Data sourcing through Phase 2 (Fix It) typically resolves all six within 4–6 weeks.

UTILITY TRACK

Water

Consumption intensity (gallons/sqft) with coverage and completeness gating.

PORTFOLIO

60.5

vs. avg 61.3

ELIGIBLE

10/23

43.5% of portfolio

TOP BLOCKERS

12 assets · Completeness

Tracked but partial coverage

WHY THE GAP MATTERS

Water tracking is high (22 of 23) — but coverage is the structural failure. The dominant block is **WATER_COMPLETENESS_LT_75**: meters exist, but full-period coverage is missing. This is typically a tenant-data-collection problem, not a system problem. EDRA+ tenant outreach closes most of these in one cycle.

UTILITY TRACK

Waste (GRESB-aligned)

60% diversion rate + 40% intensity. 9-month minimum data requirement.

PORTFOLIO

46.9

vs. avg 46.4

ELIGIBLE

0/23

Portfolio-wide blocked

TOP BLOCKERS

19 · 9-month rule

1 · No analysis year

THE STRUCTURAL BREAK

Every tracked asset fails the same gate: **WASTE_COMPLETENESS_BELOW_9_MONTHS**. Diversion data exists for fewer than three quarters of the year on every asset assessed. This is a haulier-reporting cadence problem — not a measurement problem. Recoverable by Phase 2 (Fix It), but requires haulier-level data partnership, not tenant outreach.

04 · PRIORITY ROADMAP

What to fix first, ranked by lift.

The five highest-impact remediation actions for this portfolio. Estimated lift assumes Phase 2 (Fix It) execution — sourcing, cleaning, and completing data through tenant outreach, haulier engagement, and historical reconstruction.

- | | | |
|-------|--|---------------------------------------|
| 01 | Recover the 9-month waste data gap across 19 assets
Engage haulier partners to back-fill diversion and disposal records to a 9-month minimum on every tracked asset. This is the single biggest unlock — moves 19 assets from "Not Eligible" to "Submission Ready" on the waste track. Likely root cause: haulier-reporting cadence, not measurement gaps. | +15.2
PORTFOLIO LIFT |
| <hr/> | | |
| 02 | Close the energy completeness gap on 6 blocked assets
Source missing utility billing months for the six assets currently blocked under ENERGY_COMPLETENESS_LT_75. Greenview, Silver Lake, Parkside, Harmony, Garden View, Sunset Ridge — all under 60% completeness. Sourcing through utility portals and tenant outreach typically resolves within 4–6 weeks. | +6.4
PORTFOLIO LIFT |
| <hr/> | | |
| 03 | Resolve water completeness on 12 tracked assets
Fill the gap between "tracked" and "eligible" — water meters exist, but coverage is partial. Tenant outreach closes most of these in one reporting cycle. Highest priority: assets with B-Score above 75 already (Oakwood, Lakeside, Cedar Valley) where completeness is the only remaining block. | +4.1
PORTFOLIO LIFT |
| <hr/> | | |
| 04 | Triage Sunset Ridge Residences as a single-asset workstream
Sole asset failing across all three utilities (Energy 25.9, Water 12.0, Waste 12.0). Energy coverage at 0%, no utility meters reported. Likely a data-pipeline failure rather than a real performance issue. Resolve as an isolated investigation before treating it as a fix candidate. | +1.8
PORTFOLIO LIFT |
| <hr/> | | |
| 05 | Onboard the 3 untracked waste assets to a measurement program
Parkside, Skyline, Sunset Ridge currently have no waste tracking on record. Initiate haulier engagement and tenant communication for waste-stream visibility. Lower lift than items 1–3 but eliminates a structural blocker for the next reporting cycle. | +1.2
PORTFOLIO LIFT |

05 · ASSET-LEVEL HEAT MAP

Every asset, every utility — at a glance.

Twenty assets shown (3 omitted from source detail). Cells coloured by EDRA score band: deep green = A, light green = B, amber = C, light red = D, deep red = F. *Italic = not tracked.*

#	ASSET	GFA	ENERGY	WATER	WASTE
1	Greenview Apartments	123K	37.2	45.3	45.3
2	Sunrise Residences	161K	65.9	69.0	41.3
3	Maple Grove Apartments	201K	80.9	84.0	49.3
4	Oakwood Heights	145K	83.9	47.5	45.3
5	Silver Lake Residences	311K	50.6	53.3	53.3
6	Parkside Apartments	210K	46.6	51.5	16.0
7	Riverstone Flats	123K	58.1	63.0	49.3
8	Golden Gate Residences	104K	59.9	49.3	49.3
9	Cityscape Apartments	507K	56.1	61.0	47.3
10	Harmony Heights	48K	46.1	49.3	49.3
11	Blue Sky Residences	118K	79.9	83.0	41.3
12	Grand Oak Apartments	467K	87.0	49.3	49.3
13	Lakeside Towers	195K	84.3	47.5	45.3
14	Urban Nest Apartments	742K	54.5	47.5	45.3
15	Cedar Valley Residences	276K	83.9	87.0	45.3
16	Garden View Apartments	210K	44.4	87.0	45.3
17	Sunset Ridge Residences	198K	25.9	12.0	12.0
18	Crystal Park Apartments	136K	65.9	41.3	41.3
19	Willow Creek Residences	303K	68.6	43.5	41.3
20	Skyline Towers	79K	80.9	84.0	16.0

A · Excellent (80+)

B · Good (60–79)

C · Fair (40–59)

D · Poor (20–39)

F · Critical (<20)

Italic = Not Tracked

06 · METHODOLOGY & FORMULAS

How EDRA scores are produced.

A three-plane scoring framework. Each plane is independently weighted, with Plane C performance gated by Plane B data integrity thresholds — meaning portfolios cannot earn performance points on data that has not first cleared the integrity bar.

Plane A Asset Context · G-Score

20% WEIGHT

Non-gating contextual factors including building vintage, technology density, operating intensity, and irrigation practices. Captures "why is this building hard to score" without penalising it.

Plane B Data Integrity · B-Score

45% WEIGHT

Five components measuring data quality. The dominant weight reflects the EDRA+ thesis: most ESG problems are not reporting problems, they are data problems.

B1 25%

Completeness —
months with data

B2 25%

Coverage — % floor
area metered

B3 15%

Continuity — gap
analysis

B4 20%

Structural integrity —
validation

B5 15%

Assurance —
governance &
verification

Plane C Performance · C-Score

35% WEIGHT

Utility-specific performance metrics — gated by $B1 \geq 75\%$ and $B2 \geq 75\%$. Energy uses Energy Star (1–100). Water uses consumption intensity (gallons/sqft). Waste follows GRESB methodology: 60% diversion rate + 40% intensity (kg/m²).

FINAL FORMULA

$$\text{EDRA} = (0.45 \times B) + (0.35 \times C) + (0.20 \times G)$$

Portfolio Score = $\Sigma(\text{EDRA} \times \text{GFA} \times \text{confidence}) / \Sigma(\text{GFA} \times \text{confidence})$ · Confidence capped at 50 to prevent over-weighting poor data.

APPENDIX A · ASSET DETAIL

Asset-by-asset scorecards.

Detailed scoring for assets 1–10. Each card shows EDRA scores and status across all three utility tracks, plus the principal blocking codes for any non-eligible assets.

1 · Greenview Apartments

Multifamily
123,372 sqftENERGY
37.2
BLOCKEDWATER
45.3
TRACKEDWASTE
45.3
TRACKED

Energy COMPLETENESS_0% · WATER_LT_75 · NO_ANALYSIS_YEAR

2 · Sunrise Residences

Multifamily
161,384 sqftENERGY
65.9
ELIGIBLEWATER
69.0
TRACKEDWASTE
41.3
TRACKED

Waste COMPLETENESS_BELOW_9_MONTHS

3 · Maple Grove Apartments

Multifamily
201,088 sqftENERGY
80.9
ELIGIBLEWATER
84.0
TRACKEDWASTE
49.3
TRACKED

Waste COMPLETENESS_BELOW_9_MONTHS

4 · Oakwood Heights

Multifamily
145,000 sqftENERGY
83.9
ELIGIBLEWATER
47.5
TRACKEDWASTE
45.3
TRACKED

Water COMPLETENESS_LT_75 · Waste 9_MONTHS

5 · Silver Lake Residences

Multifamily
310,829 sqftENERGY
50.6
BLOCKEDWATER
53.3
TRACKEDWASTE
53.3
TRACKED

Energy COMPLETENESS_18.8% · Water LT_75 · Waste 9_MONTHS

6 · Parkside Apartments

Multifamily
209,874 sqftENERGY
46.6
BLOCKEDWATER
51.5
TRACKEDWASTE
16.0
NOT TRACKED

Energy COMPLETENESS_8.3% · Waste NOT_TRACKED

7 · Riverstone Flats

Multifamily
123,226 sqftENERGY
58.1
ELIGIBLEWATER
63.0
TRACKEDWASTE
49.3
TRACKED

Waste COMPLETENESS_BELOW_9_MONTHS

8 · Golden Gate Residences

Multifamily
104,208 sqftENERGY
59.9
ELIGIBLEWATER
49.3
TRACKEDWASTE
49.3
TRACKED

Water LT_75 · Waste 9_MONTHS

9 · Cityscape Apartments

Multifamily
506,584 sqftENERGY
56.1
ELIGIBLEWATER
61.0
TRACKEDWASTE
47.3
TRACKED

Waste COMPLETENESS_BELOW_9_MONTHS

10 · Harmony Heights

Multifamily
48,466 sqftENERGY
46.1
BLOCKEDWATER
49.3
TRACKEDWASTE
49.3
TRACKED

Energy COMPLETENESS_25% · Water LT_75 · Waste 9_MONTHS

APPENDIX A · ASSET DETAIL (CONTINUED)

Assets 11–20.

Detailed scoring for the remaining shown assets. Three additional assets in the portfolio (21–23) are reflected in the totals but were not included in the asset-level detail of the source extract.

11 · Blue Sky Residences

Multifamily
118,076 sqftENERGY
79.9
ELIGIBLEWATER
83.0
TRACKEDWASTE
41.3
TRACKED

Waste COMPLETENESS_BELOW_9_MONTHS

12 · Grand Oak Apartments

Multifamily
466,922 sqftENERGY
87.0
ELIGIBLEWATER
49.3
TRACKEDWASTE
49.3
TRACKED

Water LT_75 · Waste 9_MONTHS

13 · Lakeside Towers

Multifamily
195,168 sqftENERGY
84.3
ELIGIBLEWATER
47.5
TRACKEDWASTE
45.3
TRACKED

Water LT_75 · Waste 9_MONTHS

14 · Urban Nest Apartments

Multifamily
741,888 sqftENERGY
54.5
ELIGIBLEWATER
47.5
TRACKEDWASTE
45.3
TRACKED

Water LT_75 · Waste 9_MONTHS

15 · Cedar Valley Residences

Multifamily
275,828 sqftENERGY
83.9
ELIGIBLEWATER
87.0
TRACKEDWASTE
45.3
TRACKED

Waste COMPLETENESS_BELOW_9_MONTHS

16 · Garden View Apartments

Multifamily
209,618 sqftENERGY
44.4
BLOCKEDWATER
87.0
TRACKEDWASTE
45.3
TRACKED

Energy COMPLETENESS_57.1% · Waste 9_MONTHS

17 · Sunset Ridge Residences

Multifamily
198,262 sqftENERGY
25.9
BLOCKEDWATER
12.0
NOT TRACKEDWASTE
12.0
NOT TRACKED

Energy COMPLETENESS_0% · COVERAGE_0% · No meters · GFA missing

18 · Crystal Park Apartments

Multifamily
136,192 sqftENERGY
65.9
ELIGIBLEWATER
41.3
TRACKEDWASTE
41.3
TRACKED

Water LT_75 · Waste 9_MONTHS

19 · Willow Creek Residences

Multifamily
303,181 sqftENERGY
68.6
ELIGIBLEWATER
43.5
TRACKEDWASTE
41.3
TRACKED

Water LT_75 · Waste 9_MONTHS

20 · Skyline Towers

Multifamily
78,791 sqftENERGY
80.9
ELIGIBLEWATER
84.0
TRACKEDWASTE
16.0
NOT TRACKED

Waste NOT_TRACKED

From *diagnosed* to **submission-ready**.

This report is the output of Phase 1 — Know It. The portfolio is scored, the gaps are codified, and the priority roadmap is in your hands. The next step is execution.

PHASE 2 — FIX IT · RECOMMENDED PATH

Close the five priority items in this report through structured remediation: haulier engagement for the waste-completeness gap, tenant outreach for water completeness, utility-portal sourcing for the six energy-blocked assets, single-asset triage for Sunset Ridge, and waste-program onboarding for the three untracked assets. Estimated lift to portfolio score: **+28.7 points** — moving from Transition Mode to Decision Grade.

PHASE 3 — REPORT IT · NEXT REPORTING CYCLE

Once data is remediated, EDRA+ prepares submission-ready packages for GRESB, ENERGY STAR, LEED, BREEAM, and audit. Full audit trail (field, original value, corrected value, approver, timestamp) included by default.