

Test Scenarios - Round 1

Model: gemini-2.5-flash Generated on: 2025-12-10 03:37:51

Here are the test scenarios for each non-functional requirement, covering various conditions and checkpoints:

[US01]: As a anonymous user, I want to view a list of sponsors, so that I can thank all the awesome sponsors.

Acceptance Criteria:

- I can thank all the awesome sponsors.
- System displays list with all relevant items
- List is sortable and filterable
- Users can navigate through paginated results

Priority: Medium | **Story Points:** 3

- **[NFR-001] Sponsor List Scalability:** The system shall maintain sub-2-second response times for paginated sponsor lists even with 500 active sponsors and 100,000 unique monthly anonymous users viewing the page.
 - **Acceptance Criteria:** Load testing with a simulated dataset of 500 sponsors and 100,000 unique monthly user profiles (simulated over a day) viewing the sponsor list, ensuring 95% of requests complete within 2 seconds.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-001]: Sponsor list performance with maximum sponsor data volume**
 - **Test Type:** Performance (Scalability)
 - **Conditions:** Test sponsor list loading with a simulated dataset of 500 active sponsors and multiple pages, under moderate user load.
 - **Expected Outcome:** Paginated sponsor lists render within 2 seconds for 95% of requests.
 - **Priority:** Medium
- **[NFR-002] Sponsor List Cross-Browser Compatibility:** The sponsor list, including sorting, filtering, and pagination, shall render correctly and be fully functional on the latest stable versions of Chrome, Firefox, Safari, and Edge, as well as mobile equivalents.
 - **Acceptance Criteria:** Manual and automated UI testing across specified browsers and mobile devices (iOS Safari, Android Chrome) confirms no layout issues, broken functionality, or unresponsive elements for US01.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-002]: Sponsor list rendering and functionality across desktop browsers**
 - **Test Type:** Compatibility

- **Conditions:** Verify the sponsor list, including sorting, filtering, and pagination, renders and functions correctly on Chrome, Firefox, Safari, and Edge (latest stable versions).
- **Expected Outcome:** No layout issues, broken functionality, or unresponsive elements are observed on desktop browsers.
- **Priority:** Medium
- **Scenario 2 [TS-003]: Sponsor list rendering and functionality on mobile devices**
 - **Test Type:** Compatibility
 - **Conditions:** Verify the sponsor list displays and works correctly on mobile equivalents (iOS Safari, Android Chrome).
 - **Expected Outcome:** The sponsor list content is responsive, readable, and fully functional on specified mobile browsers.
 - **Priority:** Medium

[US09]: As a trainee, I want to must accept the cancellation terms with a checkbox, so that they can be accountable..

Acceptance Criteria:

- They can be accountable..

Priority: High | **Story Points:** 4

- **[NFR-003] Cancellation Terms Acceptance Reliability:** The acceptance status of cancellation terms (checkbox state) shall be accurately recorded and permanently associated with the trainee's account for all successful submissions.
 - **Acceptance Criteria:** For 100% of successful trainee registrations, verify through database inspection that the 'cancellation_terms_accepted' flag is set to true and remains immutable after acceptance.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-004]: Cancellation terms acceptance on successful trainee registration**
 - **Test Type:** Reliability / Data Integrity
 - **Conditions:** A trainee successfully registers, explicitly accepting the cancellation terms during the process.
 - **Expected Outcome:** The 'cancellation_terms_accepted' flag is accurately set to true and permanently associated with the trainee's account.
 - **Priority:** High
 - **Scenario 2 [TS-005]: Immutability of accepted cancellation terms after registration**
 - **Test Type:** Reliability / Data Integrity
 - **Conditions:** After a trainee successfully accepts cancellation terms, attempt to modify the recorded status through standard application flows.

- **Expected Outcome:** The 'cancellation_terms_accepted' status remains true and cannot be altered by the user or regular system operations.
- **Priority:** High
- **[NFR-004] Cancellation Terms Data Integrity:** The system shall prevent unauthorized modification or deletion of a trainee's acceptance of cancellation terms once recorded.
 - **Acceptance Criteria:** Attempt to modify or delete the acceptance status of a trainee's cancellation terms directly via API calls or database manipulation (excluding administrative deletion for support cases). Verify all attempts are blocked or logged as unauthorized.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-006]: Unauthorized API attempt to modify accepted cancellation terms**
 - **Test Type:** Security / Data Integrity
 - **Conditions:** Attempt to change a trainee's 'cancellation_terms_accepted' status directly via an unauthenticated or unauthorized API call.
 - **Expected Outcome:** The modification attempt is rejected, and the system logs the unauthorized access attempt.
 - **Priority:** High
 - **Scenario 2 [TS-007]: Direct database attempt to alter accepted cancellation terms**
 - **Test Type:** Security / Data Integrity
 - **Conditions:** Attempt to modify or delete the 'cancellation_terms_accepted' flag for a trainee directly in the database using non-privileged access.
 - **Expected Outcome:** The modification or deletion attempt is blocked by database constraints or permissions, or detected and logged as unauthorized.
 - **Priority:** High

[US11]: As a trainee, I want to add to "my schedule" if there is a schedule feature on the site, so that they can schedule their event experience.

Acceptance Criteria:

- They can schedule their event experience.

Priority: Low | **Story Points:** 4

- **[NFR-005] Event Scheduling Reliability:** When a trainee adds an event to their schedule, the system shall successfully persist the event to the trainee's schedule and reflect it accurately within 0.5 seconds for 100% of valid requests.
 - **Acceptance Criteria:** Conduct functional tests where 100 trainee users simultaneously add an event to their schedule. Verify that all events are

correctly added and immediately visible in "my schedule" without data loss or conflicts.

- **Category:** General | **Priority:** Low
 - **Scenario 1 [TS-008]: Event addition reliability under concurrent user activity**
 - **Test Type:** Reliability / Performance
 - **Conditions:** Simulate 100 trainee users simultaneously adding events to their schedules.
 - **Expected Outcome:** All events are successfully added to each trainee's schedule, immediately visible, and no data loss or conflicts occur.
 - **Priority:** Low
 - **Scenario 2 [TS-009]: Single event addition persistence and display speed**
 - **Test Type:** Performance / Reliability
 - **Conditions:** A single trainee adds an event to their schedule and immediately navigates to "my schedule".
 - **Expected Outcome:** The event is successfully persisted and displayed in "my schedule" within 0.5 seconds.
 - **Priority:** Low
 - **[NFR-006] Event Scheduling Availability:** The "Add to My Schedule" feature shall have an uptime of 99.9% during the event registration and event period.
 - **Acceptance Criteria:** Monitor the availability and functionality of the "Add to My Schedule" feature using automated uptime monitoring tools over a 30-day period.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-010]: Availability of "Add to My Schedule" over extended period**
 - **Test Type:** Availability
 - **Conditions:** Continuously monitor the "Add to My Schedule" feature for functionality and accessibility over a 30-day period.
 - **Expected Outcome:** The "Add to My Schedule" feature maintains at least 99.9% uptime throughout the monitoring period.
 - **Priority:** Medium
 - **Scenario 2 [TS-011]: "Add to My Schedule" availability under peak load conditions**
 - **Test Type:** Availability / Performance
 - **Conditions:** Monitor the availability of the "Add to My Schedule" feature during simulated peak event registration traffic.
 - **Expected Outcome:** The feature remains available and functional, sustaining 99.9% uptime even during periods of high concurrency.
 - **Priority:** Medium
-

[US25]: As a anonymous user, I want to view venue details, so that I can get a sense of the location and see the events happening there.

Acceptance Criteria:

- I can get a sense of the location and see the events happening there.

Priority: Medium | **Story Points:** 4

- **[NFR-007] Venue Details Page Performance:** The venue details page, including images and embedded maps, shall fully load and be interactive within 3 seconds for 90% of anonymous users under normal load.
 - **Acceptance Criteria:** Utilize browser developer tools and performance testing (e.g., Lighthouse) to measure the Time to Interactive (TTI) for the venue details page for 90% of requests, ensuring it is under 3 seconds.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-012]: Venue details page load time for anonymous users**
 - **Test Type:** Performance
 - **Conditions:** An anonymous user accesses the venue details page under typical system load conditions.
 - **Expected Outcome:** The venue details page is fully loaded and interactive within 3 seconds for 90% of requests.
 - **Priority:** Medium
 - **Scenario 2 [TS-013]: Venue page performance with heavy images and embedded map**
 - **Test Type:** Performance
 - **Conditions:** Test the venue details page when it contains a high number of images and a complex embedded map, under normal user load.
 - **Expected Outcome:** Despite rich content, the page remains interactive within 3 seconds for 90% of anonymous user requests.
 - **Priority:** Medium
- **[NFR-008] Venue Details Content Accessibility:** The venue details content (text, images, map if applicable) shall meet WCAG 2.1 Level AA guidelines to ensure accessibility for users with disabilities.
 - **Acceptance Criteria:** Conduct an accessibility audit using automated tools (e.g., axe-core) and manual review against WCAG 2.1 Level AA guidelines for US25. All detected violations must be remediated.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-014]: Automated accessibility scan of venue details page**
 - **Test Type:** Accessibility
 - **Conditions:** Conduct an automated accessibility audit on the venue details page using tools like axe-core.
 - **Expected Outcome:** No critical or severe WCAG 2.1 Level AA violations are detected by automated tools.
 - **Priority:** Medium
 - **Scenario 2 [TS-015]: Manual review of venue details content for WCAG compliance**
 - **Test Type:** Accessibility

- **Conditions:** Perform a manual accessibility review of the venue details page, focusing on keyboard navigation, semantic structure, and logical focus order.
- **Expected Outcome:** The venue details content meets all applicable WCAG 2.1 Level AA guidelines, with all interactive elements navigable and perceivable.
- **Priority:** Medium

[US30]: As a authenticated user, I want to Enter payment information and have my card charged for an individual sponsorship, so that I can pay for an individual sponsorship.

Acceptance Criteria:

- I can pay for an individual sponsorship.
- Payment information is securely processed
- Transaction confirmation is sent to user
- Failed transactions display appropriate error messages

Priority: High | **Story Points:** 8

- **[NFR-009] Payment Information Security (PCI DSS):** The system shall process, store (if applicable, in encrypted form), and transmit payment card information in a manner compliant with PCI DSS v3.2.1 requirements, including encryption in transit (TLS 1.2+) and at rest (AES-256).
 - **Acceptance Criteria:** Conduct a PCI DSS compliance audit performed by a certified QSA. All identified vulnerabilities and non-conformities related to US30 payment processing must be addressed and verified.
 - **Category:** General | **Priority:** Critical
 - **Scenario 1 [TS-016]: Comprehensive PCI DSS compliance audit for payment system**
 - **Test Type:** Security / Compliance
 - **Conditions:** A certified QSA conducts a full PCI DSS v3.2.1 compliance audit of the payment processing system.
 - **Expected Outcome:** The system passes the PCI DSS audit, with no critical non-conformities identified regarding payment card handling.
 - **Priority:** Critical
 - **Scenario 2 [TS-017]: Verification of payment data encryption in transit and at rest**
 - **Test Type:** Security
 - **Conditions:** Inspect network traffic during payment submission and analyze the storage of payment-related data in the database.
 - **Expected Outcome:** Payment card information is encrypted using TLS 1.2+ during transit and AES-256 at rest (if stored).
 - **Priority:** Critical
- **[NFR-010] Payment Transaction Reliability:** The payment processing system shall ensure that 100% of valid payment attempts are either successfully processed with a

confirmed charge or clearly fail with an appropriate error, preventing partial charges or ambiguous states.

- **Acceptance Criteria:** Perform extensive functional and negative testing, including network interruptions, duplicate submissions, and invalid card data. Verify that for every transaction attempt, the system reaches a definitive success or failure state, and the user receives correct feedback, with no phantom charges.
- **Category:** General | **Priority:** Critical
- **Scenario 1 [TS-018]: Definitive outcome for valid and invalid payment attempts**
 - **Test Type:** Reliability / Functional
 - **Conditions:** Process a mix of valid payment attempts and deliberately invalid ones (e.g., incorrect CVC, expired card, insufficient funds).
 - **Expected Outcome:** Every valid attempt reaches a confirmed success, and every invalid attempt reaches a clear, documented failure state without ambiguity.
 - **Priority:** Critical
- **Scenario 2 [TS-019]: Payment system behavior during network interruptions**
 - **Test Type:** Reliability
 - **Conditions:** Simulate network connectivity issues or gateway timeouts during various stages of the payment transaction.
 - **Expected Outcome:** The system consistently resolves to either a successful charge or a definite failure with no partial charges or phantom transactions.
 - **Priority:** Critical
- **[NFR-011] Payment Processing Response Time:** The system shall complete the payment authorization and confirmation process, including sending a transaction confirmation, within 5 seconds for 98% of successful transactions.
 - **Acceptance Criteria:** Monitor payment gateway response times and internal processing logs. 98% of transactions initiated via US30 must show a completion time (from submission to confirmation) of under 5 seconds.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-020]: Payment completion time under typical transaction volume**
 - **Test Type:** Performance
 - **Conditions:** Process a batch of successful payment transactions under average system load and monitor completion times.
 - **Expected Outcome:** 98% of successful payment transactions, from submission to confirmation, complete within 5 seconds.
 - **Priority:** High
 - **Scenario 2 [TS-021]: Payment completion time under high concurrent transactions**
 - **Test Type:** Performance (Load)
 - **Conditions:** Simulate a peak period of high concurrent payment submissions by multiple users.

- **Expected Outcome:** Even under peak load, 98% of successful transactions achieve completion within 5 seconds.
- **Priority:** High
- **[NFR-012] Payment Error Messaging Usability:** For any failed payment transaction, the system shall display a specific, user-understandable error message that clearly indicates the reason for failure (e.g., "Card declined," "Insufficient funds," "Invalid card number").
 - **Acceptance Criteria:** Test payment attempts with various invalid scenarios (e.g., expired card, incorrect CVC, declined by bank). For each scenario, verify that the displayed error message is specific, actionable, and user-friendly, as per US30's acceptance criteria.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-022]: User-friendly error messages for standard payment failures**
 - **Test Type:** Usability / Functional
 - **Conditions:** Initiate payment attempts using scenarios such as an expired card, incorrect CVC, and intentionally insufficient funds.
 - **Expected Outcome:** The system displays clear, specific, and actionable error messages (e.g., "Card expired," "CVC incorrect") for each failure type.
 - **Priority:** High
 - **Scenario 2 [TS-023]: Specific error messages for less common payment failures**
 - **Test Type:** Usability / Functional
 - **Conditions:** Initiate payment attempts simulating less common issues, such as card issuer specific declines or general processing errors.
 - **Expected Outcome:** The system provides informative error messages that help the user understand the issue, even if more generic (e.g., "Transaction declined by bank").
 - **Priority:** High

[US31]: As a sponsor, I want to link BADCamp attendees to my sponsorship page, so that I can show off our level of attendance.

Acceptance Criteria:

- I can show off our level of attendance.

Priority: Medium | **Story Points:** 5

- **[NFR-013] Sponsor Link Access Control:** Only authenticated users with the 'sponsor' role shall be able to create, modify, or delete links to their sponsorship page and associate attendees.
 - **Acceptance Criteria:** Attempt to perform sponsor linking actions (create, modify, delete) while logged in as an 'anonymoususer', 'authenticateduser', 'trainee', or another non-'sponsor' role. Verify all such attempts are denied with an "Access Denied" error.

- **Category:** General | **Priority:** High
 - **Scenario 1 [TS-024]: Anonymous user attempts sponsor link creation/modification**
 - **Test Type:** Security / Access Control
 - **Conditions:** An unauthenticated (anonymous) user attempts to access or perform any sponsor linking actions (create, modify, delete).
 - **Expected Outcome:** All attempts are denied with an "Access Denied" error or equivalent, and no unauthorized action is performed.
 - **Priority:** High
 - **Scenario 2 [TS-025]: Non-sponsor authenticated user attempts sponsor link actions**
 - **Test Type:** Security / Access Control
 - **Conditions:** An authenticated user with 'trainee' or general 'authenticateduser' role attempts to create, modify, or delete sponsor links.
 - **Expected Outcome:** All attempts are denied with an "Access Denied" error, preventing any unauthorized sponsor linking actions.
 - **Priority:** High
 - **[NFR-014] Sponsor Link Data Reliability:** Links created by sponsors and their associated attendance data shall persist accurately and be accessible from the sponsorship page without degradation for the entire event duration (including post-event viewing period of 6 months).
 - **Acceptance Criteria:** After a sponsor creates links and associates attendees, verify the data immediately and at 30-day intervals for 6 months post-event. Confirm 100% accuracy and availability of all linked information.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-026]: Immediate persistence of newly created sponsor links and data**
 - **Test Type:** Reliability / Data Integrity
 - **Conditions:** A sponsor creates new links and associates attendees with those links.
 - **Expected Outcome:** All created links and associated attendance data are immediately and accurately reflected on the sponsorship page.
 - **Priority:** Medium
 - **Scenario 2 [TS-027]: Sponsor link and attendance data accessibility post-event**
 - **Test Type:** Reliability / Data Integrity
 - **Conditions:** Verify the availability and accuracy of sponsor links and associated attendance data at 30-day intervals for 6 months after the event concludes.
 - **Expected Outcome:** All sponsor link and attendance data remains 100% accurate and accessible for the entire post-event viewing period.
 - **Priority:** Medium
-

[US34]: As a administrator, I want to tag my blog posts for consumption by Drupal Planet, so that they will be listed on the Drupal Planet blog.

Acceptance Criteria:

- They will be listed on the drupal planet blog.

Priority: Low | **Story Points:** 4

- **[NFR-015] Tagging System Maintainability:** The tagging system for blog posts shall be implemented using a standard, well-documented API or framework component, allowing for easy updates and extensions by a Drupal developer.
 - **Acceptance Criteria:** Conduct a code review to confirm adherence to Drupal coding standards and use of core/contributed modules for tagging. A new tag vocabulary or term should be addable by a developer in under 15 minutes.
 - **Category:** General | **Priority:** Low
 - **Scenario 1 [TS-028]: Tagging system code adherence to Drupal standards**
 - **Test Type:** Maintainability / Code Quality
 - **Conditions:** Conduct a code review of the tagging system implementation by an experienced Drupal developer.
 - **Expected Outcome:** The tagging system utilizes standard Drupal APIs/components and adheres to Drupal coding best practices, requiring no custom, difficult-to-maintain code.
 - **Priority:** Low
 - **Scenario 2 [TS-029]: Ease of adding new tag terms to existing vocabulary**
 - **Test Type:** Maintainability
 - **Conditions:** A Drupal developer attempts to add a new term to an existing tag vocabulary within the system.
 - **Expected Outcome:** The developer successfully adds the new tag term and verifies its functionality in under 15 minutes.
 - **Priority:** Low
- **[NFR-016] Tag Publishing Reliability:** Once an administrator tags a blog post, the system shall ensure that the tag is correctly associated with the post and reflected in the relevant RSS feed or API endpoint for Drupal Planet within 1 minute of publication.
 - **Acceptance Criteria:** Publish 10 blog posts with tags relevant for Drupal Planet. Within 1 minute of publication, verify via direct inspection of the generated RSS feed or API response that all tags are correctly present.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-030]: Tag reflection for a single blog post after publication**
 - **Test Type:** Reliability / Functional
 - **Conditions:** An administrator publishes a new blog post with relevant tags.
 - **Expected Outcome:** The tags are correctly associated with the post and appear in the relevant RSS feed or API endpoint for Drupal Planet within 1 minute.

- **Priority:** Medium
- **Scenario 2 [TS-031]: Tag reflection for multiple blog posts published concurrently**
 - **Test Type:** Reliability / Performance
 - **Conditions:** An administrator publishes 10 blog posts with distinct tags in quick succession.
 - **Expected Outcome:** All tags for all 10 posts are correctly associated and reflected in the Drupal Planet RSS feed or API within 1 minute of their respective publications.
 - **Priority:** Medium

[US40]: As a attendee, I want to see what summits I'm signed up for, so that I can confirm my attendance and prevent myself from accidentally double-booking with a training or another summit.

Acceptance Criteria:

- I can confirm my attendance and prevent myself from accidentally double-booking with a training or another summit.

Priority: Medium | **Story Points:** 4

- **[NFR-017] User Event List Performance:** An attendee's list of signed-up summits shall load and display within 1.5 seconds for 95% of requests, even when the attendee is signed up for 20+ events.
 - **Acceptance Criteria:** Simulate a user logged in with 20+ assigned events. Conduct performance testing, ensuring 95% of requests to view "my summits" complete within 1.5 seconds under anticipated peak load.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-032]: Event list load time for user with many registered events**
 - **Test Type:** Performance
 - **Conditions:** Simulate a user logged in with 20+ assigned events accessing their "my summits" page under anticipated peak load.
 - **Expected Outcome:** The user's event list loads and displays within 1.5 seconds for 95% of requests.
 - **Priority:** Medium
 - **Scenario 2 [TS-033]: Event list load time for typical number of registered events**
 - **Test Type:** Performance
 - **Conditions:** Simulate a user logged in with an average number of registered events (e.g., 5-10) accessing their "my summits" page under normal load.
 - **Expected Outcome:** The user's event list loads and displays well within 1.5 seconds for 95% of requests.
 - **Priority:** Medium

- **[NFR-018] User Event List Data Accuracy:** The system shall display 100% accurate and up-to-date information regarding an attendee's signed-up summits, reflecting all confirmed registrations and cancellations without delay.
 - **Acceptance Criteria:** Conduct tests where attendees register for and cancel events. Immediately after each action, verify that their "my summits" list correctly reflects the changes. Ensure no outdated or incorrect entries are shown.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-034]: Immediate reflection of new event registrations in user list**
 - **Test Type:** Data Accuracy / Functional
 - **Conditions:** An attendee successfully registers for a new event.
 - **Expected Outcome:** The newly registered event immediately appears correctly in the attendee's "my summits" list.
 - **Priority:** High
 - **Scenario 2 [TS-035]: Immediate reflection of event cancellations in user list**
 - **Test Type:** Data Accuracy / Functional
 - **Conditions:** An attendee successfully cancels their registration for an event.
 - **Expected Outcome:** The cancelled event is immediately removed or correctly marked as cancelled in the attendee's "my summits" list.
 - **Priority:** High

[US52]: As a sponsor, I want to post a job, so that I can hire top-tier Drupal talent.

Acceptance Criteria:

- I can hire top-tier drupal talent.

Priority: Medium | **Story Points:** 4

- **[NFR-019] Job Listing Creation Security:** Only authenticated users with the 'sponsor' role shall be authorized to post new job listings.
 - **Acceptance Criteria:** Attempt to access the "Post Job" functionality and submit a job listing while logged in as an 'anonymoususer', 'authenticateduser', 'trainee', or another non-'sponsor' role. Verify all such attempts are denied.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-036]: Anonymous user attempts to post a new job listing**
 - **Test Type:** Security / Access Control
 - **Conditions:** An unauthenticated (anonymous) user attempts to access the "Post Job" functionality or submit a new job listing.
 - **Expected Outcome:** The anonymous user is denied access to the feature and cannot submit a job listing.
 - **Priority:** High

- **Scenario 2 [TS-037]: Non-sponsor authenticated user attempts to post a job**
 - **Test Type:** Security / Access Control
 - **Conditions:** An authenticated user with a 'trainee' or general 'authenticateduser' role attempts to post a new job listing.
 - **Expected Outcome:** The non-'sponsor' authenticated user is denied access to the "Post Job" functionality and cannot submit a job listing.
 - **Priority:** High
- **[NFR-020] Job Listing Data Persistence:** All submitted job listings shall be reliably stored and remain publicly visible (unless marked otherwise by the sponsor) for their specified duration, without accidental loss or corruption.
 - **Acceptance Criteria:** After a sponsor posts a job, verify its presence immediately, and then periodically (e.g., daily) for the listing's full duration. Simulate database backups and restores, ensuring job listings remain intact.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-038]: Immediate storage and public visibility of new job listings**
 - **Test Type:** Data Persistence / Reliability
 - **Conditions:** A sponsor successfully posts a new job listing, marked as publicly visible.
 - **Expected Outcome:** The job listing is immediately stored, correctly associated with the sponsor, and visible on the public job board.
 - **Priority:** Medium
 - **Scenario 2 [TS-039]: Job listing persistence over its specified duration**
 - **Test Type:** Data Persistence / Reliability
 - **Conditions:** Verify the presence and integrity of job listings periodically (e.g., daily) throughout their specified public duration.
 - **Expected Outcome:** All job listings remain accurately stored and publicly visible (if applicable) for their entire active period without loss or corruption.
 - **Priority:** Medium

[US58]: As a administrator, I want to mark a session as accepted, so that I can populate the schedule .

Acceptance Criteria:

- I can populate the schedule .

Priority: Medium | **Story Points:** 4

- **[NFR-021] Session Acceptance Authorization:** Only authenticated users with the 'administrator' role shall be able to mark a session as accepted.
 - **Acceptance Criteria:** Attempt to change a session's status to 'accepted' while logged in as an 'anonymoususer', 'authenticateduser', 'trainee', 'sponsor', or any non-'administrator' role. Verify all such attempts are denied.
 - **Category:** General | **Priority:** High

- **Scenario 1 [TS-040]: Non-administrator user attempts to accept a session**
 - **Test Type:** Security / Access Control
 - **Conditions:** An authenticated user (e.g., trainee, sponsor, or general authenticated user) attempts to change a session's status to 'accepted'.
 - **Expected Outcome:** The system denies the attempt with an "Access Denied" error or equivalent, preventing unauthorized session status changes.
 - **Priority:** High
 - **Scenario 2 [TS-041]: Anonymous user attempts to accept a session**
 - **Test Type:** Security / Access Control
 - **Conditions:** An unauthenticated (anonymous) user attempts to change a session's status to 'accepted' (e.g., via a direct API call).
 - **Expected Outcome:** The system denies the attempt, typically requiring authentication first, and prevents any unauthorized action.
 - **Priority:** High
 - **[NFR-022] Session Status Change Reliability:** When an administrator marks a session as accepted, the system shall reliably update the session's status and persist this change, making it immediately reflected across all relevant views and APIs, 100% of the time.
 - **Acceptance Criteria:** An administrator accepts 10 sessions. Verify via UI and API that all 10 sessions' statuses are correctly updated to 'accepted' and are immediately visible in schedule population features. Simulate system restart and confirm status persists.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-042]: Single session acceptance and immediate status reflection**
 - **Test Type:** Reliability / Data Accuracy
 - **Conditions:** An administrator marks a single session as 'accepted' through the administrative interface.
 - **Expected Outcome:** The session's status is reliably updated to 'accepted', immediately reflected in all relevant UI views and API endpoints.
 - **Priority:** Medium
 - **Scenario 2 [TS-043]: Multiple session acceptances and status persistence after restart**
 - **Test Type:** Reliability / Data Persistence
 - **Conditions:** An administrator accepts 10 sessions. Immediately after, simulate a system restart or database failover.
 - **Expected Outcome:** All 10 sessions retain their 'accepted' status after system recovery, and the status is accurately reflected across all views.
 - **Priority:** Medium
-

[US62]: As a anonymous user, I want to register to speak at BADCamp, so that I submit a session.

Acceptance Criteria:

- I submit a session.

Priority: Medium | **Story Points:** 4

- **[NFR-023] Speaker Registration Data Security:** All speaker registration data, including personal information and session details, shall be encrypted in transit using TLS 1.2+ and stored at rest using AES-256 encryption.
 - **Acceptance Criteria:** Conduct a security audit and penetration test. Verify that all data submitted via US62 registration forms is encrypted during transmission and stored in an encrypted format in the database.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-044]: Verification of speaker registration data encryption in transit**
 - **Test Type:** Security
 - **Conditions:** A speaker submits their registration form. Network traffic is intercepted and analyzed during the submission.
 - **Expected Outcome:** All speaker registration data is transmitted encrypted using TLS 1.2 or a stronger protocol.
 - **Priority:** High
 - **Scenario 2 [TS-045]: Verification of speaker registration data encryption at rest**
 - **Test Type:** Security
 - **Conditions:** After a speaker successfully registers, attempt to access the stored registration data directly from the database.
 - **Expected Outcome:** Speaker registration data, including personal and session details, is stored in the database using AES-256 encryption.
 - **Priority:** High
- **[NFR-024] Speaker Registration Form Reliability:** The speaker registration form shall reliably submit and save all submitted data for 100% of valid submissions, even under peak load conditions of 50 concurrent registrations.
 - **Acceptance Criteria:** Conduct load testing simulating 50 concurrent speaker registrations. Verify that 100% of valid submissions are successfully processed, and all data is accurately stored without loss or corruption.
 - **Category:** General | **Priority:** High
 - **Scenario 1 [TS-046]: Speaker registration reliability under 50 concurrent submissions**
 - **Test Type:** Reliability / Performance (Load)
 - **Conditions:** Simulate 50 concurrent users successfully submitting valid speaker registration forms.
 - **Expected Outcome:** All 50 valid submissions are successfully processed, and all associated data is accurately stored without loss or corruption.
 - **Priority:** High

- **Scenario 2 [TS-047]: Single speaker registration form submission reliability**
 - **Test Type:** Reliability / Functional
 - **Conditions:** A single user submits a valid speaker registration form under normal system load.
 - **Expected Outcome:** The form data is successfully processed, and all information is accurately stored without issues.
 - **Priority:** High
- **[NFR-025] Speaker Registration Form Usability Feedback:** Upon successful submission of the speaker registration form, the system shall provide clear, immediate visual confirmation (e.g., a "Thank You" page or success message) to the user.
 - **Acceptance Criteria:** Perform functional testing of US62 registration. Verify that after every successful submission, the user is redirected to a confirmation page or shown a clear, persistent success message, with no ambiguity.
 - **Category:** General | **Priority:** Medium
 - **Scenario 1 [TS-048]: Clear visual confirmation after successful registration**
 - **Test Type:** Usability / Functional
 - **Conditions:** A user successfully completes and submits the speaker registration form.
 - **Expected Outcome:** The user is immediately redirected to a dedicated "Thank You" or confirmation page, clearly indicating successful submission.
 - **Priority:** Medium
 - **Scenario 2 [TS-049]: Immediate persistent success message after registration**
 - **Test Type:** Usability / Functional
 - **Conditions:** A user successfully completes and submits the speaker registration form, where an inline message is expected.
 - **Expected Outcome:** A clear, prominent, and persistent success message appears on the page, confirming successful submission without requiring a page refresh.
 - **Priority:** Medium