Written Assignment 1: Solution Deadline: Oct 10th, 2020

Instruction: You may discuss these problems with classmates, but please complete the write-ups individually. (This applies to BOTH undergraduates and graduate students.) Remember the collaboration guidelines set forth in class: You may meet to discuss problems with classmates, but you may not take any content notes (or electronic notes; or photos; etc.) away from the meeting. Your answers must be typewritten, except for figures or diagrams, which may be hand-drawn.

Q1. Word Ladhttps://eduassistpro.github.io/

Wikipedia describes the rules for the word game Word Ladder as: Th and an end word (of equal length). In order to win the same, the player part choro word into the end word progressively, creating an existing word at each Sistem of replacing a single letter. For example, the following is a solution to the Word Ladder puzzle between words "Cold" and "Warm": $COLD \rightarrow CORD \rightarrow CARD \rightarrow WARD \rightarrow WARM$

1. (10 pts) Formulate the problem of solving word ladders as a search problem.

Answer. The start word is the start state and the goal test is to check if the current word is the goal word. A state is a valid word that can be generated. An action is to change one letter of the current word the lead to an existing word. The successor function determines the resulting valid word according to the action taken.

2. (10 pts) Consider a restriction where the words can only use the first seven letters (a-g). Draw the state space graph for converting "bee" to "dad".

Answer. See Figure 2.

3. (10 pts) (Tree Search) Which part of the search tree is expanded by DFS? BFS?




Figure 1: State space graph

Answer. For DFS, it depends on which order we use to select a node to expand in the search tree when a tie-break happen. For example, we may end up at the loop bee-fee-gee. Or we have follow the path-depth of the goal fold.

For BFS, it also depends on which order we use to select nodes to expand when a tie-break happen. How




Figure 2: An example of the BFS expansion. All gray nodes are the nodes expanded. BFS stops the search when it find "dad" which is the goal.

Q2. Graph Search (50 points)

Consider the following graph. For the following sub-questions, ties are broken in alphabetical order.

1. (8 pts) In what order are states expanded by DFS? What path would DFS return?

Answer. States expanded: Start-A-B-D-Goal. Path: Start-A-B-D-Goal.

2. (8 pts) In what order are states expanded by BFS? What path would BFS return?

Answer. States expanded: Start-A-C-B-E-F-D-Goal. Path: Start-C-E-Goal.

3. (8 pts) In what order are states expanded by UCS? What path would UCS return?

Answer. States expanded: Start, A, C, F, E, B, Goal. Path: Start-C-E-Goal.

4. (8 pts) In what order are states expanded by Greedy? What path would Greedy return?

Answer. States expanded: Start-C-E-Goal. Path returned: Start-C-E-Goal

5. (8 pts) In what order are states expanded by A^* ? What path would A^* return?

Answer. States expanded: Start-A-C-E-B-F-Goal. Path returned: Start-C-E-Goal.


6. (5 pts) Is the heuristic in the graph admissible? If not, provide a minimal set of edges whose costs must So that all and the true is to make the harristic school sole.

Answer. Ye

7. (5 pts) Is the helitips://eduassistpro.github.io/costs must be changed along with their new costs to make the heuristic consistent.


Answer. Yes, Aldduris Vie Cost at lead us trassist proheuristic cost.

Important note. For graph search, we never expand a state type twice.



Q3. Hive Minds: Lonely Bug (20 points)

You control a single insect in a rectangular maze-like environment with dimensions $M \times N$. Figure below is an example of such environment. The insect must reach a designated target location X, also known as the hive. There are no other insects moving around. At each time step, an insect can either (a) move into an adjacent square if that square is currently free, or (b) stay in its current location. Squares may be blocked by walls, but the map is known. Optimality is always in terms of time steps; all actions have cost 1 regardless of the number of insects moving or where they move.



Assignment Project Exam Help
1. (10 pts) Provide minimal correct state space representation? What is the size of the state space?

Answer. A thttps://eduassistpro.github.io/the state is (MN).

Explanation. Addi We Chat tedu_assist_pro ctions.

Goal test: (x,y)=Goal

Successor: Similar to Pacman successors. EAST changes (x,y) to (x+1,y), for example.

There are MN total values that the position (x,y) can take.

2. (10 pts) Provide two heuristics which are admissible.

Answer. (i) Manhattan distance from the insect's location to the hive; and (ii) Euclidean distance from the insect's location to the hive.